## Kansas Corporation Commission OIL & Gas Conservation Division

ORIGINAL

Form ACO-1
June 2009
Form Must Be Typed
Form must be Signed
All blanks must be Filled

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 34008	API No. 15 - 15-207-27705-00-00
Name: OWENS PETROLEUM, LLC	Spot Description:
Address 1: 1274 202nd Rd	SW_NE_NE_SW Sec. 33 Twp. 23 S. R. 16 FEast West
Address 2:	2,135 Feet from North / South Line of Section
City: Yates Center State: KS Zip: 66783 + 5411	2,145 Feet from East / West Line of Section
Contact Person: Scott Owens	
Phone: ( 620 ) 496-7048	Footages Calculated from Nearest Outside Section Corner:
33086	☐ NE ☐ NW ☐ SE ☐ SW  County: Woodson
Name: Owens Petroleum Services, LLC	Lease Name: Tannahill Well #: 18
Wellsite Geologist: none	Field Name: Vernon
Purchaser: Coffeyville Resources	Producing Formation: Squirrel
·	Elevation: Ground: 1067 Kelly Bushing: na
Designate Type of Completion:	1
✓ New Well Re-Entry Workover	Total Depth: 1136 Plug Back Total Depth:
✓ Oil	Amount of Surface Pipe Set and Cemented at: 40 Feet
Gas D&A ENHR SIGW	Multiple Stage Cementing Collar Used?
☐ OG ☐ GSW ☐ Temp. Abd.	If yes, show depth set: Feet
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from:
Cathodic Other (Core, Expl., etc.):	feet depth to:
If Workover/Re-entry: Old Well Info as follows:	
Operator:	Drilling Fluid Management Plan
Well Name:	(Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	Chloride content: fresh ppm Fluid volume: 300 bbls
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Dewatering method used: pumped out
Conv. to GSW	
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name: Owens Petroleum, LLC
Dual Completion Permit #:	Lease Name: Roberts License #: 34008
SWD Permit #:	Quarter SE Sec. 4 Twp. 24 S. R. 16 V East West
ENHR	County: Woodson Permit #: D20591
10/04/2010 10/6/2010 10/21/2010	,
Spud Date or Date Reached TD Completion Date or	
Kansas 67202, within 120 days of the spud date, recompletion, workover or of side two of this form will be held confidential for a period of 12 months if re	h the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information equested in writing and submitted with the form (see rule 82-3-107 for confidence) reliable to the submitted with this form. ALL CEMENTING TICKETS MUST form with all temporarily abandoned wells.
AFFIDAVIT  I am the affiant and I hereby certify that all requirements of the statutes, rules and lations promulgated to regulate the oil and gas industry have been fully complie and the statements herein are complete and correct to the best of my knowled.	d with Letter of Confidentiality Received  Date:RECFIVED
Signature: Jody LOWENS	☐ Confidential Release Date: ☐ Wireline Log Received ☐ Geologist Report Received
Title: Member Owner Date: 11/10/2010	UIC Distribution
-	: AIT

Operator Name: OWE	ENS PETROLE	JM, LLC		Lease N	Name:	Tannahill		Well #:18		
Sec. 33 Twp.23	s. r. <u>16</u>	East West County: Woo			dson					
INSTRUCTIONS: Shortime tool open and clos recovery, and flow rates line Logs surveyed. Att	sed, flowing and shu s if gas to surface te	ıt-in pressı est, along v	res, whether s vith final chart(	hut-in press	sure rea	ched static leve	, hydrostatic pres	ssures, bottom f	nole temp	perature, fluid
Drill Stem Tests Taken (Attach Additional Sh	heets)	Ye	s 🗸 No		<b>V</b> L	og Formatio	on (Top), Depth a	nd Datum		Sample
Samples Sent to Geolo Cores Taken Electric Log Run Electric Log Submitted (If no, Submit Copy)		☐ Ye ☐ Ye ☑ Ye ☐ Ye	s No		Nam Squirr Squirr	el		Top 1014 1056	-6	Datum 53 I 1
List All E. Logs Run: Gamma Ray/No	eutron/CCL									
		Repo		RECORD	√ No	ew Used	tion, etc.			
Purpose of String	Size Hole Drilled		e Casing (In O.D.)	Weig Lbs./		Setting Depth	Type of Cement	# Sacks Used		and Percent Additives
surface	9.875"	7"		17		40'	Monarch	20		
Production Casing	5-5/8"	2-7/8"		6.7		1117	owc	135		
			ADDITIONAL	CEMENTIN		JEEZE RECORD	)		L	
Purpose:  Perforate Protect Casing Plug Back TD Plug Off Zone	Depth Top Bottom	Туре	of Cement	# Sacks				Percent Additives		
Shots Per Foot			D - Bridge Plug Each Interval Per				acture, Shot, Cemer		d	Depth
3 1014 - 1020 and 1050 - 1066.5				spotted 2 bbl of 15% acid on zone; frac w/120 sacks of sand						
										EIVED
									NOV	
TUBING RECORD:	Size: 2-7/8	Set At: 1107		Packer At	:	Liner Run:	Yes V N		(CC	WICHITA
Date of First, Resumed P 10/22/2010	roduction, SWD or EN	HR.	Producing Meth	nod:	g 🗌	Gas Lift	Other (Explain)			
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wat	er E	Bbls.	Gas-Oil Ratio		Gravity
DISPOSITION  Vented Sold	N OF GAS:  Used on Lease			METHOD OF		Comp. Co	mmingled	PRODUCTIO	ON INTER	VAL:

THE NEW KLEIN LUMBER COMPANY 201°W. MADISON P.O. BOX 805 IOLA, KS 66749 PHONE: (620) 365-2201

USTOMER NO. JOB NO. PURCHASE ORDER NO. REFERENCE TERMS CLERK DATE TIME 253607 NET 10TH OF MONTH SE 9/25/10 SCOTT OWENS DOCH 123348 1274 202 RD TERMY 1 \* INVOICE \* YATES CENTER KS 66783 **新科英格拉斯安美鲁斯斯斯斯** TAX .: 001 TOLAL TOLA

SHIPPED	ORDERED	UM	SKU	DESCRIPTION	SUGG	UNITS	PRICE/PER	EXTENSION
20		EA	PC	PORTLAND CEMENT		20	9.45 /EA	189.00
1		EA		DELIVERY CHARGE		9	20.86 /EA	20.00
×			a tion date you adding a sign control of	and and an all the second of t	فجه الداء المناسبية الما	es sal a	The form of party	manager branch
							·	,
							•	,
								'
				·				
				·				
	l .							
		ļ	,					
			·					
				·				
	<del>- L</del>			** AMOUNT CHARGED TO STORE ACC	NINT ##	226, 35	TAXABLE	209.00
			•	the seconds of a principle of a principle of the second of	JO111 1111	teriority and	NON-TAXABLE	0.00
							SUBTOTAL	209.00
,							aud IUTHL	CG 3, CB
<u> </u>				-				
	RECEIVE	D BY		and the second second			TAX AMOUNT	17 20
			* •	. #				17.35
				•			TOTAL AMOUNT	226.35

RECEIVED
NOV 1 º 2010
KCC WICHITA

## Kepley Well Service, LLC

19245 Ford Road Chanute, KS 66720

## **Cement Treatment Report**

1,117

Owens Petroleum Company 1274 202 Road Yates Center, KS 66783 (x) Landed Plug on Bottom at 700 PSI
(x) Shut in Pressure 700
(x)Good Cement Returns
() Topped off well with \_\_\_\_\_ sacks
(x) Shut in

TYPE OF TREATMENT: Production Casing HOLE SIZE: 5 5/8"
TOTAL DEPTH: 1136

2.20

7.30%

Well Name	Terms "	Due Date	
	Net 15 days	10/23/2010	
Service	or Product	Oity Per Foot R	ricing/Unit Pricing

TannaHill #18
Woodson County
Section: 33
Township: 23

Range: 16

Run and cement 2 7/8

Sales Tax

RECEIVED NOV 1 8 2010 KCC WICHITA

Amount

2,457.40

0.00

Hooked onto 2 7/8" casing. Established circulation with 5 barrels of water, 2 GEL, METSO, COTTONSEED ahead, blended 129 sacks of OWC cement, dropped 2 rubber plug, and pumped 6 barrels of water

Total	\$2,457.40		
Payments/Credits	\$0.00		
Balance Due	\$2,457.40		