KANSAS CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION**

WELL COMPLETION FORM

VELL HISTORY - DESCRIPTION OF WELL & LEASE

Spud Date or Recompletion Date

Operator: License # 3882	API No. 15 - 15-159-22576-0000
Name: SAMUEL GARY JR. & ASSOCIATES, INC.	County: RICE
Address: 1560 BROADWAY, SUITE 2100	S/2 N/2 Sec 5 _ Twp 19 _ S. R 10 _ □ East ⊠ West
City/State/Zip: DENVER, CO 80202-4838	2130 feet from NORTH of Section
Purchaser: GARY-WILLIAMS ENERGY CORPORATION	
Operator Contact Person: TOM FERTAL	Footages Calculated from Nearest Outside Section Corner:
Phone: (303) 831-4673	(circle one) (NE) SE NW SW
Contractor: Name: SOUTHWIND DRILLING	Lease Name: ORTH-HADDON Well #: 1-5
License: 33350	Field Name: WILDCAT
Wellsite Geologist: JUSTIN CARTER	Producing Formation: ARBUCKLE
Designate Type of Completion:	Elevation: Ground: 1744' Kelly Bushing: 1753'
X New Well Re-Entry Workover	Total Depth: 3412' Plug Back Total Depth: 3386'
XOilSWDSIOW Temp Abd.	Amount of Surface Pipe Set and Cemented at 355 Feet
Gas ENHR SIGW RECEIVED	Multiple State Cementing Collar Used? ☐ Yes ☐ No
Dry Other (Core, WSW, EXP.) SAS GORFORATION COMMIS	· · · · · · · · · · · · · · · · · · ·
If Workover/Re-entry: Old Well Info as follows: Operator:	If Alternate II completion, cement circulated from sx cmt.
Well Name: CONSERVATION DIVISION	Alti- Dia . 4/20/09
Original Comp. Date:Original Total Depth.WICHITA, KS	Drilling Fluid Management Plan
Deepening Re-perf Conv. to Enhr./SWD	(Data must be collected from the Reserve Pit)
Plug Back Plug Back Total Depth	Chloride content ppm Fluid volume bbls
Commingled Docket No.	Dewatering method used
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No	Departure
8/1/2008 8/8/2008 11/25/2008	Lease Name:License No.:
Spud Date or Recompletion Date Recompletion Date Recompletion Date	Quarter Sec Twp S. R East West County: Docket No.:
Kansas 67202, within 120 days of the spud date, recompletion, workove Information on side two of this form will be held confidential for a period of 107 for confidentiality in excess of 12 months). One copy of all wireline logs TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-4 form with all plugged wells.	with the Kansas Corporation Commission, 130 South Market-Room 2078, Wichita, er or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 12 months if requested in writing and submitted with the form (see rule 82-3-s and geologist well report shall be attached with this form. ALL CEMENTING ubmit CP-111 form with all temporarily abandoned wells.

· · · · · · · · · · · · · · · · · · ·					
Signature: Komas 87	ental		Letter of Co	KCC Office Use ONLY onfidentiality Attached	
Title: SR. GEOLOGIST	Date:	3/17/2009	If Denied,	Yes Date:	
Subscribed and sworn to before me this	17 th day of	MARCH S.S.	reline Lo	og Received	
20 <u>09.</u>	In 1 00	40	AA Georgist I	Report Received	
Notary Public:	YIIA		UIC (Strib	ution	
Date Commission Expires:		S. AU	BLIC O		
			ORR		

Operator Name:						ease Name: _	OR	TH-HADDC	N .	_ Well #:	1-5
Sec. <u>5</u>	Twp19	S. R1	<u>o</u> 🗆 E	East ⊠ Wes	st C	ounty:	RIC	E			
instructions: tool open and clos and flow rates if g Attach final geologic	sed, flowing ar	nd shut-in pressu test, along with fi	res, whether :	shut-in press	ure reached	d static level, h	ydros	tatic pressu	f drill stem tests givi ires, bottom hole ter y of all Electric Wire	mperature, fl	uid recovery.
Drill Stem Tests T		⊠ Yes		lo	⊠ Log		Form	ation (Top),	Depth and Datum		☐ Sample
Sample Sent to G	eological Surv	vey ⊠ Yes	□ N	I	Name TOPEKA					584'	Datum -831'
Cores Taken		☐ Yes	⊠N	lo	HEEBNE DOUGLA	S			28	351' 385'	-1098' -1132'
Electric Log Run (Submit Copy)		□ N	o	BRN LIME LANSING ARBUCKLE TD				29 33	974' 998' 319'	-1221' -1245' -1566'
List All E. Logs Ru				į	16				34	112'	
			ASING RECO		New	☑ Use					
	0:				r, surface, ir	ntermediate, p	roduc		1		
Purpose of string	Size Hole Drilled	Size Casing Set (in O.D.)	Weight Lbs./Ft.	Setting Depth	Type of # Sacks Cement Used			Type and Percent Additives		Additives	
SURFACE	12-1/4"	8-5/8"	23	355'	CLASS A 200		2% GEL & 3% CC				
PRODUCTION	7-7/8"	5-1/2"	15.5	3407'	60/40 PO ECON-O-			25 125	5#/SK GILSONITE	E, 1/4#/SK C	ELLFLAKE
				DITIONAL OF	ENENTH O					<u> </u>	
ſ		Depth	ADI			S/SQUEEZE RI	ECOF	RD			
Purpose: Top Bottom Perforate Protect Casing		m	Type of Cement			# Sacks Used			nd Percent A	dditives	
Plug Back Plug Off Zo							-				
	PERF	ORATION RECO	ORD – Bridge	Plugs Set/Ty	уре	`	A	cid. Fracture	e, Shot, Cement, Sq	ueeze Reco	rd
·	Shots per Foot Specify Footage of Each Interval Perforate				(Amount and Kind of Material Used)					Depth	
4 JSPF	3348 - 3356'			<u> </u>		500 GAL W/	15%	ACETICKA	NSAS CORPORATIO	NCOMMISS	3348 - 3356
			<u>C</u> 0	NFIN	FNTH		· - · - · -		MAR 23	2009	
					Inst 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				CONSERVATION	DIVISION	, <u>, , , , , , , , , , , , , , , , , , </u>
	· · · · · · · · · · · · · · · · · · ·								WICHITA,	KS	
TUBING RECORD		Size 2-7/8"	Set At 3381'		cker At	Liner Run		Yes	⊠ No		
Date of First, Resur		n, SWD or Enhr.	Producir	ng Method		<u> </u>		· · · ·			
Estimated Production	11/25/2008				1 .	Flowing	Ø	Pumping	☐ Gas Lift	☐ Oth	er (Explain)
Per 24 Hours	"	Oil Bbls.	Gas	Mcf 0	Wat	er Bbls		Ga	s-Oil Ratio		Gravity
Disposition of Gas				1	METHOD C	F COMPLETION	ON			Р	roduction Interval
☐ Vented ☐ If vented, subm		☐ Used on Le	ase	☐ Open		⊠ Perf.	□ D	ually Comp	. Comming	led	3348 - 3356
				☐ Other	(Specify)		•				