

4- 070985

2-11

189R

TO: STATE CORPORATION COMMISSION
CONSERVATION DIVISION - PLUGGING
200 COLORADO DERBY BUILDING
WICHITA, KANSAS 67202

API number: 15-051-23,042 ~~0000~~
80'N
SW NW NW /4 SEC. 15, 11 S, 17 W
3050 feet from S section line
4950 feet from E section line

Operator license# 6239 Lease Simpson well # 3

Operator: Zinszer Oil Company County Ellis

Address: 206 W. 26th Street Well total depth 3520 feet
Hays, Kansas 67601 Conductor Pipe: 0 inch @ 0 feet
Perry S. Henman Surface pipe 8 5/8 Inch @ 259 feet

114.40

Aband. oil well X, Gas well , Input well , SWD , D & A

Plugging contractor: Allied Cementing License#

Address: P.O. Box 31, Russell, Kansas 67665

Company to plug at: Hour: P.M. Day: 11 Month: February Year: 92

Plugging proposal received from: Perry Henman

Company: Zinszer Oil Company Phone: 913-625-6246

913-625-9448

Were: 8 5/8" 259' S.P. cwc. w/165 sx. cement. 5 1/2" casing set @
3516' w/150 sx. cmt. PBD 3415. Perfs 3445'-3137' csg good. Perferate
5 1/2" casing 1125' and 573'. Order 375 sx. 65/35 pozmix - 8% gel. and
5 sx. hulls. Run tubing to a minimum of 3000'. Load both 5 1/2" casing
and 5 1/2" x 8 5/8" annulus. Shut in under pressure.

RECEIVED
STATE CORPORATION COMMISSION
MAR - 5 1992
CONSERVATION DIVISION
Wichita, Kansas

Plugging Proposal Received by: Marion J. Schmidt

Plugging operations attended by agent? All[X], Part[], None[]

Completed: Hour: 1:35P.M., Day: 11, Month: February, Year: 1992

Actual plugging report: Zinszer Oil Company ordered 375 sx. 65/35 posmix
8% gel. and 5 sx. hulls. Pumped in with pump truck, spotted and
displaced cement through tubing.

1. Perferate 5 1/2" casing @ 1125' and 573'.
2. 2 7/8" tubing @ 3335' w/100 sx. cmt. w/2 sx. hulls mixed in.
3. 2 7/8" tubing @ 1850' w/130 sx. cmt. circulated out of 5 1/2" casing.
4. Squeezed 5 1/2" casing w/50 sx. cmt. Max. pressure 100 P.S.I.
Shut in @100 P.S.I.

5. Squeezed 5 1/2" x 8 5/8" annulus w/95 sx. cmt. Max. pressure 200 P.S.I.

Remarks: Shut in 100 P.S.I. - Cemented by Allied Cement-Russell, Ks.

Condition of casing(in hole): GOOD X BAD Anhy.plug: YES X NO

Bottom plug(in place): YES X, CALC X, NO Dakota plug: YES , NO

Plugged through TUBING X, CASING . Elevation: GL

I did[X] / did not[] observe the plugging.

Marion Schmidt
(agent)

DATE MAR 10 1992

INV. NO. 34721

2-11