KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM

WELL HISTORY - DESCRI	PTION OF WELL & LEASE 15-091-19183-000
OPERATOR: License # 33631	PTION OF WELL & LEASE 15-09 -1918 3 -000 \ API No. 15 - None Assigned on original application
Name: ConocoPhillips	Spot Description:
Address 1:25760 W. 343rd	SE_SE_SE_SE_Sec. 28 Twp. 13 S. R. 24 FEast West
Address 2:	310 Feet from North / South Line of Section
City: Paola State: KS Zip: 66071 +	90 Feet from 🗹 East / 🗌 West Line of Section
Contact Person: Joe Garrison RECEIVED	Footages Calculated from Nearest Outside Section Corner:
Phone: (913) 294-2166 X19	□ne □nw Øse □sw
CONTRACTOR: License # KS 791 (KDHE Lic. WW) NOV 1 5 2010	County: Johnson
Name: Giles Drilling	Lease Name: WA MPPK Well #: MPPKC28
Wellsite Geologist: KCC WICHITA	Field Name: N/A
Purchaser:	Producing Formation: N/A
	Elevation: Ground: 1070 Kelly Bushing:
Designate Type of Completion:	Total Depth: 350 Plug Back Total Depth: 278'
☐ New Well ☐ Re-Entry ☑ Workover	Amount of Surface Pipe Set and Cemented at: 100 Feet
Oil WSW SWD SIOW	
Gas D&A ENHR SIGW	Multiple Stage Cementing Collar Used? Yes No
☐ OG ☐ GSW ☐ Temp. Abd.	If yes, show depth set:Feet
☐ CM (Coal Bed Methane) ✓ Cathodic ☐ Other (Core, Expl., etc.):	If Alternate II completion, cement circulated from: Cathodic Bed
	feet depth to: 0-100 w/ 60 sx cmt.
If Workover/Re-entry: Old Well Info as follows:	
Operator: ConocoPhillips	Drilling Fluid Management Plan
Well Name: MPPKC28	(Data must be collected from the Reserve Pit)
Original Comp. Date: 08/08/1991 Original Total Depth: 350'	Chloride content: City Water ppm Fluid volume: 35 bbls
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Dewatering method used:
Conv. to GSW	Location of fluid disposal if hauled offsite:
✓ Plug Back: 278' Plug Back Total Depth	·
Commingled Permit #:	Operator Name: Environmental Services Inc.
Dual Completion Permit #:	Lease Name: License #:
ENHR Permit #:	Quarter Sec TwpS. R [] East [] West
GSW Permit #:	County: Permit #:
10/28/2010 11/01/2010	
Spud Date or Date Reached TD Completion Date or Recompletion Date	
Kansas 67202, within 120 days of the spud date, recompletion, workover or or of side two of this form will be held confidential for a period of 12 months if required.	the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information juested in writing and submitted with the form (see rule 82-3-107 for confidence) report shall be attached with this form. ALL CEMENTING TICKETS MUST rem with all temporarily abandoned wells. KCC Office Use ONLY
I am the affiant and I hereby certify that all requirements of the statutes, rules and	i Letter of Confidentiality Received
lations promulgated to regulate the oil and gas industry have been fully complied and the statements herein are complete and correct to the best of my knowledge.	i Wibi — _
and the statements herein are complete and confect to the best of my knowledge	Confidential Release Date:
// // //	☐ Wireline Log Received

Date: 11/9/2010

Geologist Report Received

UIC Distribution Alt 3 - Dlg 12/7/10

Signature:

Title: Corrosion Specialist

Side Two

Operator Name: ConocoPhillips Sec. 28 Twp.13 S. R. 24 V East West					Lease Name: N/A County: Johnson			Well #: MPPKC28			
Drill Stem Tests Taken (Attach Additional Sheets) Samples Sent to Geological Survey Yes No			∏ Lo		og Formati	ion (Top), Dept	h and Datum	n Sample			
					e		Тор		Datum		
Cores Taken											
List All E. Logs Run:											
		Repo	CASING	RECORD			ction, etc.				
Purpose of String	Size Hole Drilled	Siz	e Casing (In O.D.)	We	eight s. / Ft.	Setting Depth	Type of Cement			Type and Percent Additives	
Surface	face 16" 10"			SDR21		100'	Neat	60			
Purpose:	Depth	-		T	FING / SQL	JEEZE RECOR		and Percent Additives			
Purpose: Depth Top Bottom Type of Cerr —— Perforate Top Bottom Type of Cerr —— Protect Casing ✓ Plug Back TD Plug Off Zone Type of Cerr		or cement	16-94Lb		56 bags bentonite hole plug						
Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated				Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth						
						RECEIVED					
				***************************************		NOV 1 5 2010 KCC WICHITA					
TUBING RECORD:	Size:	Set At:		Packer	At:	Liner Run:	Yes [] No			
Date of First, Resumed F	Production, SWD or EN	IHR.	Producing Meth	nod:	oing [Gas Lift	Other (Explain)				
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wat	er	Bbls.	Gas-Oil Ratio		Gravity	
DISPOSITIO Vented Sold (If vented, Subs	Used on Lease	_	-	METHOD (DF COMPL!	Comp.	Commingled ubmit ACO-4)	PRODUCTI	ON INTER	VAL:	

LOWE'S HOME CENTERS, INC. 1770 W. 133RD STREET KANSAS CITY, MO 64145 (816) 942-2777

- SALE -

SALES #: \$1623NH1 905124

10-30-10

10352 PORTLAND CEMENT BAG

899.85

105 @

8.57 289316 PALLET CHAR (RECEIVE/ADJ)

36.00

12.00 3 @

SUBTOTAL: TAX:

AMEX:

935.85

INVOICE 02185 TOTAL:

72.29

1,008.14 1,008.14

AHEX:XXXXXXXXXXXXX1003 AMOUNT:1,008.14 AUTHCD:564048

REFID:803999309 10/30/10 11:03:40

STORE: 1623 TERMINAL: 02 10/30/10 11:03:53 OF ITEMS PURCHASED: 108

EXCLUDES FEES, SERVICES AND SPECIAL ORDER ITEMS

THANK YOU FOR SHOPPING LOWE'S. SEE REVERSE SIDE FOR RETURN POLICY. STORE MANAGER: TRACY RASHUSSEN

HAVE A COMMENT OR FEEDBACK? LET US KNOW AT:

WWW.LOWES.COM/FEEDBACK STORE CODE: 16231-03010-02185

WE HAVE THE LOWEST PRICES, GUARANTEED! IF YOU FIND A LOWER PRICE, WE WILL BEAT IT BY 10%. SEE STORE FOR DETAILS.

RECEIVED NOV 15 2010

KCC WICHITANOTICE: Drywall Settlement. Read Below.

Lowe's has settled a lawsuit alleging that certain drywall purchased from Lowe's was defective and caused property damage and/or personal injury. Lowe's denies all of these claims. You are included in the Class if you have or had allegedly defective drywall that was purchased from Lowe's anytime before 7/27/10.

Class Members may receive from \$50 to \$4,500 in Lowe's gift cards and cash. To get a payment, you must submit a claim form by 5/18/11.

Unless you exclude yourself from the Class by 11/9/10, you give up the right to ever sue Love's about the legal claims this settlement resolves. If you stay in the

Garrison, Joseph S

Subject: FW: Load Info

For KCC Reference. Water disposal information concerning the flush out and reload of ConocoPhillips cathodic deep bed Located Johnson County Kansas Sec. 28 T-13-S R-24E Known as MPPKC28. Air Rig was used to rework this location. The only water used was to mix and pump neat cement along with necessary water to load coke breeze. The amount of water used is estimated at 1900 gallons. This water was hauled to Wyandotte County waste water. Located at 300 James Street Kansas City Kansas Water was hauled by Environmental Services Incorporated out of Kansas City, MO.

From: Garrison, Joseph S [mailto:Joseph.S.Garrison@conocophillips.com]

Sent: Friday, November 05, 2010 10:01 AM

To: Craig, Scott

Subject: RE: Load Info

Scott, ConocoPhillips had ESI vacuum truck services deliver 35 barrels of water from 135th and Pflumm in Olathe, Kansas to Wyandotte Waist water located at 300 James Street in Kansas City Kansas on Tuesday November 2, 2010.

Thanks
Joe Garrison
ConocoPhillips
Kansas Area Corrosion
913-294-2166 X19
913-285-2455 cell
The storms of life make the son shine brighter.

From: Craig, Scott [mailto:scraig@wycokck.org]
Sent: Tuesday, November 02, 2010 3:29 PM

To: Garrison, Joseph S **Subject:** Load Info

Just a reminder. Would you email the volume and site info for the load of wastewater delivered today?

Thanks

Scott Craig Water Pollution Control 50 Market Street Kansas City, KS 66118

913-573-1313, Direct 913-573-1300, ext 1313

913-238-5054, cell Nextel Direct 140*23*55794

913-573-1351 fax 913-551-0488 fax RECEIVED
NOV 15 2010
KCC WICHITA