KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Tes	it:				(See Instru	ctions on Rev	rerse Side	9)				
□ o _i	pen Flow					•		•				
□ De	eliverabilty			Test Da	(e:			AP	1 No. 15	5-205	54-00-0	
Company	/ Kaiser	Francis	Oil Comp	anv		Lease Colli	nson			- <u></u>	Well Number	
County		Locati		Section	····	TWP		RNG (I	E/W)		Acres Attributed	
(Seward			11		33S		310				
Field Kismet			Reservoir Morrow					thering Connect	ion			
Completic		· · · · · · · · · · · · · · · · · · ·	··· · · · · · · · · · · · · · · · · ·	·	w :k Total Depti	h		Packer				
•	11-4-8	1		· .0g ວແ	ж тога: оор:	''		acker	5582			
Casing Size			•			Diameter Set at		Perforations		То		
5.5		15.5		4.95		5681		5643		5650		
Tubing Size 2.875		Weight 6.5		Internal Diameter 2.441		Set at 5582		Perforations		То		
	npletion (C				441 id Production			Pump I I	nit or Traveling F	llungae? Van	766	
• •	inale	• •		1) 0	10 1 10000000	•		L'amb A		nunger: tes	/No	
roducing	Thro (An Pubing	nulus / Tubing)	-	% Carbo	n Dioxide			% Nitrog	gen	Gas G	ravity - G ₃	
ertical D			<u> </u>		Prassi	ure Taps				Mater	Run) (Prover) Siz	
	5647					lange		i		(Meter	nun) (Prover) Siz	
ressure	Buildup:	Shut in	18/10 1)af		-# (AM) (PM)∈1	aken	4/19	19 _	al	(AM) (PM	
/ell on Li	ne:	Started	19	at		(AM) (PM) 1	Taken		19 _	at	(AM) (PM	
					OBSERVE	D SURFACE	DATA			uration of Shut	-in Ho	
Static / Orifice		Circle one:	Pressure	re Floring Well Head		Well Head Temperature (P _m) or (P _t) or (P _c)		Tubing				
lynamic Size		Meter of Prover Pressur	Differential in (h)	(h) Temperature Te					ad Pressure	Ouration (Hours)	Liquid Produces	
roperty	inches	psig	inches H ₂ 0	t	t .	psig	psia:	psig	r (P ₁) or (P _c)	(Houls)	(Barreis)	
Shut-In				5				90		24	·	
Flow								70				
					FLOW STR	EAM ATTRIE	UTES	·				
Plate Coefficcient		Circle one: Meter or	Press Extension	C161		emperature		istion Metered Flow		GOR (Cubic Fe	Flowing Fluid	
(F _b) (F _p Mcfd) Pr	psia	√ P _m x H _w	F		Factor Fit	F		(Mcfd)	Barrel)	Cravity	
						, k						
	•			(OPEN FL	OW) (DELIVI	ERABILITY)	CALCUL	ATIONS	-	(P,)	² = 0.207	
)2 =	<u>:</u>	(P _w) ² =_	 :	P _e =	9	6 (P _c	- 14.4) +	14.4 = _	;	(P _a)	² =	
(P _c)² - (P	ر) ا در	P_)*.(P_)*	hoose formula 1 or 2:	LOG of	Γ	Backpress Slope			١٦١		Open Flow	
or (P _e)2- (P			2. P. P. P.	formula 1. or 2.			r	n x	LOG	Antilog	Deliverability Equals R x Antilo	
(P _e)** (P	a)*	a	moded by: P. 2 . P. 2	and divide	P, 2 · P, 2	Assiq Standar					Meld	
											İ	
en Flow Mcfd © 14.65 psia			5 psia	ia Deliverability		Mc(d						
The ur	ndersigned	d authority, on t	pehalf of the Co	mpany, sta	tes that he is	duly authoriz	ed to ma	ke the ab	ove report and th	at he has know	viedge of the fact	
ted there	in, and th	at said report is	true and corre	et. Execute	d this the	18	day of	No	venber		19 201	
		Witness (if	a(nv)			· · · · · <u>-</u>	·	1300	nt M	you	RECEIV	
		**************************************	-· · · · · · ·						ForCon	y-u ny	NOV 2 2	
		For Commi	seion			_	·		Checked	l by	VIAOA & Z	

I declare under penalty or per exempt status under Rule K.A.R. 82	2-3-304 on behalf of the	e operator <u>Ka</u>	iser Francis	Oil Company	
and that the foregoing information he best of my knowledge and bel					
ine best of my knowledge and beli ion and/or of type completion or t				,p	
I hereby request a permanent e			Collinson 1		· .
gas well on the grounds that said		·			
					
(Check one)	ethane producer				
اسا	inger lift due to water			• .	
	natural gas for injection		voir undergoing E	R	
· • • • • • • • • • • • • • • • • • • •	at the present time; KC				
	producing at a daily r			a anger and a mile	:
<u></u>		6. 167 25		And the second complete th	
					^
nu ulialia		•			
Date://////					
•	•	and the second second	and the same of the same of the		,
				15 control galante a face year any	
				e e e e e e e e e e e e e e e e e e e	·. ·
		0110	~		
	Signature:	1 Sout /	/ajov		
	 Title:	Production I	Records Manage	er	
	1110.				
· · · ·			.=		

Instructions:

All active gas wells must have at least an original G-2 form on file with the conservation division. If a gas well meets the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to obtain a testing exemption.

At some point during the succeeding calendar year, wellhead shut-in pressure shall be measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under "observed surface data." Shut-in pressure shall thereafter be reported yearly in the same manner.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than thirty (30) days after the taking of the pressure reading. The form must be signed and dated on the front side as though it was a verified report of test results.