STATE OF KANSAS STATE CORPORATION COMMISSION

15-051 - 00947 · 00-00

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
211 No. Broadway
Wichita. Kansas

WELL PLUGGING RECORD

Wichita, Kansas	E1118	<u> </u>	County	/. Sec3.3. Tv	vp. 13 Rg	e16_ (E)V	L(W)	
Wichita, Kansas EIIIS County. Sec. 33 Twp. NORTH Location as "NE/CNWKSWK" or footage from lines SW S					SESE			
	Lease Owner			<u> </u>				
	Lease Name	Lease Name Von Lintel				Well No	_1	
	Office Address		ssell, Ka		· · · · · · · · · · · · · · · · · · ·			
	Character of Wo			Dry Hole)	Dry Hole			
	Date well comp			ember 12			<u>9 56</u>	
	Application for plugging filed September 12 Application for plugging approved September 12					9_56_		
						<u> 56</u>		
	Plugging commenced September 13					19	<u> 56 </u>	
i <u></u> i		Plugging completed September 13 19 56 Reason for abandonment of well or producing formation Dry Hole						
!	Reason for aband	donment of we	ll or producing	formation	Dry Ho	le		
	70 7			_	 			
i	If a producing v	well is abandor	ied, date of las	t production		19	9	
Locate well correctly on above	- was permission	obtained from	the Conserva	tion Division or	its agents be	fore plugging wa	s com-	
Section Plat	menced?		T21.1 T24					
me of Conservation Agent who supe	rvised plugging of this	well	Fidon Per	ty		2400		
oducing formation ow depth and thickness of all water,	oil and gos formation	eptn to top	Bottom		Total Depth o	f Well 3498	Feet	
ow deput and unckness of an water,	on and gas formations	s.						
OIL, GAS OR WATER RECORD	S					CASING RECO	RD	
FORMATION	CONTENT	FROM	TO	cize				
	- CONTRACTOR OF THE CONTRACTOR	MUNI	TO	SIZE	PUT IN	PULLED OUT		
			 	8 5/8"	2061	Cmtd w/	_100	
			 					
		<u> </u>	 			-		
		<u> </u>	 			-		
			 					
			 					
			 					
Heavy m	20 sax cement and to 40! 1/2 sax hulls	t on top o	t plug thr	u 4 1/2" d	rill pipe			
	ging plug @ 40	1						
	10 sax cement		n of cella	r				
<u> </u>								
			· · · · · · · · · · · · · · · · · · ·					
			 	······································		· · · · · · · · · · · · · · · · · · ·		
					 			
	/If additional d	escription is neces	DACE -	en d				
me of Plugging Contractor Si	hields Drilling	Compan	v. Inc.	t this sheet)	,			
	hields Buildin			s				
**************************************			_		6			
ATE OF Kansas	, COUN				ss.			
	• Contractor		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	«XX XXXXXXX	of the above-des	cribed	
l, being first duly sworn on oath, sa	iys: That I have know	wledge of the i	facts, statement	ts, and matters	herein contair	ned and the log	of the	
ve-described well as filed and that	the same are true and	correct. So h	elp me God.	\	7 /			
	1	Signature)	(PX	Shul	le			
	(4	oignature)		A COMA		·····		
			Shield	ls Building	Russe	ll, Kansas		
Simoconomic Comments	e me this 20th	•	.	(Ad	dress)	£4		
SUBSCRIBED AND SWORN TO before	me this LULII	day of_	Septem	ne1	, 19	20	- 6 %	
				Jack P.	Beim		80 B	
12-18-1	957			1		Notaru Puh	lic.	
commission expires			5.77			£		
		Charles Brown		*			1773	
				* *	1. The state of th	A Committee of the	12	

PLUGGING
FILE SEC 33 T13 RIGW
BOOK PAGE 98 LINE 37

09-24-1956





15-051-00947-00-00 Russell, Kansas

WELL LOG

Operator: Charley H. Trapp

Well: Von Lintel #1

Commenced: September 1, 1956 Completed: September 13, 1956

Contractor: Shields Drilling Co., Inc.

CASING RECORD

Size

Run

Pulled

8 5/8" 206"

Cmtd w/100 sax

Well Description: SW SE SE

Sec. 33-13S -16W

Ellis County, Kansas

Elevation:

1933' RB

Treatment:

None

Production:

D & A

Tops: Topeka 2921'

Heebner 3148'
Toronto 3169'
Lansing-Kansas City 3196'

Lansing-Kansas City 3196' Cherty Conglomerate 3443'

Surface Clay	30
Sand	100
Sand & Shale	205
Shale	520
Sand	760
Red Bed	1041
Anhydrite	1075
Shale & Shells	1400
Shale & Lime	1715
Lime & Shale	1910
Lime & Shale Streaks	2035
Lime	2184
Lime & Shale Streaks	2275
Shale & Lime	2391
Lime & Shale	2473
Shale & Lime	2595
Lime & Shale	2823
Lime	3100
Lime & Shale	3153
Lime	3457
Conglomerate	3485
Lime	· 3498 RTD

i∏ St∷

09-24-1956

PLUGGING
FILE SEC 33 T 13 R 16 W
BOOK PAGE 98 LINE 37

Notes

DST #1 3216'-3229' Tool open one half hour. Weak blow for five min. Recovered eight feet of drilling mud. Initial flow pressure 0#. Final flow pressure 0#. Bottom hole pressure 940# in 20 min.