

CONFIDENTIAL

ORIGINAL

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Form ACO-1
September 1999
Form Must Be Typed

11/13/10

Operator: License # 32825
Name: Pioneer Exploration, LLC
Address: 15603 Kuykendahl Suite 200
City/State/Zip: Houston, Texas 77090
Purchaser: NCRA
Operator Contact Person: Cynthia B. Gray
Phone: (281) 893-9400 x.259
Contractor: Name: Warren Drilling, LLC
License: 33724
Wellsite Geologist: Patrick Deenihan
Designate Type of Completion:
New Well Re-Entry Workover
Oil SWD SLOW Temp. Abd.
Gas ENHR SIGW
Dry Other (Core, WSW, Expl., Cathodic, etc)
If Workover/Re-entry: Old Well Info as follows:
Operator:
Well Name:
Original Comp. Date: Original Total Depth:
Deepening Re-perf. Conv. to Enhr./SWD
Plug Back Plug Back Total Depth
Commingled Docket No.
Dual Completion Docket No.
Other (SWD or Enhr.?) Docket No.
07/21/08 07/30/08 7/31/08
Spud Date or Date Reached TD Completion Date or Recompletion Date

KCC
NOV 13 2008
CONFIDENTIAL

API No. 15 - 055-21993-00-00
County: Finney
SW SE NW Sec. 19 Twp. 22 S. R. 33 East West
2310 feet from S/N (circle one) Line of Section
3630 feet from E/W (circle one) Line of Section
Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE NW SW
Lease Name: Garden City "B" Well #: 10-19
Field Name: Damme
Producing Formation: Morrow
Elevation: Ground: 2910 Kelly Bushing: 2923
Total Depth: 4950 Plug Back Total Depth: 4871
Amount of Surface Pipe Set and Cemented at 356 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set 2691 Feet
If Alternate II completion, cement circulated from 4927
feet depth to surface w/ 1025 sx cmt.
Drilling Fluid Management Plan
(Data must be collected from the Reserve Pit)
Chloride content ppm Fluid volume bbls
Dewatering method used
Location of fluid disposal if hauled offsite:
Operator Name:
Lease Name: License No.:
Quarter Sec. Twp. S. R. East West
County: Docket No.:

AT 2-Dig-12/22/08

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.


All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Handwritten Signature]
Title: Prod Engr Date: 11/17/2008

Subscribed and sworn to before me this 17th day of November

20 08

Notary Public: [Handwritten Signature]



Date Commission Expires:

KCC Office Use ONLY
Letter of Confidentiality Received
If Denied, Yes Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
RECEIVED
KANSAS CORPORATION COMMISSION
NOV 18 2008

Operator Name: Pioneer Exploration, LLC Lease Name: Garden City "B" Well #: 10-19
 Sec. 19 Twp. 22 S. R. 33 East West County: Finney

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken Yes No
(Attach Additional Sheets)

Samples Sent to Geological Survey Yes No

Cores Taken Yes No

Electric Log Run Yes No
(Submit Copy)

List All E. Logs Run:

Log Formation (Top), Depth and Datum Sample
 Name Top Datum
 SEE ATTACHED

CNL/CDL MEL, DIL, CBL

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12-1/4"	8-5/8"	24	356	Common	225	3% cc w/ 2% gel
Production	7-7/8"	4-1/2"	10.5	4927	C/C-lite/ASC	1025 105	10% salt, 2% gel, 5# gilsonite; 1/4# flo-seal

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
..... Perforate				
..... Protect Casing				
..... Plug Back TD				
..... Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type		Acid, Fracture, Shot, Cement Squeeze Record	
	Specify Footage of Each Interval Perforated		(Amount and Kind of Material Used)	
				Depth
4	4764-4766			
4	4770-4780			

TUBING RECORD Size 2-3/8" Set At 4808 Packer At _____ Liner Run Yes No

Date of First, Resumerd Production, SWD or Enhr. 10/22/08 Producing Method Flowing Pumping Gas Lift Other (Explain)

Estimated Production Per 24 Hours Oil Bbls. 150 Gas Mcf 0 Water Bbls. 10 Gas-Oil Ratio 0 Gravity 28.6

Disposition of Gas Vented Sold Used on Lease *(If vented, Submit ACO-18.)* METHOD OF COMPLETION Open Hole Perf. Dually Comp. Commingled. Other (Specify) _____ Production Interval _____

KCC
NOV 13 2008
CONFIDENTIAL

Garden City "B" #10-19
Damme Field
Finney County
API. NO. 15-055-21993-00-00

Tops and base of formation penetrated

<u>Name</u>	<u>Top</u>	<u>Datum</u>
Herington	2522	(+401)
Krider	2540	(+383)
Winfield	2602	(+321)
Heeber Shale	3832	(-909)
Lansing	3881	(-958)
Base/Kansas City	4366	(-1443)
Cherokee Shale	4513	(-1590)
Morrow	4711	(-1778)
St. Louis	4851	(-1928)

RECEIVED
KANSAS CORPORATION COMMISSION

NOV 18 2008

CONSERVATION DIVISION
WICHITA, KS



ALLIED

CEMENTING CO., LLC
Cementing & Acidizing Services

24 S. Lincoln Street
P.O. Box 31
Russell, KS 67665-2906

Voice: (785) 483-3887
Fax: (785) 483-5566

PRIORITY INVOICE

Invoice Number: 115353
Invoice Date: Jul 31, 2008
Page: 1

RECEIVED
AUG 06

Bill To:
Pioneer Exploration, LTD
P O Box 38
Spivey, KS 67142-0038

REC
NOV 13 2008
CONFIDENTIAL

Customer ID	Well Name# or Customer P.O.	Payment Terms	
PioExp	Garden City B #10-19	Net 30 Days	
Job Location	Camp Location	Service Date	Due Date
KS1	Oakley	Jul 31, 2008	8/30/08

Quantity	Item	Description	Unit Price	Amount
150.00	MAT	Class C Premium Plus	19.25	2,887.50
500.00	MAT	Lightweight Class A	14.05	7,025.00
2,500.00	MAT	Gilsonite	0.89	2,225.00
125.00	MAT	Flo Seal	2.50	312.50
915.00	SER	Handling	2.40	2,196.00
73.00	SER	Mileage 915 sx @ .10 per sk per mi	91.50	6,679.50
1.00	SER	Production String - Top Stage	1,185.00	1,185.00

DESCRIPTION Cementing Services
 ACCOUNT # 1100015
 WELL NAME GARDEN CITY B #10-19 KS15910
 AFE# 05070038 J
 DATE 8-12-08 APPROVED

ALL PRICES ARE NET, PAYABLE 30 DAYS FOLLOWING DATE OF INVOICE. 1 1/2% CHARGED THEREAFTER. IF ACCOUNT IS CURRENT, TAKE DISCOUNT OF

\$ 225.05

ONLY IF PAID ON OR BEFORE

Aug 30, 2008

Subtotal	22,510.50
Sales Tax	771.90
Total Invoice Amount	23,282.40
Payment/Credit Applied	
TOTAL	23,282.40

RECEIVED
KANSAS CORPORATION COMMISSION

NOV 18 2008

CONSERVATION DIVISION
WICHITA, KS

ALLIED CEMENTING CO., LLC. 31576

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: Oakville, Ky

DATE: <u>7/16/08</u>	SEC.	TWP	RANGE	CALLED OUT	ON LOCATION	JOB START <u>1:30 pm</u>	JOB FINISH <u>3:00 pm</u>
LEASE # <u>10-19</u>	WELL # <u>10-19</u>	LOCATION <u>Big Cove to Barkow Rd 1/2 W</u>			COUNTY <u>Fayette</u>	STATE <u>KY</u>	
OLD OR NEW (Circle one) <u>NEW</u> (Circle one) <u>S. into</u>							

CONTRACTOR Warner 18 OWNER Same

TYPE OF JOB Production "Top Stage"

HOLE SIZE 7 7/8 I.D.

CASING SIZE 4 1/2 - 9 1/2 lb DEPTH 4923

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL 0-1/2 DEPTH 2700

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG. 4225 FT

PERFS.

DISPLACEMENT

CEMENT			
AMOUNT ORDERED	<u>150 SKs Class "C"</u>		
	<u>650 SKs Lite 5" Gilsonite, 1/4 Flo Seal</u>		
Class C	<u>150 SKs</u>	@ <u>19.25</u>	<u>2887.50</u>
POZMIX		@	
GEL		@	
CHLORIDE		@	
ASC		@	
Lite	<u>500 SKs</u>	@ <u>14.50</u>	<u>7225.00</u>
Gilsonite	<u>2500 lb</u>	@ <u>894</u>	<u>2225.00</u>
Flo Seal	<u>125 lb</u>	@ <u>2.50</u>	<u>312.50</u>
		@	
		@	
HANDLING	<u>915 SKs</u>	@ <u>2.40</u>	<u>2196.00</u>
MILEAGE	<u>12.4 SK mile</u>		<u>6679.50</u>
			<u>21325.00</u>

EQUIPMENT

PUMP TRUCK CEMENTER Alan

422 HELPER Wagap

BULK TRUCK

394 DRIVER Lennie

BULK TRUCK

373 DRIVER Darrin

REMARKS:

mix 10 SKs Matt, 15 SKs Rot Hole

mix 475 SKs Lite, 5" Gilsonite, 1/4 Flo Seal,

150 SKs Class "C", wood trucks

lines, 1/2 place 1 1/4 44 Bbl water

plug loaded @ 2200 PST, DV Deal

800 lb 13FT BSE white displacing

cement did circulate

Thank you Alan, Wagap, Lennie, Darrin

SERVICE

DEPTH OF JOB	<u>2700</u>	
PUMP TRUCK CHARGE		<u>1185.00</u>
EXTRA FOOTAGE	@	
MILEAGE	@ <u>NK</u>	<u>NK</u>
MANIFOLD	@ <u>73</u>	
	@	
	@	
TOTAL		<u>1185.00</u>

CHARGE TO: Pioneer Exploration

STREET _____

CITY _____ STATE _____ ZIP _____

PLUG & FLOAT EQUIPMENT

_____	@ _____
_____	@ _____
_____	@ _____
_____	@ _____
_____	@ _____
TOTAL	_____

To Allied Cementing Co., LLC.

You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME Larry Faint

SIGNATURE [Signature]

SALES TAX (If Any) _____

TOTAL CHARGES _____

DISCOUNT _____ IF PAID IN 30 DAYS

KCC
NOV 13 2008
CONFIDENTIAL

RECEIVED
KANSAS CORPORATION COMMISSION
NOV 18 2008
CONSERVATION DIVISION
WICHITA, KS



ALLIED

CEMENTING CO., LLC
Cementing & Acidizing Services

24 S. Lincoln Street
P.O. Box 31
Russell, KS 67665-2906
Voice: (785) 483-3887
Fax: (785) 483-5566

PRIORITY INVOICE

Invoice Number: 115352
Invoice Date: Jul 31, 2008
Page: 1

KCC
NOV 13 2008
CONFIDENTIAL

RECEIVED
AUG 06

Bill To:
Pioneer Exploration, LTD
P O Box 38
Spivey, KS 67142-0038

Customer ID	Well Name# or Customer P.O.	Payment Terms	
PioExp	Garden City B #10-19	Net 30 Days	
Job Location	Camp Location	Service Date	Due Date
KS1	Oakley	Jul 31, 2008	8/30/08

Quantity	Item	Description	Unit Price	Amount
4.00	MAT	Gel	20.80	83.20
200.00	MAT	ASC Class A	14.05	2,810.00
200.00	MAT	Lightweight Class A	18.60	3,720.00
1,000.00	MAT	Gilsonite	0.89	890.00
19.00	MAT	Salt	23.95	455.05
50.00	MAT	Flo Seal	2.50	125.00
460.00	SER	Handling	2.40	1,104.00
73.00	SER	Mileage 460 sx @ .10 per sk per mi	46.00	3,358.00
1.00	SER	Production String - Bottom Stage	2,185.00	2,185.00
73.00	SER	Mileage Pump Truck	7.00	511.00
1.00	SER	Manifold Head Rental	113.00	113.00
1.00	EQP	AFU Float Shoe	434.00	434.00
10.00	EQP	Centralizers	51.00	510.00
3.00	EQP	Baskets	169.00	507.00
1.00	EQP	Latch Down Assembly	405.00	405.00
1.00	EQP	D.V Tool	4,219.00	4,219.00

DESCRIPTION Cementing
Services
ACCOUNT # 1000-15
WELL NAME Garden City B-10 KS 15910
DATE 8-10-08 APPROVED [Signature]

ALL PRICES ARE NET, PAYABLE
30 DAYS FOLLOWING DATE OF
INVOICE. 1 1/2% CHARGED
THEREAFTER. IF ACCOUNT IS
CURRENT, TAKE DISCOUNT OF

\$ 2142.92

ONLY IF PAID ON OR BEFORE

Aug 30, 2008

Subtotal	21,429.25
Sales Tax	877.81
Total Invoice Amount	22,307.06
Payment/Credit Applied	
TOTAL	22,307.06

RECEIVED
KANSAS CORPORATION COMMISSION

NOV 18 2008

CONSERVATION DIVISION
WICHITA, KS

ALLIED CEMENTING CO. LLC. 31575

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: Oakley, KS

DATE <u>7/31/08</u>	SEC.	TWP.	RANGE	CALLED OUT	ON LOCATION <u>5:00 am</u>	JOB START <u>10:30 am</u>	JOB FINISH <u>11:30 am</u>
LEASE <u>Quinn City 8</u>	WELL# <u>10-19</u>	LOCATION <u>Big Lake - Barkwood 1/2W</u>		COUNTY <u>Finney</u>	STATE <u>KS</u>		
OLD OR <u>NEW</u> (Circle one)				<u>SICR</u>			

KCC

NOV 13 2008

CONFIDENTIAL

CONTRACTOR Warren 18 OWNER Same

TYPE OF JOB Production Bottom Stage

HOLE SIZE 7 7/8 I.D.

CASING SIZE 4 1/2 - 9 1/2 lb DEPTH 4923'

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL D.V. DEPTH 2700'

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT 42 3/4

CEMENT LEFT IN CSG. _____

PERFS. _____

DISPLACEMENT 3 5/8" BBH water 44 bbl/min = 79%

CEMENT	AMOUNT ORDERED	<u>200 SKs Lite 1/4 lb Flo Seal</u>	
		<u>200 SKs ASC 1000 Salt 5" Gilsonite 2" Gels</u>	
COMMON	@	_____	_____
POZMIX	@	_____	_____
GEL	@	<u>4</u>	<u>20.00</u> <u>80.00</u>
CHLORIDE	@	_____	_____
ASC	@	<u>200 SKs</u>	<u>18.00</u> <u>3720.00</u>
	@	<u>Lite 2" Gels SKs</u>	<u>25.00</u> <u>2510.00</u>
	@	_____	_____
	@	<u>Gilsonite 1000'</u>	<u>.69</u> <u>890.00</u>
	@	_____	_____
	@	<u>SALT 19%K</u>	<u>23.20</u> <u>465.00</u>
	@	_____	_____
	@	<u>Flo Seal 50lb</u>	<u>2.50</u> <u>125.00</u>
	@	_____	_____
HANDLING	@	<u>460 SKs</u>	<u>1.04</u> <u>1704.00</u>
MILEAGE	@	<u>1065/ mile</u>	<u>3358.00</u>
TOTAL			<u>12545.00</u>

EQUIPMENT

PUMP TRUCK CEMENTER Alan

_____ HELPER Wayne

BULK TRUCK

386 DRIVER Wil

BULK TRUCK

_____ DRIVER _____

REMARKS:

Mix 200 SKs Lite 1/4 Flo Seal, 200 SKs ASC 1000 Salt 5" Gilsonite, 2" Gels.
Wash Truck & Lines. Pipe Line 35 lb BBH water 44 bbl/min. Lead Plug 1500 lb. Plug Ball.
Prop D.V. opening tool, wait 15 min after D.V. tool. Had 900 lb LIFT Pressure while displacing.

Thank You
Alan, Wayne, Wil

CHARGE TO: Pioneer Exploration

STREET _____

CITY _____ STATE _____ ZIP _____

SERVICE

DEPTH OF JOB	_____	
PUMP TRUCK CHARGE	_____	<u>2185.00</u>
EXTRA FOOTAGE	@	_____
MILEAGE	@	<u>23</u> <u>7.00</u> <u>571.00</u>
MANIFOLD Head Rental	@	<u>113.00</u>
	@	_____
	@	_____
TOTAL		<u>2809.00</u>

PLUG & FLOAT EQUIPMENT

<u>4 1/2"</u>		
AFU Float Shoe	@	<u>434.00</u>
10 Centralizers	@	<u>5.12</u> <u>512.00</u>
3 baskets	@	<u>169.00</u> <u>507.00</u>
Letek House Assn	@	<u>405.00</u>
D-V Tool	@	<u>4219.00</u>
TOTAL		<u>6075.00</u>

To Allied Cementing Co., LLC.
 You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME Larry Paul

SIGNATURE Larry Paul

SALES TAX (If Any) _____

TOTAL CHARGES _____

DISCOUNT _____ IF PAID IN 30 DAYS

RECEIVED
KANSAS CORPORATION COMMISSION

NOV 18 2008

CONSERVATION DIVISION
WICHITA, KS



*KCC
11/2/08*

PRIORITY INVOICE

24 S. Lincoln Street
P.O. Box 31
Russell, KS 67665-2906
Voice: (785) 483-3887
Fax: (785) 483-5566

RECEIVED
JUL 28

Invoice Number: 115185
Invoice Date: Jul 21, 2008
Page: 1

KCC
NOV 13 2008
CONFIDENTIAL

Bill To:
Pioneer Exploration, LTD
P O Box 38
Spivey, KS 67142-0038

GARDEN CITY 'B' 10-19

Customer ID	Well Name or Equipment No.	Payment Terms
PioExp	Garden City #10-19	Net 30 Days
Job Location	Start Date	End Date
KS1	Oakley	Jul 21, 2008
		8/20/08

Quantity	Item	Description	Unit Price	Total
225.00	MAT	Class A Common	15.45	3,476.25
4.00	MAT	Gel	20.80	83.20
8.00	MAT	Chloride	58.20	465.60
237.00	SER	Handling	2.40	568.80
73.00	SER	Mileage 237 sx @ .10 per sk per mi	23.70	1,730.10
1.00	SER	Surface	1,018.00	1,018.00
56.00	SER	Extra Footage	0.85	47.60
73.00	SER	Mileage Pump Truck	7.00	511.00
1.00	SER	Manifold & Head Rental	113.00	113.00
1.00	EQP	Plug	68.00	68.00

DESCRIPTION Cementing Service
ACCOUNT # 11000-15
WELL NAME Garden City B #10-19 KS 15910
AFE # 0807D038
DATE 7-29-08 **APPROVED** _____

ALL PRICES ARE NET, PAYABLE 30 DAYS FOLLOWING DATE OF INVOICE. 1 1/2% CHARGED THEREAFTER. IF ACCOUNT IS CURRENT, TAKE DISCOUNT OF

ONLY IF PAID ON OR BEFORE

Aug 20 2008

Subtotal	8,081.55
Sales Tax	253.77
Total Invoice Amount	8,335.32
Payment/Credit Applied	
TOTAL	8,335.32

RECEIVED
KANSAS CORPORATION COMMISSION
NOV 18 2008
CONSERVATION DIVISION
WICHITA, KS

