# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION




Form ACO-1
October 2008
Form Must Be Typed

# WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE RECEIVED 107 2422

OPERATOR: License # 5150	API No. 15 - 107-24322 -0000
Name: COLT ENERGY, INC DEC 0 1 2010	Spot Description: SE/4
PO BOY 200	NW _NE _SW _SE _Sec. 34 _Twp. 21 _s. R. 22 _V East _ West
Address 1: PO BOX 300  Address 2: 1112 RHODE ISLAND RD KCC WICHITA	1200 Feet from North / South Line of Section
City: IOLA State: KS Zip: 66749 + 0 3 8 8	1770 Feet from  East /  West Line of Section
Contact Person: DENNIS KERSHNER	Footages Calculated from Nearest Outside Section Corner:
Phone: ( 620 ) 365-3111	NE □NW ☑ SE □SW
CONTRACTOR: License # 8509	County: LINN
Name: EVANS ENERGY DEVELOPMENT, INC.	Lease Name: UNGEHEUER REV LIV TR Well #: 15-34N
Wellsite Geologist: JIM STEGEMAN	Field Name: CRITZER
Purchaser: COFFEYVILLE RESOURCES,LLC	Producing Formation: BARTLESVILLE
	Elevation: Ground: 950 Kelly Bushing:
Designate Type of Completion:	
New Well Re-Entry Workover	Total Depth: 818 Plug Back Total Depth: NONE
Oil SWD SIOW	Amount of Surface Pipe Set and Cemented at: 20.5
Gas ENHR SIGW CM (Coal Bed Methane) Temp. Abd.	Multiple Stage Cementing Collar Used?
Dry Other	If yes, show depth set: <u>DRY/PLUGGED</u> Feet
(Core, WSW, Expl., Cathodic, etc.)	If Alternate II completion, cement circulated from:
If Workover/Re-entry: Old Well Info as follows:	feet depth to:w/sx cmt
Operator:	Drilling Fluid Management Plan
Well Name:	(Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	Chloride content:ppm Fluid volume:bbls
Deepening Re-perf Conv. to Enhr Conv. to SWD	Dewatering method used: PIT NOT CLOSED AT THIS TIME
Plug Back:Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Docket No.:	
Dual Completion Docket No.:	Operator Name:
Other (SWD or Enhr.?) Docket No.:	Lease Name: License No.:
10/19/10 10/20/10 DRY/PLUGGED	QuarterSecTwpS. R East West
Spud Date or Date Reached TD Completion Date or Recompletion Date	County: Docket No.:
INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workover or co of side two of this form will be held confidential for a period of 12 months if requitiality in excess of 12 months). One copy of all wireline logs and geologist well BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 for	nversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information uested in writing and submitted with the form (see rule 82-3-107 for confiden- I report shall be attached with this form. ALL CEMENTING TICKETS MUST
All requirements of the statutes, rules and regulations promulgated to regulate the complete and correct to the best of my knowledge.	e oil and gas industry have been fully complied with and the statements herein
Signature: Lennur flushner	KCC Office Use ONLY
itle: OFFICE MANAGER Date: //-29-/0	Letter of Confidentiality Received
Subscribed and sworn to before me this 29 W day of	If Denied, Yes Date:
0 10 0 0	Wireline Log Received
lotary Public: Shulley a Statler	Geologist Report Received
1 /- 20- 20/ 1	UIC Distribution

#### Side Two

Operator Name: CO	LI ENERGY, INC		Lease	Name: _	UNGEHEUE	REVLIV	K Well #: 15-	·34N
Sec. 34 Twp. 2		✓ East  ☐ West	County	<sub>/:</sub> LIN	١			
INSTRUCTIONS: Shiftime tool open and clorecovery, and flow rational surveyed. Attach final	osed, flowing and shu es if gas to surface te	t-in pressures, wheth st, along with final ch	er shut-in pres	sure rea	ched static level,	, hydrostatic pr	essures, bottom l	hole temperature, fluid
Drill Stem Tests Taken			)	✓ Log Formation (Top), Depth and Datum				•
Samples Sent to Geological Survey		1	Nam DRII	ie .LERS LOG A	TTACHED	Тор	Datum	
Cores Taken								
	ION LL3/GR LOC D DENSITY SID	EWALL NEUTRO		☐ Ni	ew Used			
					ermediate, producti	ion, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weig Lbs.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
SURFACE	12 1/4	8 5/8	24#		20.5	PORTLAN	1D 6	
DRY/PLUGGE	0							
WITH DRILL PIP	E							
		ADDITION	VAL CEMENTII	NG / SQL	JEEZE RECORD	<u> </u>		<u> </u>
Purpose: Depth Type		Type of Cement	#Sacks	Used		Type an	d Percent Additives	
Plug Back TD Plug Off Zone								
Shots Per Foot		ON RECORD - Bridge Footage of Each Interval				cture, Shot, Ceme	ent Squeeze Record Material Used)	d Depth
	NONE	RECEI	VED					
		DEC 0	2010					
		KCC WI	CHITA		· · · · · · · · · · · · · · · · · · ·			
TUBING RECORD:	Size:	Set At:	Packer At	:	Liner Run:	Yes n	lo	I
Date of First, Resumed F	Production, SWD or Enh	Producing N	_	Flowing	Pumpin	g 🗌 Gas	Lift Othe	er (Explain)
Estimated Production Per 24 Hours	Oil B	bls. Gas	Mcf	Wate	er Bb	ıls.	Gas-Oil Ratio	Gravity
DISPOSITIO	ON OF GAS:		METHOD OF	COMPLE	TION:		PRODUCTIO	N INTERVAL:
Vented Sold	Used on Lease	Open Hole Other (Specify)	Perf.	] Dually	Comp. Com	mingled		



## Oil & Gas Well Drilling Water Wells Geo-Loop Installation

Phone: 913-557-9083 Fax: 913-557-9084

Paola, KS 66071

WELL LOG
Colt Energy, Inc.
Ungeheuer #15-34N
API # 15-107-24,322

October 19 - October 20, 2010

Thickness of Strata	<u>Formation</u>	<u>Tota</u>
	soil & clay	3
1 22 1 Language 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	lime	25
· 10 / 10 / 10 / 10 / 10 / 10 / 10 / 10	shale	35
<u>。                                    </u>	lime	51
10 1 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	shale	56
之。1 <b>7</b> (1) (1) (1)	lime	73
	shale	76
4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 -	lime	80
169	shale	249
8	lime RECEI	
3 4 7 7 7 7 7 7	shale	30t0 <sup>260</sup>
	lime DEC 0	
30	shale	299
		CHITASOO
17	shale	317
. (1 <b>2</b> 등 시작품을 하는)	coal	319
and the second of the second o	shale	323
15	lime	338
	shale	343
<b>2</b>	lime	345
6	shale	351
	lime	355
32 · · · · · · · · · · · · · · · · · · ·	shale	387
28	lime	415
<b>8</b>	shale	423
	lime	425
82	shale	507
	coal	508
48	shale	526
	coal	527
24	shale	551
	coal	558
16	shale	574
	coal	574 575
13	shale	588
	coal	589
12	shale	

### Ungeneuer #15-34N

### Page 2

8 sand	600 oroon no oil
- The Control of th	609 green, no oil
31 shale	
coal coal	641
43 shale	684
gas sand	1871 1 691 Liga - Friday Color
22.5 oil sand	713.5 dark brown, ok bleeding
1.7 shale	715.2
coal the second second	715.7
50.3 shale	766
	767
5 shale	772 oil show
46 lime	818 Mississippi
하는 아이 이렇게 그렇게 잘 됐습니까요? 이렇게 하죠	818 TD

Drilled a 12 1/4" hole to 20.5'.

Drilled a 6 1/2" hole to 818'.

Set 20.5' of 8 5/8" surface casing with 6 sacks of cement

RECEIVED
DEC 0 1 2010
KCC WICHITA

## \* W & W Production Company

1150 Highway 39

Chanute, Kansas 66720-5215

Mobile: 620-431-5970

Phone: Office/Home 620-431-4137

# Invoice

\$1.849.62

DATE	INVOICE NO.		
10/25/2010	45164		

BILL TO	
Colt Energy C/O Rex Ashlock PO Box 388 1112 Rhode Island Rd. Iola, Kansas 66749	

Plug Well		
Ungeneuer Well#15-34N		
2		

**Total** 

SERVICED	ITEM	DESCRIPTION	QTY	RATE	AMOUNT
10/22/2010	Pump Truck Cement Vacuum truck Gel	Pump Charge For plugging Haul water 3 sacks gel  146201267 - 1849.62  RECEIVED DEC 012010  KCC WICHITA	1 130 3 3	400.00 8.00 80.00 20.00	
		<u></u>	Sales Ta	ax (6.3%)	\$109.62

Fed. I.D. 48-0843238 Fax# 620-431-3183 carolwimsett4@yahoo.com