# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION


## ORIGINAL Form Must Be Typed

## WELL COMPLETION FORM \* WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 5150 RECEIVED	API No. 15 - 107-24148-000
Name: COLT ENERGY, INC	Spot Description: SW/4
Address 1: PO BOX 388	W/2 _W/2 _NE _SW Sec. 35 Twp. 21 s. R. 22
Address 2: 1112 RHODE ISLAND RD	
City: IOLA State: KS Zip: 66749 + 0 3 8 8	Feet from East / West Line of Section
Contact Person: DENNIS KERSHNER	Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 365-3111	□ NE □ NW □ SE ☑ SW
CONTRACTOR: License # 8509	County: LINN
Name: EVANS ENERGY DEVELOPMENT, INC.	Lease Name: LANHAM Well #: 11-35
Wellsite Geologist: JIM STEGEMAN	Field Name: CRITZER
Purchaser: COFFEYVILLE RESOURCES,LLC	Producing Formation: BARTLESVILLE
Designate Type of Completion:	Elevation: Ground: 957 Kelly Bushing:
New Well Re-Entry Workover	Total Depth: 798 Plug Back Total Depth: NONE
Oil SWD SIOW	Amount of Surface Pipe Set and Cemented at: 20.6 Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used? Yes A No
CM (Coal Bed Methane) Temp. Abd.	If yes, show depth set: DRY/PLUGGED Feet
Dry Other Other	If Alternate II completion, cement circulated from:
(Core, WSW, Expl., Cathodic, etc.)  If Workover/Re-entry: Old Well Info as follows:	feet depth to: sx cmt
•	
Operator:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Well Name: Original Total Depth:	Chloride content:ppm Fluid volume: bbls
Deepening Re-perf Conv. to Enhr Conv. to SWD	Dewatering method used: PIT NOT FILLED AT THIS TIME
Plug Back:Plug Back Total Depth	Dewatering method used. The Hotel Field At This Hivie
Commingled Docket No.:	Location of fluid disposal if hauled offsite:
Dual Completion	Operator Name:
Other (SWD or Enhr.?) Docket No.:	Lease Name: License No.:
09/30/10 10/01/10 DRY/PLUGGED	QuarterSecTwpS. R East 🗹 West
Spud Date or Date Reached TD Completion Date or Recompletion Date	County: Docket No.:
INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workover or copy of side two of this form will be held confidential for a period of 12 months if requiality in excess of 12 months). One copy of all wireline logs and geologist we BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 for	onversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information uested in writing and submitted with the form (see rule 82-3-107 for confiden- Il report shall be attached with this form. ALL CEMENTING TICKETS MUST
All requirements of the statutes, rules and regulations promulgated to regulate the complete and correct to the best of my knowledge.	ne oil and gas industry have been fully complied with and the statements herein
Signature: Lenni Rushness	KCC Office Use ONLY
Title: OFFICE MANAGER Date:	
	Letter of Confidentiality Received
Subscribed and sworn to before me this @ 9 day ofday	, If Denied, Yes Date:
20/0	Wireline Log Received
Notary Public: Skirley Ce Statler	Geologist Report Received
Date Commission Expires: /-20-20/2	UIC Distribution  RHA DIC - 12/3/10

#### Side Two

Operator Name: CC	LT ENERGY, INC	,		Leas	e Name: _	ANHAM		_ Well #: _11-	.35	
	21 <sub>S. R.</sub> 22		t West	Cour	nty: LIN	1				
recovery, and flow ra	how important tops a losed, flowing and sh tes if gas to surface t al geological well site	ut-in press est, along	sures, whether s	hut-in pr	essure read	ched static level	, hydrostatic pres	sures, bottom	hole temperature	e, fluid
Drill Stem Tests Take			Yes 🔽 No		VL	og Formatio	on (Top), Depth a	nd Datum	☐ Sample	÷
Samples Sent to Geo	ological Survey		Yes 🗹 No		Nam DRIL	e LERS LOG <i>A</i>	ATTACHED	Тор	Datum	
Cores Taken Electric Log Run (Submit Copy)	•	\(\frac{1}{2}\)								
	TION LL3/GR LO ED DENSITY SIE									
		Pon	CASING oort all strings set-c		I		tion oto			
Purpose of String	Size Hole Drilled	Si	ize Casing et (In O.D.)	W	eight s. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Pero	
SURFACE	12 1/4	8 5/8		24#		20.6'	PORTLAND			
DRY/PLUGGE	D					,				
WITH DRILL PIP	PE									
			ADDITIONAL	CEMEN'	TING / SQU	EEZE RECORD			<del>d</del>	
Purpose:  —— Perforate  —— Protect Casing  —— Plug Back TD	Depth Top Bollom	Тур	e of Cement	#Sac	ks Used		Type and	Percent Additives		
Plug Off Zone										
Shots Per Foot			RD - Bridge Plugs Each Interval Perfo		e		cture, Shot, Cemen mount and Kind of M	•	d Dep	pth
	NONE									
***************************************			RI	ECEI\	/ED		-			
			D[	:C 0 ,	VED   2010   CHITA					
			KC	C W	<b>ICHIT</b>	<b>\</b>				
TUBING RECORD:	Size:	Set At:		Packer		Liner Run:	Yes No			
Date of First, Resumed	Production, SWD or En	hr.	Producing Metho	od:	Flowing	Pumpir	ng 🔲 Gas Li	ft Othe	er (Explain)	
Estimated Production Per 24 Hours	Oil	Bbis.	Gas N	∕lcf	Wate	r B	bls.	Gas-Oil Ratio	Gravit	ty
DISPOSITI	ON OF GAS:		M	ETHOD C	OF COMPLE	TION:		PRODUCTIO	ON INTERVAL:	
Vented Solo	Used on Lease		_	Perf.	Dually		nmingled			



Oil & Gas Well Drilling Water Wells Geo-Loop Installation

Phone: 913-557-9083

Fax: 913-557-9084

### WELL LOG

Paola, KS 66071

Colt Energy, Inc. Lanham #11-35 API #15-107-24,148

September 30 - October 1, 2010.

Thickness of Strata	<u>Formation</u>	<u>Total</u>
2	soil & clay	2
3	broken lime	5
28	lime	33
6	shale	39
16	lime	55
6	shale	61
23	lime	84
165	shale	249
4 .	lime	253
14	shale	267
• 9	lime	276
49	shale	325
1	coal	326
3	shale	329
15	lime	344
17	shale	. 361
<b>1</b> •••	lime	362
32	shale	394
8	lime	402
7	shale	RECEIVED 409 417 DEC 0 1 2010 515 517 KCC WICH 3A 532
8	lime	RECEIVED 417
98	shale	-c 0 1 2010515
. 2	coal	DEC 0 517
14	shale	- CMCHIEA
1	lime	KCC WIOT 532
3	shale	535
1	coal	536
70	shale	606
1	coal	607
37	shale	644
1	coal	645
42	shale	687
10	oil sand	697 brown, ok bleeding
10.5	oil sand	707.5 black, no bleeding
5.5	shale	713
0.5	coal	713.5

1	444 0	) E	ma na 11 g	 100		1. The second of the	Dage 2	
Lanham	#11-3	35 :		 	14.5		Page 2	

55.5	 	277 77 77	, i es	2.5.	10.50	shale	20 B C	e e e e e e e e e e e e e e e e e e e		turita State	er var s	a. terti e esta	-51	769	a Life	۲ć.
						1. <u>1. 188</u>	A1723	81 - 1 - 21 <del>211</del> 5	27.5			41.54			. ــــــــــــــــــــــــــــــــــــ	
29		11.	•	42	4.1	lime	1.21.1			1977				798	11	٠

Drilled a 12 1/4" hole to 20.6'.

Drilled a 6 1/2" hole to 798'.

Set 20.6' of 8 5/8" surface cemented with 8 sacks of cement.

RECEIVED

DEC 0 1 2010

KCC WICHITA

### W & W Production Company

1150 Highway 39

Chanute, Kansas 66720-5215

Mobile: 620-431-5970

Phone: Office/Home 620-431-4137

## Invoice

DATE	INVOICE NO.
10/25/2010	45165

BILL TO	
Colt Energy C/O Rex Ashlock PO Box 388 1112 Rhode Island Rd. Jola, Kansas 66749	

Plug Well	
Lanham Well# 11-35	

Sales Tax (6.3%)

\$108.36

\$1,828.36

SERVICED	ITEM	DESCRIPTION	QTY	RATE	AMOUNT
SERVICED 10/22/2010	Pump Truck Cement Vacuum truck Gel	Pump Charge For plugging Haul water 2 sacks gel  146100267 - 1828.36  RECEIVED  DEC 01 2010  KCC WICHITA	1 115 4.5 2	400.00 8.00 80.00 20.00	400.00T 920.00T 360.00T 40.00T