

To:  
STATE CORPORATION COMMISSION  
Wichita State Office Bldg. - PLUGGING SECTION  
130 S. Market, Room 2078  
Wichita, Kansas 67202

API NUMBER 15-205 - 19899-00-00  
NE SE NE Sec/Twp/Rge 14-30-16E  
3344 (GPS) feet from south section line  
104 (GPS) feet from east section line

## TECHNICIAN'S PLUGGING REPORT

Operator License # 101  
Operator: State Of Kansas Fee Fund  
Name & Mullen Lease Project  
Address \_\_\_\_\_  
AB oil well XXXXXX Gas Well \_\_\_\_\_

Lease/Well# Mullen #OOB 03 (GPS)  
County Wilson  
Well Total Depth 600 (est) feet  
Production Pipe: 2 Size Feet 600 (est)  
Surface Casing: 8 Size Feet NA  
SWD Well/ Input Well \_\_\_\_\_ D & A \_\_\_\_\_

Other well as hereinafter indicated: \_\_\_\_\_

Plugging Contractor: Kepley Well Service, LLC Lic. # 33749

Address: 19245 Ford Road, Chanute, Kansas 66720

Company to plug at: \_\_\_\_\_ Hour: \_\_\_\_\_ Day: 16 Month: 2 2010

Plugging proposal received from: Nick Kepley

Company Name: \_\_\_\_\_ Phone: \_\_\_\_\_

Were: Clean well to TD and then pump full of cement thru cement string.

Plugging Proposal Received by: \_\_\_\_\_

Alan M. Dunning

TECHNICIAN

Plugging attended by Agent: All \_\_\_\_\_ Part \_\_\_\_\_ None XXXXXX

Operations Completed: Hour: \_\_\_\_\_ Day: 16 Month: 2 2010

Actual Plugging Report: The 1" pumping string was removed. The well was perforated at 450', 300', and 150'. A 1" cement string was then lowered to 450' and the well pumped full of cement from btm to top thru this cement string. A total of 169 sacks of portland cement were used to plug well. The well was cut off below plow depth and the location restored.

RECEIVED  
KANSAS CORPORATION COMMISSION

MAR 29 2010


Remarks: Control #20100016-003

(If additional description is necessary, use BACK of this form.)

CONSERVATION DIVISION  
WICHITA, KS

I did not observe this plugging.

Signed:

  
TECHNICIAN