

STATE CORPORATION COMMISSION OF KANSAS  
OIL & GAS CONSERVATION DIVISION  
WELL COMPLETION FORM  
ACO-1 WELL HISTORY  
DESCRIPTION OF WELL AND LEASE

**ORIGINAL**

API NO. 15- 051-249660000

County Ellis  
220' S of SE - NE - NW Sec. 11 Twp. 13S Rge. 16W X W

Operator: License # 6194

4070 Feet from (S)N (circle one) Line of Section

Name: ESP Development, Inc.

2970 Feet from (E)W (circle one) Line of Section

Address 17746 177th. Blvd.

Footages Calculated from Nearest Outside Section Corner:  
NE, (SE), NW or SW (circle one)

City/State/Zip Paradise, KS 67658

Lease Name Victoria North Ext. Well # 1

Purchaser: \_\_\_\_\_

Field Name Victora N. - Seitz

Operator Contact Person: Don Eulert

Producing Formation \_\_\_\_\_

Phone (619) 436-5773

Elevation: Ground 1963' KB 1968'

Contractor: Name: Vonfeldt Drilling, Inc.

Total Depth 3441' PBTD \_\_\_\_\_

License: 9431

Amount of Surface Pipe Set and Cemented at 229 Feet

Wellsite Geologist: Ron Nelson

Multiple Stage Cementing Collar Used? Yes X No

Designate Type of Completion  
 New Well  Re-Entry  Workover

If yes, show depth set \_\_\_\_\_ Feet

Oil  SWD  SLOW  Temp. Abd.  
 Gas  ENHR  SIGW  
 Dry  Other (Core, WSW, Expl., Cathodic, etc)

If Alternate II completion, cement circulated from \_\_\_\_\_

If Workover:

feet depth to \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.

Operator: \_\_\_\_\_

Drilling Fluid Management Plan DA-3-31-98 U.C.  
(Data must be collected from the Reserve Pit)

Well Name: \_\_\_\_\_

Chloride content 72,000 ppm Fluid volume 390 bbls

Comp. Date \_\_\_\_\_ Old Total Depth \_\_\_\_\_

Dewatering method used Left to dry

Deepening  Re-perf.  Conv. to Inj/SWD  
 Plug Back  PBTD  
 Commingled  Docket No. \_\_\_\_\_  
 Dual Completion  Docket No. \_\_\_\_\_  
 Other (SWD or Inj?)  Docket No. \_\_\_\_\_

Location of fluid disposal if hauled offsite: \_\_\_\_\_

5-21-97 5-26-97 n/a  
Spud Date Date Reached TD Completion Date

Operator Name \_\_\_\_\_

Lease Name \_\_\_\_\_ License No. \_\_\_\_\_

\_\_\_\_\_ Quarter Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S Rng. \_\_\_\_\_ E/W

County \_\_\_\_\_ Docket No. \_\_\_\_\_

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information on side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature Don Eulert  
Title President Date 8-4-97

Subscribed and sworn to before me this 4th day of August, 1997.

Notary Public Donna Super

Date Commission Expires 2/9/2001

K.C.C. OFFICE USE ONLY  
F  Letter of Confidentiality Attached  
C  Wireline Log Received  
C  Geologist Report Received  
Distribution  
 KCC  SWD/Rep  NGPA  
 KGS  Plug  Other  
(Specify)

DONNA SUPER  
State of Kansas  
My Appt. Exp. 2/9/2001

Operator Name **JANISIAO OIL DEVELOPMENT INC**

Lease Name **Victoria N. Ext.** Well # **1**

Sec. **11** Twp. **13s** Rge. **16**

East

County **ELLIS**

West

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all drill stem tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface during test. Attach extra sheet if more space is needed. Attach copy of log.

Drill Stem Tests Taken (Attach Additional Sheets.)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Log	Formation (Top), Depth and Dates	<input checked="" type="checkbox"/> Sample
Samples Sent to Geological Survey	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Name	Top	Datum
Cores Taken	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Top Anhydrite	1083	+879
Electric Log Run (Submit Copy.)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Base anhydrite	1118	+844
List All E.Logs Run:		Topeka	2914	-952
		Heebner	3130	-1168
		Toronto	3152	-1190
		LKC	3181	-1219
		BKC	3422	-1460
		TD	3441	-1479

**CASING RECORD**

New  Used

Report all strings set-conductor, surface, intermediate, production, etc.

Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs./Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/4	8 5/8	20#	229'	60/40	150	3%cc 2% gel

**ADDITIONAL CEMENTING/SQUEEZE RECORD**

Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth

<b>TUBING RECORD</b>	Size	Set At	Packer At	Liner Run <input type="checkbox"/> Yes <input type="checkbox"/> No
Date of First, Resumed Production, SWD or Inj.	Producing Method <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)			
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio
	N-A			

Disposition of Gas:  Vented  Sold  Used on Lease (If vented, submit ACO-18.)

METHOD OF COMPLETION:  Open Hole  Perf.  Dually Comp.  Commingled  Other (Specify) D/A

Production Interval: \_\_\_\_\_

ORIGINAL

15-051-24966-00-00

DRILL STEM TESTS

No.	Interval	IFP/Time	ISIP/Time	FFP/Time	FSIP/Time	IHH-FHH	RECOVERY
1	3128-3200 TORONTO LKC 'A'	30" 77-77	30" 296	30" 77-77	30" 110	1616 1595	15' MUD
2	3189-3220 LKC 'C'	30" 44-44	30" 699	Ø 44-	Ø -	1627 1616	5' MUD
3	3240 - 3284 LKC E-F-G	30" 44-44	30" 537	8" 44-	Ø -	1638 1616	5' MUD
4	3327- 3441 LKC I, J, K, L	30" 77-77	30" 132	30" 77-77	30" 121	1778 1765	40' GIP 25' SOCM 5% NL 95% M

RECEIVED  
 11/15/00  
 11:15 AM

# ALLIED CEMENTING CO., INC.

8373

Federal Tax I.D.#

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

15-051-24966-00-00 SERVICE POINT: X  
**ORIGINAL**

DATE <u>5-21-97</u>	SEC. <u>11</u>	TWP. <u>13</u>	RANGE <u>16<sup>W</sup></u>	CALLED OUT	ON LOCATION <u>6:45 pm</u>	JOB START	JOB FINISH	
LEASE <u>Victoria North East</u>				WELL # <u>1</u>		LOCATION <u>Walker 5N 1/2 E 1/4 S</u>	COUNTY <u>Ellis</u>	STATE <u>KS</u>
OLD OR NEW (Circle one) <u>NEW</u>								

CONTRACTOR Vonfeldt Dalg

TYPE OF JOB Surface

HOLE SIZE 12 1/4 T.D. 230

CASING SIZE 8 7/8 DEPTH 229 20'

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG. 10-15'

PERFS.

DISPLACEMENT 14 bbl

### EQUIPMENT

PUMP TRUCK CEMENTER Mark

# 153 HELPER Paul

BULK TRUCK

# 282 DRIVER Matt

BULK TRUCK

# DRIVER

### REMARKS:

Cement OK ✓

OWNER

CEMENT

AMOUNT ORDERED 150 60/40 390 cc

290 gal

COMMON @

POZMIX @

GEL @

CHLORIDE @

HANDLING @

MILEAGE @

TOTAL

### SERVICE

DEPTH OF JOB

PUMP TRUCK CHARGE

EXTRA FOOTAGE @

MILEAGE @

PLUG 8 7/8 wooden @

TOTAL

CHARGE TO: ESP Development

STREET

CITY STATE ZIP

### FLOAT EQUIPMENT

TOTAL

TAX

TOTAL CHARGE

DISCOUNT IF PAID IN 30 DAYS

To Allied Cementing Co., Inc.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE Daryl Krier

PRINTED NAME

# ALLIED CEMENTING CO., INC. 8774

Federal Tax I.D.#

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

**ORIGINAL**

SERVICE POINT: R

15-051-24966-00-00

DATE <u>5/27/97</u>	SEC. <u>11</u>	TWP. <u>13s</u>	RANGE <u>16w</u>	CALLED OUT	ON LOCATION	JOB START <u>4:20AM</u>	JOB FINISH <u>6:15AM</u>
LEASE <u>Schmidtberger</u>	WELL # <u>1</u>	LOCATION <u>Walker 5N 1/4 E 4s</u>			COUNTY <u>Ellis</u>	STATE <u>Ks</u>	
OLD OR <input checked="" type="radio"/> NEW (Circle one)							

CONTRACTOR Unfeldt Drig

TYPE OF JOB \_\_\_\_\_

HOLE SIZE 7 7/8 T.D. 3441

CASING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_

CEMENT LEFT IN CSG. \_\_\_\_\_

PERFS. \_\_\_\_\_

DISPLACEMENT \_\_\_\_\_

**EQUIPMENT**

153 PUMP TRUCK CEMENTER Dave

# \_\_\_\_\_ HELPER Mark

BULK TRUCK \_\_\_\_\_

# \_\_\_\_\_ DRIVER \_\_\_\_\_

BULK TRUCK \_\_\_\_\_

# 213 DRIVER Jason

**REMARKS:**

25 sk @ 1100

80 @ 590

40 @ 280

10 @ 40 w/ plug

15 Rat hole

10 mouse hdy

CHARGE TO: ESP Development

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE Daryl Krier

OWNER \_\_\_\_\_

CEMENT AMOUNT ORDERED 180<sup>60</sup> 6% gel

1/4 lb. Flowseal

COMMON \_\_\_\_\_ @ \_\_\_\_\_

POZMIX \_\_\_\_\_ @ \_\_\_\_\_

GEL \_\_\_\_\_ @ \_\_\_\_\_

CHLORIDE \_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

HANDLING MILEAGE \_\_\_\_\_ @ \_\_\_\_\_

TOTAL \_\_\_\_\_

**SERVICE**

DEPTH OF JOB \_\_\_\_\_

PUMP TRUCK CHARGE \_\_\_\_\_

EXTRA FOOTAGE \_\_\_\_\_ @ \_\_\_\_\_

MILEAGE \_\_\_\_\_ @ \_\_\_\_\_

PLUG Dry Hole \_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

TOTAL \_\_\_\_\_

**FLOAT EQUIPMENT**

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

TOTAL \_\_\_\_\_

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

PRINTED NAME \_\_\_\_\_