For KCC Use: Effective Date: 3-26-2011 District # SCA2 Mes VINo

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date: 3 20 2011	Spot Description:				
month day year	5w sw NW NW Sec 8 Twp. 24				
33970	(3-6-010) 1,155 feet from X N				
OPERATOR: License#	165 teet from	/ Willing of Section			
Name: Ren Oiltto. Address 1: 1651 2000 St.					
		reverse side)			
Address 2:	County: Allen				
Contact Person: Matt Nerr		Well #: 15			
Phone:	Field Name: Iola				
CONTRACTOR: License# Will use Licenced contractor and advise on AC	Is this a Prorated / Spaced Field? Target Formation(s): Tucker	Yes No			
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 165' r	minimum ,			
X Oil	Ground Surface Elevation: est. 983	feet MSt.			
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:	∐Yes ∑No			
Disposal Wildcat Cable	Public water supply well within one mile:	Yes XNo			
Seismic ; # of Holes Other		manufacture to a fill of the property of the second of the			
Other:	Depth to bottom of usable water: 100				
old well information as follows:	Surface Pipe by Alternate:	•			
lu	Length of Surface Pipe Planned to be set: 20-22'				
Operator:	Length of Conductor Pipe (if any): none Projected Total Depth: 1000'				
Well Name:					
Original Completion Date: Original Total Depth:	Water Source for Drilling Operations:				
Directional, Deviated or Horizontal wellbore? Yes No	Well Farm Pond Other:				
•	DWR Permit #: (Note: Apply for Permit with DWR	سن			
Bottom Hole Location: RECEIVED:	MAIL Commission Assessed	□Vaa □Nu			
IAND A CONS	If Yes, proposed zone:	100 KJ			
JAN 2 1 2011					
	FFIDAVIT	べ⊨CEIVE			
The undersigned hereby affirm (in the undersigned has the following minimum requirements will be met:	plugging of this well will comply with K.S.A. 55 et. seq.	134 13 2			
 Notify the appropriate district office prior to spudding of well; 		- 4			
2. A copy of the approved notice of intent to drill shall be posted on ea		· · · · · · · · · · · · · · · · · · ·			
2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be s	et by circulating cement to the top; in all cases surface pipe	shall be set			
2. A copy of the approved notice of intent to drill shall be posted on ea	et by circulating cement to the top; in all cases surface pipe the underlying formation. district office on plug length and placement is necessary pringed or production easing is cemented in; need from below any usable water to surface within 120 DAY #133,891-C, which applies to the KCC District 3 area, alter	or to plugging; 'S of spud date. nate II cementing			
 A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the d The appropriate district office will be notified before well is either piu If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall 	the top circulating cement to the top; in all cases surface pipe the underlying formation. district office on plug length and placement is necessary pringged or production casing is cemented in; anted from below any usable water to surface within 120 DAY #133,891-C, which applies to the KCC District 3 area, alter be plugged. In all cases, NOTIFY district office prior to a	or to plugging; 'S of spud date. nate II cementing			
 A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the d The appropriate district office will be notified before well is either plu If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of 	the test by circulating cement to the top; in all cases surface pipe the underlying formation. district office on plug length and placement is necessary prinaged or production casing is cemented in; nated from below any usable water to surface within 120 DAY #133,891-C, which applies to the KCC District 3 area, alter be plugged. In all cases, NOTIFY district office prior to a of my knowledge and belief.	or to plugging; 'S of spud date. nate II cementing ny cementing.			
 A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the d The appropriate district office will be notified before well is either piu If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall 	the test by circulating cement to the top; in all cases surface pipe the underlying formation. district office on plug length and placement is necessary prinaged or production casing is cemented in; nated from below any usable water to surface within 120 DAY #133,891-C, which applies to the KCC District 3 area, alter be plugged. In all cases, NOTIFY district office prior to a of my knowledge and belief.	or to plugging; 'S of spud date. nate II cementing			
 A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the d The appropriate district office will be notified before well is either plu If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best on the complete of the shall be cemental. 	the test by circulating cement to the top; in all cases surface pipe the underlying formation. district office on plug length and placement is necessary prinaged or production casing is cemented in; nated from below any usable water to surface within 120 DAY #133,891-C, which applies to the KCC District 3 area, alter be plugged. In all cases, NOTIFY district office prior to a of my knowledge and belief.	or to plugging; 'S of spud date. nate II cementing ny cementing.			
2. A copy of the approved notice of intent to drill shall be posted on east of the minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the dry the appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date. Signature of Operator or Agent: Signature of Operator or Agent:	the the circulating cement to the top; in all cases surface pipe the underlying formation. Idistrict office on plug length and placement is necessary pringed or production casing is cemented in: neted from below any usable water to surface within 120 DAY #133,891-C, which applies to the KCC District 3 area, alter be plugged. In all cases, NOTIFY district office prior to a of my knowledge and belief. Remember to: File Certification of Compliance with the Kansas Surface	or to plugging; S of spud date. nate II cementing ny cementing.			
2. A copy of the approved notice of intent to drill shall be posted on east of the minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the dot 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the production of the shall are true and to the best of the production of the shall be completed. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 30 13 2 - 00 - 00	the the circulating cement to the top; in all cases surface pipe the underlying formation. Idistrict office on plug length and placement is necessary prinaged or production casing is cemented in; need from below any usable water to surface within 120 DAY #133,891-C, which applies to the KCC District 3 area, alter be plugged. In all cases, NOTIFY district office prior to a of my knowledge and belief. Remember to: File Certification of Compliance with the Kansas Surface Act (KSONA-1) with Intent to Drill;	or to plugging; S of spud date. nate II cementing ny cementing.			
2. A copy of the approved notice of intent to drill shall be posted on east of the minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the dry the appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date. Signature of Operator or Agent: Signature of Operator or Agent:	the top circulating cement to the top; in all cases surface pipe the underlying formation. district office on plug length and placement is necessary prinaged or production casing is cemented in; nated from below any usable water to surface within 120 DAY #133,891-C, which applies to the KCC District 3 area, alter be plugged. In all cases, NOTIFY district office prior to a of my knowledge and belief. Titte: Remember to: - File Certification of Compliance with the Kansas Surface Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;	or to plugging; S of spud date. nate II cementing ny cementing.			
2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date:	the the circulating cement to the top; in all cases surface pipe the underlying formation. Idistrict office on plug length and placement is necessary prinaged or production casing is cemented in; need from below any usable water to surface within 120 DAY #133,891-C, which applies to the KCC District 3 area, alter be plugged. In all cases, NOTIFY district office prior to a of my knowledge and belief. Remember to: File Certification of Compliance with the Kansas Surface Act (KSONA-1) with Intent to Drill;	or to plugging; S of spud date. nate II cementing ny cementing.			
2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: Signature of Operator or Agent: For KCC Use ONLY API # 15 - 30 1 3 2 - 00 - 00 Conductor pipe required 10 per feet	the top circulating cement to the top; in all cases surface pipe the underlying formation. district office on plug length and placement is necessary prinaged or production casing is cemented in; need from below any usable water to surface within 120 DAY #133,891-C, which applies to the KCC District 3 area, alter be plugged. In all cases, NOTIFY district office prior to a of my knowledge and belief. Title: Prinage	or to plugging; S of spud date. nate II cementing ny cementing. e Owner Notification ate; orders; er or re-entry,			
2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: Signature of Operator or Agent:	the to by circulating cement to the top; in all cases surface pipe the underlying formation. district office on plug length and placement is necessary printed from below any usable water to surface within 120 DAY #133,891-C, which applies to the KCC District 3 area, alter be plugged. In all cases, NOTIFY district office prior to a of my knowledge and belief. Remember to: - File Certification of Compliance with the Kansas Surface Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File acreage attribution plat according to field proration of Notify appropriate district office 48 hours prior to workow Submit plugging report (CP-4) after plugging is complete.	or to plugging; S of spud date. nate II cementing ny cementing. e Owner Notification ate; orders; er or re-entry, ed (within 60 days).			
2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: Signature of Operator or Agent: Signatu	the to by circulating cement to the top; in all cases surface pipe the underlying formation. district office on plug length and placement is necessary printed from below any usable water to surface within 120 DAY #133,891-C, which applies to the KCC District 3 area, alter be plugged. In all cases, NOTIFY district office prior to a firmy knowledge and belief. Remember to: - File Certification of Compliance with the Kansas Surface Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud defined according to field proration of Notify appropriate district office 48 hours prior to workow. - Submit plugging report (CP-4) after plugging is completed. Obtain written approval before disposing or injecting sale.	or to plugging; S of spud date. nate II cementing ny cementing. e Owner Notification ate; orders; er or re-entry, ed (within 60 days), t water.			
2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: Signature of Operator or Agent:	the topy circulating cement to the top; in all cases surface pipe the underlying formation. district office on plug length and placement is necessary printed from below any usable water to surface within 120 DAY #133,891-C, which applies to the KCC District 3 area, alter be plugged. In all cases, NOTIFY district office prior to a firmy knowledge and belief. Remember to: File Certification of Compliance with the Kansas Surface Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration of Notify appropriate district office 48 hours prior to workow. Submit plugging report (CP-4) after plugging is completed. Obtain written approval before disposing or injecting sall if well will not be drilled or permit has expired (See: author).	e Owner Notification ate: borders; er or re-entry; ed (within 60 days), to water borderd expiration date)			
2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the d 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date: Signature of Operator or Agent:	the to by circulating cement to the top; in all cases surface pipe the underlying formation. district office on plug length and placement is necessary printed from below any usable water to surface within 120 DAY #133,891-C, which applies to the KCC District 3 area, alter be plugged. In all cases, NOTIFY district office prior to a firmy knowledge and belief. Remember to: - File Certification of Compliance with the Kansas Surface Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud defined according to field proration of Notify appropriate district office 48 hours prior to workow. - Submit plugging report (CP-4) after plugging is completed. Obtain written approval before disposing or injecting sale.	e Owner Notification ate; bridger or re-entry, ed (within 60 days), twater. brized expiration date) elow.			

For KCC Use ONLY API # 15 (001-30132-00-00)

Operator: Kerr Oil LLC.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Location of Well: County: Allen

	Location of Well: County: Allen
se: Kerr	1,155 feet from X N / S Line of Section
Number: 15	165 feet from E / X W Line of Section
ı: lola	Sec. 8 Twp. <u>24</u> S. R. <u>19</u> 🔲 E 🔲 W
ber of Acres attributable to well: VQTR/QTR/QTR of acreage: WO - NW -	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW
PLA Show location of the well. Show footage to the nearest lea	
lease roads, tank batteries, pipelines and electrical lines, as requi You may attach a sept	red by the Kansas Surface Owner Notice Act (House Bill 2032).
T FI	LEGEND
	O Well Location
1155 FN-	Tank Battery Location
165' FN/	Pipeline Location
193, L.N.C.	Electric Line Location
	Lease Road Location
	EXAMPLE
	1980' FSL
	SEWARD CORECEIVED YECEIV
NOTE: In all cases locate the spot of the proposed drilling loc	aton. 1AN 2 t 2011 LAN 2 -
	IAN / FIII SER FO
NOTE: In all cases locate the spot of the proposed drilling loc	SEWARD CORECEIVED SEWARD CORECEIVED AN 2 1 2011 KCC WICHITA

2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells:

3. The distance to the nearest lease or unit boundary line (in footage).

5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Ca	athodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License # 33970 Name: Kerr Oil LLC; Address 1: 1651 2000 S+ Address 2: City: Iola State: KS Zip: 66749 + Contact Person: Matt Kerr Phone: (620) 365-0550 Fax: () Email Address: Merr 18@gmail.com	Well Location: Www.sw.nw.nw.sec. 8 Twp. 24 S. R. 19 Eas West County: Allen Lease Name: Kerr Well #: 15 If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:
Surface Owner Information: Name:Math, Brock, chad Kerr Address 1:1651 2000 S+ Address 2: City: State:	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.
If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathod the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered on	batteries, pipelines, and electrical lines. The locations shown on the plat
CP-1 that I am filing in connection with this form; 2) if the form be form; and 3) my operator name, address, phone number, fax, an I have not provided this information to the surface owner(s). I ac	cated: 1) a copy of the Form C-1, Form CB-1, Form T1 or Form CHTA eing filed is a Form C-1 or Form CB-1, the plat(s) required by HiCHTA d email address. knowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this
	ee with this form. If the fee is not received with this form, the KSONA-1
I hereby certify that the statements made herein are true and correct to to Date: 1/8/1/ Signature of Operator or Agent:	the best of my knowledge and belief. B. Her Title:

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2011 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Kerr Oil LLC.		License Number: 33970			
Operator Address: 1651 2000 St.		lola KS 66749			
Contact Person: Matt Kerr			Phone Number: 620-365-0	550	
Lease Name & Well No.: Kerr 15			Pit Location (QQQQ):		
Type of Pit:	Pit is:		NW SW NW NV	<u> </u>	
Emergency Pit Burn Pit	X Proposed Existing		Sec. 8 Twp. 24 R. 19	_ X East	West
Settling Pit X Drilling Pit	If Existing, date constructed:		1,155 Feet from X North / South Line of Section		
Workover Pit Haul-Off Pit			165 Feet from East / X West Line of Section		
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Allen County		
Is the pit located in a Sensitive Ground Water A	<u></u>		Chloride concentration:	d Settling Pits only)	. mg/l
is the bottom below ground level? XYes No	Artificial Liner?	No	How is the pit lined if a plastic liner is		
Pit dimensions (all but working pits):	0 Length (fee	et)5	· · · · · · · · · · · · · · · · · · ·	N/A: Steel	
Depth fro	om ground level to dea	epest point:	(feet)	No Pit	
, , , , , , , , , , , , , , , , , , ,		Depth to shallo Source of infor		eet.	
none feet Depth of water well	feet	measured	🔀 well owner 🔃 electric	olog KE)WR
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:		
Producing Formation: Type of materi		erial utilized in drilling/workover: mud pump			
Number of producing wells on lease: Number of wo		working pits to be utilized:1			
Barrels of fluid produced daily: Abandonment		procedure: Evaporate	and Fill in		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Orill pits must be closed within 365 days of spud date.			
I hereby certify that the above statem	ents are true and cor	rect to the best of	my knowledge and belief	U	MIVEL!
1 / 7/2×4 Date		Ma	JAN 2 1 2 gnature of Applicant K@@rtWICH	2011	13 2011 Volum
KCC OFFICE USE ONLY					
Date Received: 1-21-11 Permit Num	ber:	Perm	it Date: /- 2/- // Lease Inspe	ection: 🖳 Yes	No



Mark Parkinson, Governor Thomas E. Wright, Chairman Joseph F. Harkins, Commissioner Ward Loyd, Commissioner

January 21, 2011

Kerr Oil, LLC 1651 2000 St Iola, KS 66749

RE: Drilling Pit Application

Kerr Lease Well No. 15 NW/4 Sec. 08-24S-19E Allen County, Kansas

Dear Sir or Madam:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit immediately after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely.

Kathy Haynes

Environmental Protection and Remediation Department

cc: File