For KCC Use: Effective Date: District # _

KANSAS CORPORATION COMMISSION Oil & Gas Conservation Division

Form C-1 March 2010 Form must be Typed

Form must be Signed

Expected Sput Date: OBCERATOR: Licenset: O	Must be approved by KCC	FINIENT TO DRILL All blanks must be Filled five (5) days prior to commencing well
Section Sect	Form KSONA-1, Certification of Compliance with the Kan	sas Surface Owner Notification Act, MUST be submitted with this form.
OPERATOR: License# 33858 Name J & J. Operating: LLC Very Bucyne J & J. Operating: LLC Name: Tom Of Goracity Well Dayle For: Well Class Very Bucyne J & J. Operating: LLC Very Bucyne J & J. Operating: LLC J Source	Expected Spud Date.	
Section E Well United State Solid So		* SW - SE - SW - SW Sec. 19 Twp. 13 S. R. 21 XE W
Section E Well United State Solid So	ODERATOR: Licensett 33858	feet from N / S Line of Section
Section	Name: J&J Operating, LLC	₹ 825 feet from E / X W Line of Section
Address 2: City, Bucymes State -68 Zip: 66013 + Context Person. Marca Little No. State -68 Zip: 66013 + Context Person. Marca Little No. State -68 Zip: 66013 + Context Person. State -68 Zip:		
Country Douglas Countr		(Mate: Locate well on the Section Plat on reverse side)
Contact Person: Merca Little! ContractOrs: Licenses 6142		
Season S		J County.
Is this a Prorated - Spaced Field? Squared Field Squared Field Squared Field Squared Squared Field Squared Squared Field Squared Squar	Phone: 913-256-9384	Visit Name: Little Wakarusa Eurloga South
Target Formation(s) Sealines	CONTRACTOR: Licensett 6142	In this a Proceed / Speed Sield?
Nearest Lease or unit boundary line (in footage): 30 / US Selsminic	Name: Town Oil Company	
Seismic : # of Holes Discrept Dot Ext. Dot E	Nellie.	Name of Local County State (in factors): 390 -/195
Seismic soft holes Shore	Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in lootage).
Salesmic :	XOil	
Seismic # of Holes Other	Gas Storage Pool Ext. Air Rotary	
Depth to bottom of usable water 250	DisposalWildcatCable	
Gowwo. old well information as follows: Coperator: Length of Conductor Pipe (if any): Length of Conductor Pipe (if any): Length of Conductor Pipe (if any): Projected Total Depth: 800 Productor Pipe (if any): Projected Total Depth: 800 Productor Pipe (if any): Projected Total Depth: Squirrer Promotion at Total Depth: Promotion at Total D	Seismic ; # of Holes Other	
Commonstration Comm	Other:	
Length of Conductor Pipe (if any): Directional, Deviated or Horizontal wellbore? Projected Total Depth: Squirnel	If ONMANO: old wall information as follows:	Surface Pipe by Alternate:
Projected Total Depth: 800 Projected Total Depth: 900 Promation at Total Depth: 900 Promatical States and 9	III OVVVO. Old Well III IOTHIAGOTI as losiows.	Length of Surface Pipe Planned to be set:v
Original Completion Date: Original Total Depth: Squirred Directional, Deviated or Horizontal wellbore? Yes No Water Source for Drilling Operations: Yes	Operator:	
Water Source for Drilling Operations: Water Source for Drilling Operations: Water Source for Formations: Water Source for Fo		
Directional, Deviated or Horizontal wellbore? Mest Mest Farm Pond Other:	Original Completion Date: Original Total Depth:	
If Yes, true vertical depth: DVR Permit #: (Note: Apply for Permit with DWR Yes Note Not	But to the following the control of	Water Source for Drilling Operations:
Bottom Hole Location: (Note: Apply for Permit with DWR) AS: W1-NW-NW 666 FNL; 330 FNL; Field: Eudon South Field: Eudon South Fellow 11 The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation of surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "b" - Eastern Kanasas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. For KCC Use ONLY API # 15 - O 45 - 21443 - OD		Well Kern Pond Other:
AS: W2-NW AW 660 FNL; 330 Ful. Field: Eudons Suffees, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix B* - Eastern Kanass surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. For KCC Use ONLY API # 15 - O 45 - 2 14 4 3 00 00 feet Minimum surface pipe required Yes WICHIT/A File Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Compliance of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File completion form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Subtraction void if drilling not started within 12 months of approval date.) Spud date: Agent: Yes WICHIT/48. Agent: Well will not be dr	·	
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface acaing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date:		(Note: Apply for Permit with DWR [7]
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface acaing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date:	AS: 117-NG Alb) 600 FNL: 330 FWL, Field: Lit	Tewa Kayyii Cores de taken?
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface acaing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date:	C. CE-SULTIN HOS'ESL: 825'FEL Field: EUG	lons such the proposed zone:
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date:	8: 2002 E-0020 103 1 0-1 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	AFFIDAVIT TS: South Referen ! TEUEIVEL
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date:	The undersigned hereby affirms that the drilling, completion and eventu	al plugging of this well will comply with K.S.A. 55 et. seq.
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date:	It is agreed that the following minimum requirements will be met:	JAN Z 4 ZUII
2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix 'B' - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date:	-	
3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office within 120 DAYS of spud date. Date: Signature of Operator or Agent: Title: Compliance Coordinator For KCC Use ONLY API # 15 - O 45 - 2 1443 - O 50 Conductor pipe required	A copy of the approved notice of intent to drill shall be posted on	each drilling rig; KCC WICHITA
4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date:	3. The minimum amount of surface pipe as specified below shall be	e set by circulating cement to the top; in all cases surface pipe shall be set
5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date:	through all unconsolidated materials plus a minimum of 20 feet in	to the underlying formation.
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: Signature of Operator or Agent: Title: Compliance Coordinator For KCC Use ONLY API # 15 - 045 - 2/443 - 000 Conductor pipe required None feet Minimum surface pipe required feet per ALT. If I are acreage attribution plat according to field proration orders; Approved by: Internation oxidit drilling not started within 12 months of approval date.) This authorization void if drilling not started within 12 months of approval date.) Spud date: Agent: Well will not be drilled or Permit Expired Date: Well will not be drilled or Pe	4. If the well is dry hole, an agreement between the operator and the	e district office on plug length and placement is necessary prior to plugging ;
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: Signature of Operator or Agent: Title: Compliance Coordinator For KCC Use ONLY API # 15 - 045 - 21443 - 000 Conductor pipe required	5. The appropriate district office will be notified before well is either 6. If an ALTERNATE ILCOMPLETION, production nine shall be cert	plugged or production casing is cemented in, nented from below any usable water to surface within 120 DAYS of soud date.
must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date:	Or pursuant to Appendix "B" - Eastern Kansas surface casing ord	ler #133,891-C, which applies to the KCC District 3 area, alternate II cementing
None Signature of Operator or Agent: Signature of Operator of Operator of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If well will not be drilled or permit has expired (See: authorized expiration date) Signature of Operator of Operator of Operator Operator of Operator Operato	must be completed within 30 days of the spud date or the well sh	all be plugged. In all cases, NOTIFY district office prior to any cementing.
For KCC Use ONLY API # 15 - 045 - 2/4443-00-00 Conductor pipe required		
For KCC Use ONLY API # 15 - 045 - 2/443 - 000 Conductor pipe required	M	D 11.10
For KCC Use ONLY API # 15 - 045-21443-00-00 Conductor pipe required	Date: 1121111 Signature of Operator or Agent: 714	Title: Compliance Coordinator
For KCC Use ONLY API # 15 - 045 - 2/443 - 000 Conductor pipe required Mone feet Minimum surface pipe required 40 feet per ALT. Approved by:		Remember to:
API # 15	For KCC Use ONLY	File Contification of Committees with the Konnes Surface Owner Notification
Conductor pipe required	1 ADI # 15 A 45-21443000	·
Minimum surface pipe required 40 feet per ALT. I File Completion Form ACO-1 within 120 days of spud date; Approved by: List 16/20/2008 Pure -24-201 This authorization expires: (This authorization void if drilling not started within 12 months of approval date.) Spud date: Agent: Agent: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.	None	
Minimum surface pipe required feet per ALT. IIIIII Approved by: Line 11/20/2008 / [Puwr -24-201] This authorization expires: (This authorization void if drilling not started within 12 months of approval date.) Spud date: Agent: Minimum surface pipe required feet per ALT. IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	Conductor pipe required	- File Completion Form ACO-1 within 120 days of spud date;
This authorization expires: (This authorization void if drilling not started within 12 months of approval date.) Spud date: Agent: - Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. - If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well will not be drilled or Permit Expired Date:	I thin thin day to do it do by a reduced	fn I
This authorization expires: (This authorization void if drilling not started within 12 months of approval date.) Spud date: Agent: - Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. - If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well will not be drilled or Permit Expired Date:	Approved by: [11/20/2008 / [hur]-24-20]]	Notify appropriate district office 48 hours prior to workover or re-entry;
(This authorization void if drilling not started within 12 months of approval date.) Spud date: Agent:	_	
Spud date:Agent:		
Spud date: Agent:		If well will not be drilled as cosmit has expired (See: authorized expiration date)
	Spud date: Agent:	<u></u>
	Land to the second seco	

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202 For KCC Use ONLY
API # 15 - 045-21443-0000



IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

or: J & J Operation Peterson umber: 11 Little Wakarus: er of Acres attr	a ibutable to		- SE	- SW	- SW	Sei	165 825 c. <u>19</u> Section:	rell: County: Douglas feet from N / S Line of Section feet from E / W Line of Section Twp. 13 S. R. 21 X E W Regular or Irregular Irregular, locate well from nearest corner boundary. For used: NE NW SE SW
				d electricai	the neares I lines, as i	required b		dary line. Show the predicted locations of las Surface Owner Notice Act (House Bill 2032). ired.
	:	: :			:	:	1 : : : : : : : : : : : : : : : : : : :	LEGEND
								O Well Location Tank Battery Location Pipeline Location Electric Line Location
			:		: :	<u></u>	:	Lease Road Location
	<u>:</u>	: :	:		:	<u>:</u>	:	1655 EXAMPLE
	:		:		i	:		
********	:	:			:	:		
								1980' FSL
								1980' FSL

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, CCC WICHITA 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

CORRECT For KSONA-1

Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB	
OPERATOR: License # 33858 Name: J & J Operating, LLC Address 1: 10380 West 179th Street	Well Location:
Name: J & J Operating, LLC	SW SE SW SW Sec. 19 Twp. 13 S. R. 21 X Eas West
Address 1: 10380 West 179th Street	County: Douglas
Address 2:	Lease Name: Peterson Well #: 11
City: Bucyrus State: KS Zip: 66013 +	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person: Marcia Littell	the lease below:
Contact Person: Marcia Littell Phone: (913) 256-9384 Fax: (913) 814-0041	_
Email Address: mishjnj@yahoo.com	
Surface Owner Information: Name: Edwin E. Peterson & Rosie A. Peterson Address 1: 75 Huckaby Rd. Address 2:	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.
City: Louisburg State: MO Zip: 65685 +	
City: Louisburg State: MO Zip: 65685 +	thodic Protection Borehole Intent), you must supply the surface owners and tank batteries, pipelines, and electrical lines. The locations shown on the plat d on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. The Act (House Bill 2032), I have provided the following to the surface the located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form
City: Louisburg State: MO Zip: 65685 + If this form is being submitted with a Form C-1 (Intent) or CB-1 (Ca the KCC with a plat showing the predicted locations of lease roads, are preliminary non-binding estimates. The locations may be entered. Select one of the following:	thodic Protection Borehole Intent), you must supply the surface owners and tank batteries, pipelines, and electrical lines. The locations shown on the plat d on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. The Act (House Bill 2032), I have provided the following to the surface the located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form the being filed is a Form C-1 or Form CB-1, the plat(s) required by this
City: Louisburg State: MO Zip: 65685 If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathe KCC with a plat showing the predicted locations of lease roads, are preliminary non-binding estimates. The locations may be entered. Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be CP-1 that I am filling in connection with this form; 2) if the form; and 3) my operator name, address, phone number, factoric will be required to send this information to the surface owner(s). KCC will be required to send this information to the surface.	thodic Protection Borehole Intent), you must supply the surface owners and tank batteries, pipelines, and electrical lines. The locations shown on the plat d on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. The Act (House Bill 2032), I have provided the following to the surface the located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form the being filed is a Form C-1 or Form CB-1, the plat(s) required by this
City: Louisburg State: MO Zip: 65685 +	thodic Protection Borehole Intent), you must supply the surface owners and tank batteries, pipelines, and electrical lines. The locations shown on the plat d on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. The Act (House Bill 2032), I have provided the following to the surface be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form the being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address. I acknowledge that, because I have not provided this information, the electric owner(s). To mitigate the additional cost of the KCC performing this ling fee, payable to the KCC, which is enclosed with this form.
City: Louisburg State: MO Zip: 65685 +	thodic Protection Borehole Intent), you must supply the surface owners and tank batteries, pipelines, and electrical lines. The locations shown on the plat d on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. The Act (House Bill 2032), I have provided the following to the surface be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form the being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address. I acknowledge that, because I have not provided this information, the electric owner(s). To mitigate the additional cost of the KCC performing this ling fee, payable to the KCC, which is enclosed with this form. If the fee is not received with this form, the KSONA-1 CP-1 will be returned.

RECEIVED

JAN 2 # 2011

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION



APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: J & J Operating, LLC			License Number: 33858		
Operator Address: 10380 West 179	th Street		Bucyrus KS 66013		
Contact Person: Marcia Littell			Phone Number: 913-256-9384		
Lease Name & Well No.: Peterson 11			Pit Location (QQQQ):		
Type of Pit:	Pit is:		SW . SE . SW . SW		
Emergency Pit Burn Pit	X Proposed	Existing	Sec. 19 Twp. 13 R. 21 🔀 East 🗀 West		
Settling Pit X Drilling Pit	If Existing, date cor	nstructed:	165 Feet from North / X South Line of Section		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity: 120 (bbls)		825 Feet from East / West Line of Section Douglas County		
Is the pit located in a Sensitive Ground Water A	rea? Yes 🔀	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? X Yes No	Artificial Liner?	√ 0	How is the pit lined if a plastic liner is not used? Native Mud		
Pit dimensions (all but working pits):	Length (fee	et)5	Width (feet) N/A: Steel Pits		
Depth fro	om ground level to dee	epest point:	4 (feet) No Pit		
Distance to nearest water well within one-mile of pit:		Depth to shallo Source of infor	west fresh water150 feet. mation:		
feet Depth of water wellfeet		measured	well owner electric log X KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:		
Producing Formation:		Type of materia	al utilized in drilling/workover:1		
Number of producing wells on lease:			Air day and bookfill		
Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to		Abandonment	procedure: Air dry and backfill		
flow into the pit? Yes No	pilied lidids to	Drill pits must t	e closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. JAN 2 * 20					
Marcia Little (CC WICHI) Daje Marcia Little Signature of Applicant or Agent					
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS					
Date Received: Permit Num	ber:	Perm	it Date: Lease Inspection: Yes No		