# For KCC Use: Effective Date: 2-2-2011 District # 3 SCA2 | Wes | No

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

### NOTICE OF INTENT TO DRILL

Form KS			ye (3) days prior to commencing well s Surface Owner Notification Act, MUST be submitted with this form.	
Expected Spud Date:	FERUARY 27	, <u>2011</u>	Spot Description:	
	month d	ay year	NE - NE - NW - Sec. 21 Twp. 26 S. R. 18	<b>⊠</b> ∈∏w
	5488		(0/0/0/0) 5,109 feet from N / X S L	
OPERATOR: License# Name: TWM PRODUCTI	ON COMPANY		- 0010 1/	ine of Section
Address 1: 1150 HIGHW			Is SECTION: Regular Irregular?	
Address 2:			<u></u>	
City: CHANUTE	State: KS.	Zip: 66720 +	- (Note: Locate well on the Section Plat on reverse side) - County: ALLEN	
Contact Person: MICHAE			Lease Name: GEFFERT Well #:	GEF NW6
Phone: (620) 431-4137			Field Name: HUMBOLDT/CHANUTE Well #:	
CONTRACTOR: License	# 5491 <b>-</b>			7. KN. —
Name: _W & W PRODUCTI	ION COMPANY		Is this a Prorated / Spaced Field?  Target Formation(s): BARTLESVILLE	Yes No
			Nearest Lease or unit boundary line (in footage): 171' NORTH LINE	
Well Drilled For:	Well Class:	Type Equipment:	Ground Surface Elevation: 25 138	feet MSL
Xoil ✓ LEnh	Rec XInfield	Mud Rotary	Water well within one-quarter mile:	Yes XNo
Gas Stor	age Pool Ext	Air Rotary	· • • • • • • • • • • • • • • • • • • •	4. ∺ .
`	osal Wildcat	Cable	Public water supply well within one mile:	_Mes X No
<del></del>	of Holes Other		Depth to bottom of fresh water: 150+	
Other:			Surface Pipe by Alternate:	
If OWWO: old we	Il information as follows:		Length of Surface Pipe Planned to be set: 20'	
_			Length of Conductor Pipe (if any): N/A	
Operator:			Projected Total Depth: 900'	<del></del>
Well Name:	Nata. Oxiair	ad Talai Danik	Formation at Total Depth: BARTLESVILLE	
Original Completion L	Date: Origin	iai lotai Depth:		
Directional, Deviated or H	orizontal wellbore?	Yes X No	Water Source for Drilling Operations:	
If Yes, true vertical depth:			Well X Farm Pond Other:	<del></del>
Bottom Hole Location:			DWR Permit #:	
KCC DKT #:		<b></b>		Yes X No
			If Yes, proposed zone:	lies [V]igo
			•	
			FIDAVIT	RECEIVED
The undersigned hereby	affirms that the drilling	completion and eventual pl	lugging of this well will comply with K.S.A. 55 et. seq.	- Carl A L'IV
It is agreed that the follow	wing minimum requirem	ents will be met:	34	N 28 2011
<ol> <li>Notify the appropr</li> </ol>	riate district office <i>prior</i>	to spudding of well;	**	ZOII
2. A copy of the appi	roved notice of intent to	drill <b>shall be</b> posted on each	ch drilling rig;	3 Mag
3. The minimum amo	ount of surface pipe as :	pecified below shall be se	ch drilling ng; It by circulating cement to the top; in all cases surface pipe shall be a	# WICHITA
		a minimum of 20 feet into the	ne underlying formation. strict office on plug length and placement is necessary <i>prior to plugg</i>	tu
5. The appropriate d	listrict office will be notifi	ed before well is either nice	suict office on plug length and placement is necessary <i>prior to plugg</i> gged or production casing is cemented in;	ing;
6. If an ALTERNATE	II COMPLETION, produ	uction pipe shall be cement	ted from below any usable water to surface within 120 DAYS of spud d	ate
Or pursuant to Ap	pendix "B" - Eastern Ka	nsas surface casing order #	#133,891-C, which applies to the KCC District 3 area, alternate II ceme	entina
must be complete	d within 30 days of the	pud date or the well shall b	be plugged. In all cases, NOTIFY district office prior to any cementing	ıg.
I hereby certify that the s	statements made herein	are true and to the best of	my knowledge and bejief.	
410010044		X <sub>A</sub>	with a 11/ winth OFFICE MANIA	OED
Date: 1/26/2011	Signature of Ope	rator or Agent:	WAS 4. W MACH TITLE OFFICE MANA	'GEK
		$\overline{}$	Remember to:	
For KCC Use ONLY	20127 55		- File Certification of Compliance with the Kansas Surface Owner Noti	fication N
API # 15 - 001	30137-00		Act (KSONA-1) with Intent to Drill;	
Conductor pipe required	None	feet	<ul> <li>File Drill Pit Application (form CDP-1) with Intent to Drill;</li> </ul>	l
Minimum surface pipe re	הלי:	feet per ALT. I I	- File Completion Form ACO-1 within 120 days of spud date;	26
Approved by: 2WA	.*	reer per chen	File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to work over a received.	
. •	1-78-2017		<ul> <li>Notify appropriate district office 48 hours prior to workover or re-entry</li> <li>Submit plugging report (CP-4) after plugging is completed (within 60)</li> </ul>	1
This authorization expire	drilling not started within 12		Obtain written approval before disposing or injecting salt water.	days);
( i i na autimizauori VOICI II (	unming not started within 12	montris or approval date.)	If well will not be drilled or permit has expired (See: authorized expirations).	on date) ——
Spud date:	Agent:		please check the box below and return to the address below.	<u> </u>
Opud date.	Agent:		Well will not be drilled or Permit Expired Date:	<u></u>
88_19 4=	. VCC Camarana	Division	Signature of Operator or Agent:	— Ļ
mail to	: KCC - Conservation	DIVISION,		≥

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202 For KCC Use ONLY API # 15 - 001 - 30137-00-00

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.


Operator: TWM PRODUCTION COMPANY	Location of Well: County: ALLEN		
Lease: GEFFERT	5,109	feet from N / X S Line of Section	
Well Number: GEF NW6	2,912	feet from X E /  W Line of Section	
Field: HUMBOLDT/CHANUTE	Sec. 21 Twp. 26	S. R. 18 X E W	
Number of Acres attributable to well:  QTR/QTR/QTRQTR of acreage: NE - NE - NW -	Is Section: Regular or Irregular		
	If Section is Irregular, locat Section corner used: N	e well from nearest corner boundary.	

#### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.

			2		20	12'E	-
 :	  E	:		• • • • • • • • • • • • • • • • • • • •	········ E	 :	:
	 :	:	Ш Е				
	:					:	
	 :	:			:	:	<u> </u>
		<b>,</b> h			:	:	:
:	<u> </u>	5/095	ľ		<u>:</u>		:
		2/2					
:	 :				:	••••••	: 
	:						
·	 :	:			· · · · · · · · · · · · · · · · · · ·		:  :
:	:						:
······································	 ·	`			·	• • • • • • • • • • • • • • • • • • • •	
:	:						



RECEIVED

NOTE: In all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

# 15-001-30137-00-00 KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed All blanks must be Filled

## CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License # 5488  Name: TWM PRODUCTION COMPANY  Address 1: 1150 HIGHWAY 39	Well Location:  NE_NE_NWSec. 21 Twp. 26 S. R. 18 XEas West  County: ALLEN
Address 2:  City: CHANUTE  State: KS. Zip: 66720 + Contact Person: MICHAEL OR JENNIFER WIMSETT  Phone: (620 ) 431-4137 Fax: (620 ) 431-3183  Email Address: Carolwimsett4@yahoo.com	Lease Name: GEFFERT Well #: GEF NW6  If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:
Surface Owner Information:  Name: MONARCH CEMENT COMPANY  Address 1: PO BOX 1000  Address 2: City: HUMBOLDT State: KS. Zip: 66749 +	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.
the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered on Select one of the following:  I certify that, pursuant to the Kansas Surface Owner Notice Acowner(s) of the land upon which the subject well is or will be locations.	ct (House Bill 2032), I have provided the following to the surface cated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form eing filed is a Form C-1 or Form CB-1, the plat(s) required by this
I have not provided this information to the surface owner(s). I ac KCC will be required to send this information to the surface own task, I acknowledge that I am being charged a \$30.00 handling to the surface of the surface own task, I acknowledge that I am being charged a \$30.00 handling to the surface own task, I acknowledge that I am being charged a \$30.00 handling to the surface owner(s).	knowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this fee, payable to the KCC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	ee with this form. If the fee is not received with this form, the KSONA-1 will be returned.
I hereby certify that the statements made herein are true and correct to to the Date: 1/26/2011 Signature of Operator or Agent:	the best of my knowledge and belief.  OFFICE MANAGER

RECEIVED

JAN 2 8 2011

KCC WICHITA

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Contact Person: MICHAEL OR JENNIFER WIMSETT  Laase Name & Well No: GEFFERT  GEF NW6  Pit Location (OQQQ):  Type of Pit:    Emergency Pit   Burn Pit	Operator Name: TWM PRODUCTION COMPANY			License Number: 5488			
Lease Name & Well No: GEFFERT GEF NW6  Type of Pit:    Emergency Pit   Burn Pit	Operator Address: 1150 HIGHWAY	7 39		CHANUTE KS. 66720			
Type of Pit:    Emergency Pit   Burn Pit	Contact Person: MICHAEL OR JEN	INIFER WIMS	SETT	Phone Number: (620) 431-4137			
Emergency PR	Lease Name & Well No.: GEFFERT	GE	F NW6	Pit Location (QQQQ):			
Setting Pit   Dirilling Pit   If Excelling, date constructed:   5,109   Feet from   North /   South Line of Section   Question   Q	Type of Pit:	Pit is:		<u>NE _ NE _ NW</u>			
Workover Pit	Emergency Pit Burn Pit	X Proposed	Existing	Sec. 21 Twp. 26 R. 18 X East West			
Pit capacity:	Settling Pit X Drilling Pit			5,109 Feet from North / X South Line of Section			
Steep   South   Steep   Stee				2.012			
Is the pit located in a Sensitive Ground Water Area?	(If WP Supply API No. or Year Drilled)	Рп сараслу:	(bhis)	ALLEN			
Steel Pits on the bottom below ground level?   Artificial Liner?   How is the pit lined if a plastic liner is not used?   NATIVE CLAY				•			
Pit dimensions (all but working pits): 10 Length (feet) 8 Width (feet) NA: Steel Pits  Depth from ground level to deepest point: 4 (feet) No Pit  If the pit is lined give a brief description of the liner material, thickness and installation procedure.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.  Depth to shallowest fresh water 2 feet.  Source of information: measured well owner electric log KDWR  Emergency, Settling and Burn Pits ONLY:  Producing Formation: Type of material utilized in drilling/workover: FRESH WATER  Number of working pits to be utilized: 1  Abandonment procedure: EVAPORATION & REFILL W/TOP SOIL  I hereby certify that the above statements are true and correct to the best of my knowledge and belief.  KCC OFFICE USE ONLY  Liner Steel Pit RFAC RFAS	is the pit located in a Sensitive Ground Water A	Area? Cy Yes	No				
Pit dimensions (all but working pits):    Depth from ground level to deepest point:   Depth from ground level to deepest point:   Depth from ground level to deepest point:   Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.   Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.   Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.   Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.   Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.   Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.   Describe fresh water 2				1			
Depth from ground level to deepest point:  If the pit is fined give a brief description of the liner material, thickness and installation procedure.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.  Describe procedures feet water and determining liner integrity, including any special mo		1	No	NATIVE CLAY			
Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.  Describe procedures fresh water 2 feet.  Source of information:    measured   well owner   electric log   KDWR    Drilling, Workover and Haul-Off Pits ONLY:  Type of material utilized in drilling/workover:  FRESH WATER  Number of working pits to be utilized: 1  Abandonment procedure: EVAPORATION & REFILL W/TOP SOIL  Does the slope from the tank battery allow all spilled fluids to flow into the pit?   Yes   No  Drill pits must be closed within 365 days of spud date.  FRECEIVED  JAN 2 8 26  JAN 2 8 26  KCC OFFICE USE ONLY  Liner   Steel Pit   RFAC   RFAS	Pit dimensions (all but working pits):	O Length (fe	et)8	Width (feet) N/A: Steel Pits			
Distance to nearest water well within one-mile of pit:    3	Depth fro	om ground level to de	epest point:	4 (feet) No Pit			
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all spilled fluids to flow into the pit?  I hereby certify that the above statements are true and correct to the best of my knowledge and belief.  KCC OFFICE USE ONLY  Drilling, Workover and Haul-Off Pits ONLY:  Type of material utilized in drilling/workover:  FRESH WATER  Number of working pits to be utilized:  1  Abandonment procedure:  EVAPORATION & REFILL W/TOP SOIL  Prill pits must be closed within 365 days of spud date.  RECEIVED  JAN 2 8 20  Signature of Applicant or Agent  KCC WICH  KCC OFFICE USE ONLY	Distance to nearest water well within one-mile of	of pit:					
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all spilled fluids to flow into the pit?  I hereby certify that the above statements are true and correct to the best of my knowledge and belief.  JAN 2 8 20  KCC OFFICE USE ONLY  Drilling, Workover and Haul-Off Pits ONLY:  Type of material utilized in drilling/workover:  FRESH WATER  Number of working pits to be utilized:  1  Abandonment procedure:  EVAPORATION & REFILL W/TOP SOIL  Drill pits must be closed within 365 days of spud date.  RECEIVED  Signature of Applicant or Agent  KCC WICH  Liner Steel Pit RFAC RFAS	3 LS 3 feet Donth of water well	35 sant	l —				
Producing Formation:    Number of producing wells on lease:   Number of working pits to be utilized:   1   Abandonment procedure:   EVAPORATION & REFILL W/TOP SOIL     Does the slope from the tank battery allow all spilled fluids to flow into the pit?   Yes   No   Drill pits must be closed within 365 days of spud date.							
Number of producing wells on lease:    Barrels of fluid produced daily:   Does the slope from the tank battery allow all spilled fluids to flow into the pit?   Yes   No   Drill pits must be closed within 365 days of spud date.   I hereby certify that the above statements are true and correct to the best of my knowledge and belief.   JAN 2 8 20   JANUARY 26, 2011   Signature of Applicant or Agent   CC WICH   COFFICE USE ONLY   Liner   Steel Pit   RFAC   RFAS			EDECH WATER				
Barrels of fluid produced daily:			1				
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No    Drill pits must be closed within 365 days of spud date.							
JAN 2 8 20  JANUARY 26, 2011  Date    Control of the best of my knowledge and belief.   Signature of Applicant or Agent   Control of Received		pilled fluids to					
JAN 2 8 20  JANUARY 26, 2011  Date    Comparison of Applicant of Appli			Drill pits must t				
Date    Compared to the content of Applicant or Agent   KCC WICH	I hereby certify that the above statem	ents are true and con	rect to the best of	my knowledge and belief.			
Liner Steel Pit RFAC RFAS	71.00		Sevil	JAN 2 8 201 JAN 2 8 201 Inature of Applicant or Agent KCC WICHI			
		KCC	OFFICE USE O	NLY			
Date Received: 1-28-1 Lease Inspection: Yes X No	Date Received: 1-28-11 Permit Numb	per:	Parmi				

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



phone: 316-337-6200 fax: 316-337-6211 http://kcc.ks.gov/

Thomas E. Wright, Chairman Ward Loyd, Commissioner Corporation Commission

Sam Brownback, Governor

January 28, 2011

TWM Production Company 1150 Highway 39 Chanute, KS 66720

RE: Drilling Pit Application

Geffert Lease Well No. GEF NW6

NW/4 Sec. 21-26S-18E Allen County, Kansas

#### Dear Sir or Madam:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit immediately after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

**Environmental Protection and Remediation Department** 

cc: File