For KCC Use:	1-4-2011	
Effective Date:	2 2011	
District #	<u></u>	
SGA? Yes	IXI No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

• •	i) days prior to commencing well rface Owner Notification Act, MUST be submitted with this form	1.
12/28/10	Spot Description:	
Expected Spud Date:	New _ SW _ SW Sec. 5 _ Twp. 24 _ S. R17	7 ⊠E□w
30345		
PERATOR: License#	700 feet from N / X 5	V Line of Section
ame: Piqua Petro Inc.	Is SECTION: Regular Irregular?	
ddress 1: 1331 Xylan Rd	<u> </u>	(-4-)
ddress 2:	(Note: Locate well on the Section Plat on reverse si County: Woodson	ae)
ontact Person: Greg Lair	Lease Name: Woods-Ellis Wel	. <u></u> 11-10
none: 620-433-0099	Field Name: Neosho Falls-Leroy	#
		Yes XNo
ONTRACTOR: License#32079 ame: _John E. Leis	Is this a Prorated / Spaced Field? Target Formation(s): Squirrel	
ame:	Nearest Lease or unit boundary line (in footage): 165'	
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 997	feet MSL
Xoil Enh Rec . Xinfield XMud Rotary		Yes No
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile: Public water supply well within one mile:	Yes X No
DisposalWildcatCable	Depth to bottom of fresh water: 125'	
Seismic ; # of Holes Other	Depth to bottom of usable water: 200'	
Other;	Surface Dine by Alternate:	The second secon
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'	
	Length of Conductor Pipe (if any): none	
Operator:	Projected Total Depth: 1300	
Well Name:	Formation at Total Depth: Squirrel	A
Original Completion Date: Original Total Depth:	Water Source for Drilling Operations:	
oirectional, Deviated or Horizontal wellbore?	Well Farm Pond Other:	
Yes, true vertical depth:	DWR Permit #:	**************************************
sottom Hole Location:	(Note: Apply for Permit with DWR	andress of the contract of
CC DKT #	Will Cores be taken?	Yes No
	If Yes, proposed zone:	
	ii ioo, pispassa soito.	RECEIVED
* ** * * * * * * * * * * * * * * * * * *	DAVIT	B#0
he undersigned hereby affirms that the drilling, completion and eventual plugg	ging of this well will comply with K.S.A. 55 et. seq.	DEC 3 0 2010
is agreed that the following minimum requirements will be met:		
 Notify the appropriate district office prior to spudding of well; 		KCC WICHIT
2. A copy of the approved notice of intent to drill shall be posted on each d	Inlling rig;	
3. The minimum amount of surface pipe as specified below shall be set by	circulating cement to the top; in all cases surface pipe shall t	
 The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the to 	circulating cement to the top; in all cases surface pipe shall tunderlying formation.	pe set
 The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the c If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugger 	r circulating cement to the top; in all cases surface pipe shall to underlying formation. ct office on plug length and placement is necessary prior to plug or production casing is cemented in;	ne set lugging;
 The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the c If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. 	r circulating cement to the top; in all cases surface pipe shall bunderlying formation. ct office on plug length and placement is necessary prior to plug or production casing is cemented in; from below any usable water to surface within 120 DAYS of sp	oe set lugging; ud date.
 The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the c If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13: 	r circulating cement to the top; in all cases surface pipe shall bunderlying formation. ct office on plug length and placement is necessary prior to plug or production casing is cemented in; from below any usable water to surface within 120 DAYS of sp 3,891-C, which applies to the KCC District 3 area, alternate II or	oe set lugging; ud date. cementing
 The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the constant of the surface of the	r circulating cement to the top; in all cases surface pipe shall k underlying formation. ct office on plug length and placement is necessary prior to plot or production casing is cemented in; from below any usable water to surface within 120 DAYS of sp 3,891-C, which applies to the KCC District 3 area, alternate II of the surface within 120 DAYS of sp 3,891-C, which applies to the KCC District 3 area, alternate II of the surface within 120 DAYS of sp 3,891-C, which applies to the KCC District 3 area, alternate II of the surface within the surface	oe set lugging; ud date. cementing
 The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the constant of the surface pipe. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugger. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13. 	r circulating cement to the top; in all cases surface pipe shall k underlying formation. ct office on plug length and placement is necessary prior to plot or production casing is cemented in; from below any usable water to surface within 120 DAYS of sp 3,891-C, which applies to the KCC District 3 area, alternate II of the surface within 120 DAYS of sp 3,891-C, which applies to the KCC District 3 area, alternate II of the surface within 120 DAYS of sp 3,891-C, which applies to the KCC District 3 area, alternate II of the surface within the surface	oe set lugging; ud date. cementing
 The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the consolidated to the set of the well is dry hole, an agreement between the operator and the distriction. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13: must be completed within 30 days of the spud date or the well shall be provided that the statements made herein are true and to the best of my 	v circulating cement to the top; in all cases surface pipe shall bunderlying formation. ct office on plug length and placement is necessary prior to pid or production casing is cemented in; from below any usable water to surface within 120 DAYS of sp 3,891-C, which applies to the KCC District 3 area, alternate II is blugged. In all cases, NOTIFY district office prior to any cemes knowledge and belief.	oe set lugging; ud date. cementing
 The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the consolidated to the set of the well is dry hole, an agreement between the operator and the distriction. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13: must be completed within 30 days of the spud date or the well shall be phereby certify that the statements made herein are true and to the best of my 	r circulating cement to the top; in all cases surface pipe shall k underlying formation. ct office on plug length and placement is necessary prior to plot or production casing is cemented in; from below any usable water to surface within 120 DAYS of sp 3,891-C, which applies to the KCC District 3 area, alternate II of the surface within 120 DAYS of sp 3,891-C, which applies to the KCC District 3 area, alternate II of the surface within 120 DAYS of sp 3,891-C, which applies to the KCC District 3 area, alternate II of the surface within the surface	oe set lugging; ud date. cementing
3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the consolidated to the surface of the sur	r circulating cement to the top; in all cases surface pipe shall be underlying formation. ct office on plug length and placement is necessary prior to pid or production casing is cemented in; from below any usable water to surface within 120 DAYS of sp 3,891-C, which applies to the KCC District 3 area, alternate II or biugged. In all cases, NOTIFY district office prior to any ceme knowledge and belief. Current Agent Remember to:	pe set lugging; ud date. cementing enting.
3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the consolidated to the surface of the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be phereby certify that the statements made herein are true and to the best of my pater. Signature of Operator or Agent: 12/28/10 Signature of Operator or Agent:	r circulating cement to the top; in all cases surface pipe shall bunderlying formation. ct office on plug length and placement is necessary prior to pid or production casing is cemented in; from below any usable water to surface within 120 DAYS of sp 3,891-C, which applies to the KCC District 3 area, alternate II or bugged. In all cases, NOTIFY district office prior to any cement knowledge and belief. Title: Agent Remember to: File Certification of Compliance with the Kansas Surface Owner.	pe set lugging; ud date. cementing enting.
3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the constant of the surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the constant of the surface and the district of the surface properties of the surface properties of the surface casing order with the statements of the spud date or the well shall be properties of the surface properties of the sur	r circulating cement to the top; in all cases surface pipe shall be underlying formation. ct office on plug length and placement is necessary prior to pid or production casing is cemented in; from below any usable water to surface within 120 DAYS of sp 3,891-C, which applies to the KCC District 3 area, alternate II or biugged. In all cases, NOTIFY district office prior to any ceme knowledge and belief. Title: Agent Remember to: File Certification of Compliance with the Kansas Surface Owner Act (KSONA-1) with Intent to Drill;	pe set lugging; ud date. cementing enting.
3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the constant of the surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the constant of the surface plus and the district of the surface plus per shall be computed of the surface of the surface plus plus plus plus plus plus plus plus	r circulating cement to the top; in all cases surface pipe shall bunderlying formation. ct office on plug length and placement is necessary prior to pid or production casing is cemented in; from below any usable water to surface within 120 DAYS of sp 3,891-C, which applies to the KCC District 3 area, alternate II or biugged. In all cases, NOTIFY district office prior to any cement knowledge and belief. Title: Agent Remember to: - File Certification of Compliance with the Kansas Surface Owner Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;	lugging; ud date. cementing enting.
3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the constant of the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be phereby certify that the statements made herein are true and to the best of my poate: 12/28/10 Signature of Operator or Agent: For KCC Use ONLY API #15 - 207 - 27770-00-00 Conductor pipe required Conductor pipe required Conductor pipe required To the well shall be set by the constant of the spud date or the well shall be placed by the constant of the production	r circulating cement to the top; in all cases surface pipe shall bunderlying formation. ct office on plug length and placement is necessary prior to pid or production casing is cemented in; from below any usable water to surface within 120 DAYS of sp 3,891-C, which applies to the KCC District 3 area, alternate II or biugged. In all cases, NOTIFY district office prior to any cemel knowledge and belief. Title: Agent Remember to: File Certification of Compliance with the Kansas Surface Owner Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;	pe set lugging; ud date. cementing enting.
3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the constant of the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be phereby certify that the statements made herein are true and to the best of my plate: 12/28/10	r circulating cement to the top; in all cases surface pipe shall bunderlying formation. ct office on plug length and placement is necessary prior to pid or production casing is cemented in; from below any usable water to surface within 120 DAYS of sp. 3,891-C, which applies to the KCC District 3 area, alternate II or biugged. In all cases, NOTIFY district office prior to any ceme knowledge and belief. Title: Agent Remember to: File Certification of Compliance with the Kansas Surface Owner Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	lugging; ud date. cementing enting. Notification
3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the constant of the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13: must be completed within 30 days of the spud date or the well shall be plugged by that the statements made herein are true and to the best of my place: 12/28/10 Signature of Operator or Agent: For KCC Use ONLY API #15 - 207 - 2770-00-00 Conductor pipe required Minimum surface pipe required Approved by: Full 2-30-2010	r circulating cement to the top; in all cases surface pipe shall bunderlying formation. ct office on plug length and placement is necessary prior to pid or production casing is cemented in; from below any usable water to surface within 120 DAYS of sp 3,891-C, which applies to the KCC District 3 area, alternate II or biugged. In all cases, NOTIFY district office prior to any cemel knowledge and belief. Title: Agent Remember to: File Certification of Compliance with the Kansas Surface Owner Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;	lugging; ud date. cementing enting. Notification 71
3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the constant of the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be phereby certify that the statements made herein are true and to the best of my plate: 12/28/10 Signature of Operator or Agent: For KCC Use ONLY API #15 - 207 - 27770-00-00 Conductor pipe required	r circulating cement to the top; in all cases surface pipe shall bunderlying formation. ct office on plug length and placement is necessary prior to pid or production casing is cemented in; from below any usable water to surface within 120 DAYS of sp 3,891-C, which applies to the KCC District 3 area, alternate II or biugged. In all cases, NOTIFY district office prior to any cemel knowledge and belief. Title: Agent Remember to: File Certification of Compliance with the Kansas Surface Owner Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-	lugging; ud date. cementing enting. Notification Ch
3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the constant of the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13: must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and to the best of my place: 12/28/10 Signature of Operator or Agent: For KCC Use ONLY API #15 - 207 - 2770-00-00 Conductor pipe required feet Minimum surface pipe required feet per ALT. I Placed Approved by: Purple 12-30-2010	recirculating cement to the top; in all cases surface pipe shall bunderlying formation. It office on plug length and placement is necessary prior to pid or production casing is cemented in; from below any usable water to surface within 120 DAYS of sp. 3,891-C, which applies to the KCC District 3 area, alternate II or plugged. In all cases, NOTIFY district office prior to any cemerate knowledge and belief. Title: Agent Remember to: File Certification of Compliance with the Kansas Surface Owner Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or resubmit plugging report (CP-4) after plugging is completed (within Obtain written approval before disposing or injecting salt water. If well will not be drilled or permit has expired (See: authorized expendence).	e set lugging; ud date. cementing enting. Notification 7 A-entry; in 60 days);
3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the constant of the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13: must be completed within 30 days of the spud date or the well shall be plugged before the well shall be plugged by that the statements made herein are true and to the best of my plugged and the statements are true and to the best of my plugged by the spud date or the well shall be plugged by the spud date or the shall be plugged by the shall be plugged by the spud date or the date of the spud date or the well shall be plugged by the spud date or the shall be plugged by the spud date or the shall be plugged by the spud date or the shall be plugged by the spud date or the shall be plugged by the spud date or the shall be plugged by the spud date or the shall be plugged by the spud date or the shall be plugged by t	recirculating cement to the top; in all cases surface pipe shall bunderlying formation. ct office on plug length and placement is necessary prior to pid or production casing is cemented in; from below any usable water to surface within 120 DAYS of sp 3,891-C, which applies to the KCC District 3 area, alternate II or plugged. In all cases, NOTIFY district office prior to any cemel knowledge and belief. Title: Agent Remember to: File Certification of Compliance with the Kansas Surface Owner Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or resubmit plugging report (CP-4) after plugging is completed (within Obtain written approval before disposing or injecting salt water.	e set lugging; ud date. cementing enting. Notification 71 -entry; in 60 days); xpiration date)
3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the constant of the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugger 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be phereby certify that the statements made herein are true and to the best of my plate: 12/28/10 Signature of Operator or Agent: For KCC Use ONLY API #15 - 207 - 27770-00-00 Conductor pipe required	recirculating cement to the top; in all cases surface pipe shall bunderlying formation. It office on plug length and placement is necessary prior to pid or production casing is cemented in; from below any usable water to surface within 120 DAYS of sp. 3,891-C, which applies to the KCC District 3 area, alternate II or plugged. In all cases, NOTIFY district office prior to any cemerate knowledge and belief. Title: Agent Remember to: File Certification of Compliance with the Kansas Surface Owner Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or resubmit plugging report (CP-4) after plugging is completed (within Obtain written approval before disposing or injecting salt water. If well will not be drilled or permit has expired (See: authorized expendence).	e set lugging; ud date. cementing enting. Notification 7 A -entry; in 60 days);

130 S. Market - Room 2078, Wichita, Kansas 67202

For KCC Use ONLY API#15-207-27770-00-

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Lease: Woods-Ellis Well Number: 11-10		700 feet from N / X S Line of Section 165 feet from E / X W Line of Section
Vell Num Nor	per: 11-10 psho Falls-Leroy	Sec. 5 Twp. 24 S. R. 17 X E W
Field: Nec	ISIIO Falls-Leroy	
	f Acres attributable to well:	─ Is Section: 🔀 Regular or 🔲 Irregular
QTR/QTR	/QTR/QTR of acreage: 🕦 - SW - SW -	_
		If Section is Irregular, locate well from nearest corner boundary.
		Section corner used: NE NW SE SW
		PLAT
	Show location of the well. Show footage to the nea	est lease or unit boundary line. Show the predicted locations of
	lease roads, tank batteries, pipelines and electrical lines,	s required by the Kansas Surface Owner Notice Act (House Bill 2032).
		a separate plat if desired.
		not a familiar real
		1 TOTAL
		LEGEND
	: : : :	: O Well Location
		Tank Battery Location
		Electric Line Location
		Lease Road Location
	: : : :	: :
	Soc	EXAMPLE
W	/	
	7 5	
		·
WL		
	: : : :	1980' FSL
	1	
Γ	· · · · · · · · · · · · · · · · · · ·	·
Ĺ	♪ ↑ : : : : : : : : : : : : : : : : : : :	
		SEWARD CO. 3390' FEL.
	NOTE: In all cases locate the spot of the proposed dri	ing locaton.
		RECEI
in plotti	700 FSL ng the proposed location of the well, <i>you must sh</i>	DEC 3
	ing and proposed isolation or are trong you must be	····

- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

15-207-27770-00-00

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed All blanks must be Filled

KCC WICHITA

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

s 1: 1331 Xylan Rd s 2:	County: Woodson Lease Name: Woods-Ellis Well #: 11-10 If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:		
s 2:iqua	If filing a Form T-1 for multiple wells on a lease, enter the legal description of		
s 2:iqua	If filing a Form T-1 for multiple wells on a lease, enter the legal description of		
t Person: Greg Lair (620) 433-0099 Fax: (620) 468-2204 Address: n/a			
t Person: Greg Lair (620) 433-0099 Fax: (620) 468-2204 Address: n/a	the lease below:		
e Owner Information:			
e Owner Information:			
Operator is Owner (Greg Lair)	When filing a Form T-1 involving multiple surface owners, attach an additional		
Operator is Owner (Greg Lair) s 1: 1331 Xylan Rd	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
ss 2:	county, and in the real estate property tax records of the county treasurer.		
riqua State: KS Zip: 66761 +			
eliminary non-binding estimates. The locations may be entered on to one of the following:	atteries, pipelines, and electrical lines. The locations shown on the plat he Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
I certify that, pursuant to the Kansas Surface Owner Notice Act owner(s) of the land upon which the subject well is or will be loca CP-1 that I am filing in connection with this form; 2) if the form beform; and 3) my operator name, address, phone number, fax, and	ated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form ing filed is a Form C-1 or Form CB-1, the plat(s) required by this		
I have not provided this information to the surface owner(s). I ack KCC will be required to send this information to the surface owner task, I acknowledge that I am being charged a \$30.00 handling fe	er(s). To mitigate the additional cost of the KCC performing this		
osing the second option, submit payment of the \$30.00 handling fe and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1 v	e with this form. If the fee is not received with this form, the KSONA-1 will be returned.		
by certify that the statements made herein are true and correct to the	ne best of my knowledge and belief.		
12/28/10	Tille: Agent RECEIVED		
12/28/10 Signature of Operator or Agent:/ OYU	Inte:		

/5-207-277 70-000 KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Piqua Petro Inc.			License Number: 30345		
Operator Address: 1331 Xylan Rd			Piqua KS 6676		
Contact Person: Greg Lair			Phone Number: 620-433-0099		
Lease Name & Well No.: Woods-Ellis	11-	-10	Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>M</u> w _ sw _ sw		
Emergency Pit Burn Pit	X Proposed	Existing	Sec. 5 Twp. 24 R. 17 X East West		
Settling Pit X Drilling Pit	If Existing, date constructed:		Feet from North / X South Line of Section		
Workover Pit Haul-Off Pit	Dit songaits:	Minnes - No. 10, 10, 10, 10, 10, 100, 100, 100, 100	165 Feet from East / X West Line of Section		
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Woodson County		
Is the pit located in a Sensitive Ground Water A	rea? Yes	· · · · · · · · · · · · · · · · · · ·	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?	· · · · · · · · · · · · · · · · · · ·	How is the pit lined if a plastic liner is not used?		
X Yes No	Yes X	No	clay soil		
Pit dimensions (all but working pits):	5 Length (fee	et)8	Width (feet) N/A: Steel Pits		
Depth from ground level to deepest point:3(feet) No Pit					
If the pit is lined give a brief description of the line material, thickness and installation procedure.	ner	Describe proce	dures for periodic maintenance and determining acluding any special monitoring.		
N/A		Watch that clay soil is holding water			
		, , , de la continue	olay con is notating water		
Distance to nearest water well within one-mile of pit:		Depth to shallo	west fresh water 20 feet.		
1100		Source of infor measured	mation: X well owner electric log KDWR		
Depit of water were			Configuration Co		
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY: shale and limestone			
Producing Formation:		Type of material utilized in drilling/workover: Number of working pits to be utilized: 1			
· •		Abandonment procedure: backfill back in			
Does the slope from the tank battery allow all spilled fluids to					
		Drill pits must t	pe closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
	1	M	DEC 3 0 2010		
12/28/10		r jonua	phature of Applicant or Agent KCC MICHIT		
Date Signature of Applicant or Agent KCC WICHITA					
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS					
Date Received: 12-30-10 Permit Numl	oer:	Perm			