Kansas Corporation Commission One Point Stabilized Open Flow or Deliverability Test

Type les	st: pen Flo	ow T	X Shut	-in		(See Instruc	ctions on He	verse Side	?)				
	eliveral		Pres	sure	Test Dat	e: 12 - 1	.5–05		AP	I No. 15 –1 03	3-21 , 045 %	100	
Compan	Monument Resources,			sources,	Inc.		Lease	Lease Stuckey			Well Number #2 (2-2)		
County Location NW,NW,SW			Section 29		TWP 9S	RNG (E/W) 23E		. Acres Attributed 40					
Field				Reservoi McLou			Gas Gathering Connect COG Transmission						
Completion Date				Plug Bac	k Total Depti	Packer Set at			or corpore	renoi1			
05-10-89 Casing Size Weight				1145 ' internal I	Diameter	N/A Set at Perforation:			orations	То			
4 1/2" 9.5# Tubing Size Weight				Internal Diameter		1145 Set at P			1053'	1054'	1054'		
N/A					miternal L	namete:	Set a		Perii	orations	10		
Type Cor Gas	mpletio	n (De	scribe)		Type Flui Nil	d Production	1		Pump U	nit or Traveling	Plunger?	ŽΝο	
Producing Thru (Annulus/Tubing) Casing				% Carbon Nil	n Dioxide	% Nitrogen Nil			Gas Gravity - G _g				
Vertical D	Pepth(F	1)				Pressi	ure Taps				(Meter	Run) (And	Ver Size
ressure	Buildu	p: S	Shut in	2-14 20	905 at 8	3:30	(AM) YPYNY	Taken	l 2 – 15	2005	at9:10) _{(A}	 M YX X
Well on L											at	•	, , ,
	~					OBSERVE	D SURFACE	DATA			Duration of Shut-		Ho
Static / Synamic Property	namic Size		Circle one: Meter or Prover Pressi psig	Pressure Differential in (h) Inches H_0	Flowing Well Head Temperature t t		Casing Wellhead Pressure (P _w) or (P ₁) or (P _c)		Wellho	Tubing ead Pressure or (P,) or (P _c)	Duration (Hours)	1	Produced
Shut-In	hut-In —		-	-			330	psia psig		psia _	24	_	
Flow													
				<u> </u>		FLOW STR	EAM ATTRI	BUTES					
Plate Coefficient (F _b) (F _p) Mcfd		Circle one: Meter or Prover Pressure psia		Press Extension √P _m x H _w	Extension Fact		Flowing emperature Factor F _{tt}	Deviation Factor F _{pv}		Metered Flow R (Mcfd)	GOR (Cubic Fe Barrel)		Flowing Fluid Gravity G _m
) _c) ² =		_;	(P _w) ² =	:	(OPEN FLI	OW) (DELIVI 	•	CALCUL - 14.4) +		:	(P _a);	² = 0.207 ² =	,
$(P_c)^2 - (F_c)^2 - (F_c$	-	(P <u>.</u>	_)² - (P_)²	1. P _c ² - P _a ² 2. P _c ² - P _a ² divided by: P _c ² - P _a ²	LOG of tormula 1. or 2. and divide	P _c ² · P _w ²	Backpres Slop 	ssure Curve		roe	Antilog	Open Flow Deliverability Equals R x Antilog Mcfd	
0 =:					<u> </u>		<u> </u>						
pen Flov				Mcfd @ 14.6			Deliverabili	<u> </u>			Acfd @ 14.65 psia		
The u	ındersi ein, an	gned d that	authority, on	is true and corr	ompany, state ECEIVI Ect. Executi N 0 3 20	the _	duly authori 30th	zed to ma		ove report and	that he has know	riedge of ti	
			Witness (7	SWICH			Pr	eside		ompany		
			For Comr		34/30		-			Chec	ked by		

	I declare under penalty or perjury under the laws of the state of Kansas that I am authorized to request exempt status under Rule K.A.R. 82-3-304 on behalf of the operator
~	is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No. Is incapable of producing at a daily rate in excess of 150 mcf/D
	Date:

Instructions:

All active gas wells must have at least an original G-2 form on file with the conservation division. If a gas well meets the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to obtain a testing exemption.

At some point during the succeeding calendar year, wellhead shut-in pressure shall be measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under "observed surface data." Shut-in pressure shall thereafter be reported yearly in the same manner.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than thirty (30) days after the taking of the pressure reading. The form must be signed and dated on the front side as though it was a verified report of test results.