CONFIDENTIAL

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION



Form ACO-1 September 1999 Form Must Be Typed 12/10/10

WELL COMPLETION FORM

Operator: License # 33074	API No. 15 - 125-30679-00-0
Name: Dart Cherokee Basin Operating Co., LLC	
Address: P O Box 177	
City/State/Zip: Mason MI 48854-0177	feet from S / N (circle one) Line of Section
Purchaser: Oneok	3300' FEL feet from E / W (circle one) Line of Section
Operator Contact Person: Beth Oswald	_ Footages Calculated from Nearest Outside Section Corner:
Phone: (517) 244-8716 DEC 1 0 2008	(circle one) NE SE NW SW
Contractor: Name: McPherson ConFIDENTIA	Lease Name: J&V Gordon Trusts Well #: C2-27
icense: 5675	Field Name
Vellsite Geologist: Bill Barks	Producing Formation: Penn Coals
Designate Type of Completion:	Elevation: Ground: 833' Kelly Bushing:
New Well Re-Entry Workover	Total Depth: 1406' Plug Back Total Depth: 1403'
Oil SWD SIOWTemp. Abd.	Amount of Surface Pipe Set and Cemented at 22' Feet
GasENHRSIGW	Multiple Stage Cementing Collar Used? ☐ Yes ✓ No
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
f Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from
Operator: Dart Cherokee Basin Operating Co., LLC	feet depth to w/sxjcmt.
Nell Name: J&V Gordon Trusts C2-27	W0-D12-1/6/2
Original Comp. Date: 2-18-08 Original Total Depth: 1406'	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride content ppm Fluid volume bbls
Plug BackPlug Back Total Depth	Dewatering method used
Commingled Docket No.	Location of fluid disposal if hauled offsite:
Dual Completion Docket No	_
Other (SWD or Enhr.?) Docket No	Operator Name:
11-17-08 2-10-05 11-20-08	Lease Name: License No.:
Spud Date or Date Reached TD Completion Date or	— Quarter Sec Twp. S. R East West
Recompletion Date Recompletion Date	County: Docket No.:
	with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita,
	kover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. of 12 months if requested in writing and submitted with the form (see rule 82-3-
107 for confidentiality in excess of 12 months). One copy of all wireline	logs and geologist well report shall be attached with this form. ALL CEMENTING
TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged v	vells. Submit CP-111 form with all temporarily abandoned wells.

Signature: MI
Title: Engr Clerk Date: 12-10-08
Subscribed and sworn to before me this 10th day of December
2008
Notary Public Manda L Eight
Amanda L. Elfert Livingson County, Michigan Date Commission Expires: 10/72012
Acting in Ingham Co. Michigan

KCC Office Use ONLY	١
Letter of Confidentiality Attached	
If Denied, Yes Date:	
Wireline Log Received	l
Geologist Report Received RECEIVED KANSAS CORPORATION COMMISS	
UIC Distribution	ľ

DEC 16 2008

ec. 27 Twp. 32 ISTRUCTIONS: She sted, time tool open emperature, fluid recollectric Wireline Logs	ow important tops an and closed, flowing overy, and flow rates	nd base of t and shut-ir if gas to su	n pressures, v urface test, al	netrated. vhether sh ong with fi	ut-in pres	cores. Report sure reached	static level, hydros	tatic pressure	s, bottom	hole	
rill Stem Tests Taken (Attach Additional S	☐ Yes ✓ No			Log	og Formation (Top), Depth and Datum ✓ Sample						
amples Sent to Geol	ogical Survey	☐ Yes ✓ No Yes ✓ No			Name			Тор		atum	
ores Taken											
lectric Log Run	Yes ✓ No				KCC						
(Submit Copy) st All E. Logs Run:							CO	KCC 3 9 0 2001 NFIDEN	B TIAL		
		Report a	CASING F		New	/ Used	tion, etc.				
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)		Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives		
Surf			8 5/8"	24#		22'	Class A	4			
Prod	6 3/4"		4 1/2"	9.5#		1403'	Thick Set	150			
Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone	Depth Top Bottom		ADDITIONAL f Cement	CEMENTIN #Sacks		EZE RECORD		rcent Additives			
Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated					Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth					
4 existing	965'-967'					300 gal 15% HCl, 3065# sd, 260 BBL fl					
4 existing	898.5'-900'					300 gal 15% HCl, 1475# sd, 285 BBL fl					
4 existing	833.5'-834.5'								NA		
6	814.5' - 816.5', CIBP @ 830'					100 gal 15% HCl, 6515# sd, 255 BBL fl					
UBING RECORD	Size Set At Packer At 2 3/8" 828' NA					Liner Run	Yes ✓ No				
ate of First, Resumed F	Production, SWD or En	hr. P	roducing Metho	od	Flowing	✓ Pumpii	ng Gas Lift	Othe	r (Explain)		
Estimated Production Per 24 Hours	M Hours		Gas 1	Mcf Wate		в 35	Bbls. Gas-Oil Ratio NA		Gravity NA		
Disposition of Gas	METHOD OF C	OMPLETION				Production Inter	val			Cary.	