Form G-2 (Rev. 7/03)

Kansas Corporation Commission One Point Stabilized Open Flow or Deliverability Test

,*

Type Test: Open Flow					(See Instructions on Reverse Side)							,			0000
Deliverability Test D			ate: 07/09/2010					API No.			1518921533 000,0 .				
Company Lease Well Number OXY USA Inc WONDER B 3												lumber			
County Location Stevens 1980 FWL & 660 FSL			Section 32			TWP 34S			6 (E/W) 5W	Acres Attributed 640					
Field GOOCH			Reservoir Morrow				Gas Gathering C ONEOK FIELD								
Completion Date 01/09/1995				Plug Back Total Depth 6,500'					Packer Set at					· · · · · · · · · · · · · · · · · · ·	
Casing Size Weight 5 1/2" 15.5#			Internal Diameter 4.950"			Set at 6,864'			Perforation 5,900'	ns	To 6,278 '				
Tubing Size Weight 2 3/8" 4.7#			Internal Diameter 1.995"			Set at 6,086'			Perforation	ns	То				
Type Completion (Describe) SINGLE-GAS				Type Fluid Production WATER					Pump Unit or Traveling Pl Yes - Beam						
Producing Thru (Annulus / Tubing) Annulus				% Carbon Dioxide 0.819%				% Nitrogen 3.044%				Gas Gravity - Gg 0.745			
Vertical Depth (H) 6,089'				Pressure Taps Flange								(Meter Run) (Prover) Size 3.068"			
Pressure B	Buildup:	Shut in	07	08	20 10	at 9 :0	00		Taken		07/09	20 10) at 9	:00	
Well on Lin	ne:	Shut in			20	at			Taken			20	at		
OBSERVED SURFACE DATA Duration of Shut-in 24 Hours															
Static / Dynamic	Orifice Size	Size Prover Pressure in		tial Flowi Temper		Temperature (F		Casing ad Pressure r (P _t) or (P _c)		Tubing Wellhead Pressure (P_w) or (P_t) or (P_c)		Duration		Liquid Produced	
Property Shut-In				20 t t t		<u>t </u>	psig psi 25.6 40				psia 0.0	····		(Barrels)	
Flow						T			ļ	_			<u> </u>		
					<u> </u>	FLOW	STREA	AM ATTRIE	BUTES						
Plate Coefficient (F _b) (F _p) Mcfd	t	Circle one: Press Meter or Extension Prover Pressure psia P _m x h		lension	Gravity Factor F _g	Te	Flowing emperatur Factor Fn	re Fa	Deviation Factor F _{pv}		Metered Flow R (Mcfd)		GOR (Cubic Feet/Barrel)		Flowing Fluid Gravity G _m
														Ļ	
(P _c) ² =	1.6 :	(P _w)2 =0.		P _d =	.OW) (D	ELIVEF 	RABILITY) (P _c - 14	CALCU 4.4) + 14		ONS	<u>.</u> :		a) ² =	0.207
$(P_c)^2 - (P_a)^2$ or $(P_c)^2 - (P_d)^2$		$(P_e)^2 - (P_w)^2$ Choose Formula 1. $P_e^2 - P_a^2$ 2. $P_c^2 - P_a^2$ divided by: P_e^2		- P _a ² - P _d ²	LOG of formula 1. or 2. and divide by:	P _c ² - P _w		Sackpressure (Slope = "nor Assigned Standard Slo	or Assigned		nxLOG		Antilog		Open Flow Deliverability quals R x Antilog (Mcfd)
			·					·						_	
Open Flow	 _	0	Мо	fd @ 14.6	5 psia		Deliv	erability				Mcfd @	14.65 psia	<u> </u>	
he facts stated	I therein, and					ny, states the		duly authorized	d to make the	he abov	e report and Decer	that he has ki		,	2010 .
Witness						RECEIVED				OXY USA Inc.					
		ror	Commission				JAN	07 20	111						_

I declare under penalty of perjury under the laws of the state of Kansas that I am authorize K.A.R. 82-3-304 on behalf of the operator OXY USA Inc. and that the fore contained on this application form are true and correct to the best of my knowledge and belief by and lease records of equipment installation and/or upon type of completion or upon use being my	going pressure information and statements ased upon available production summaries
I hereby request a one-year exemption from open flow said well: WONDER B 3	for the gas well on the grounds that
is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on a vacuum at the present time; KCC approval Docket No. is not capable of producing at a daily rate in excess of 250 mcf/D I further agree to supply to the best of my ability any and all supporting documents deemed to corroborate this claim for exemption from testing. December 29, 2010	by Commission staff as necessary to
Signa	
	Title: Gas Flow Coordinator

Instructions: If a gas well meets one of the eligibility criteria set out in the KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31st of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

RECEIVED
JAN 07 2011

RECEIVED JAN 0 7 2011 KCC WICHITA





P. O. Box 27570 Houston, Texas 77227-7570

Tom Acton Mid-Continent Business Unit Phone 713.215.7623 Fax 713.350.4873

December 29, 2010

Jim Hemmen Finney State Office Building 130 South Market Street, Room 2078 Wichita, Kansas 67202-3802

RE: Wonder B-3

15-189-21533-0000

Section 32, Township 34 South, Range 35 West

Stevens County, Kansas

Dear Mr. Hemmen:

Enclosed you will find the 2010 Form G-2 for the above listed gas well. OXY is requesting an exemption from annual open flow testing due to this well is not capable of producing at a daily rate in excess of 250 million cubic feet per day.

If you have any questions, need additional information or would like to discuss this matter, please feel free to contact me.

Regards,

Tom Acton

Gas Flow Coordinator

Mid-Continent Business Unit

Oxy USA Inc.

Enclosures: 2010 Form G-2

Cc:

Well Test File

RECEIVED JAN 07 2011

KCC WICHITA