Form G-2 (Rev. 7/03)

Kansas Corporation Commission One Point Stabilized Open Flow or Deliverability Test (See Instructions on Reverse Side)

| Type Test: | : | | | | | | (See | Instruc | tions | on Revers | e Side) |) | • | | | | | |
|---|-------------------|--------------------------------|---|--|---|-------------|---|---|----------------------------------|---|--|--|------------------------------------|------------------------|--------|-----------------------|--|--|
| | en Flo liverat | | | | Test C | ate: | | 11 | /15/2 | 2010 | | | API No. | | | 1512920 | 0684 | 0000 |
| Company OXY USA | A Inc | ; | | | • | | | Lease SUT | | I B 5 | | | | | | \ | Vell N | lumber |
| County Morton | • | 1650 | Loc FNL 8 | cation & 2310 | FWL | | ection 33 | ••• | TW 34 | /P 4S | | | IG (E/W) 41W | | | , | | Attributed 40 |
| Field WILBUR | TON | | | | | | eservoir orrow | | | | | | s Gathering I eOK | Conr | nectio | n | | |
| Completion 11/17/198 | | te | | | | Plu | ug Back T 5,15 | | oth | | | Pa | cker Set at | | | | | |
| Casing Siz | e | | | eight . 0# | | | ernal Diar 012" | neter | | Set at 5,195' | | | Perforation 4,986' | ıs | | To 5,0 2 | 28' | |
| Tubing Siz | :e | | We 4 .7 | eight 7# | | | ernal Diar 995" | neter | | Set at 4,986' | | • | Perforation | ıs | | То | | |
| Type Com SINGLE | | | scribe) | | | | pe Fluid P ATER | roductio | n | | | Pui | mp Unit or | Travel | | lunger? es - Bear | n Pu | Yes / No mp |
| Producing | | (Annu nulus | lus / Tu | bing) | | | | orbon Di 0.512% | | • | | | Nitrogen 3.589% | | | Gas Gra | vity - 8 67 | Gg |
| Vertical De | | (H) | | | | i | | Press Fla | ange | • | | | | | | (Meter R | tun) (l 4.02 | Prover) Size 6" |
| Pressure E | Buildu | ıp: | Shut in | 1 | 11/14 | 20 | 10 a | t 9:00 |) | | Takeı | n | 11/15 | 2 | 0 10 | at | 9:00 | _ |
| Well on Lir | ne: | | Shut in | | | 20 | a | t | | | Taker | | | 2 | 20 | at _ | | - |
| | | | | | | | (| OBSER\ | VED : | SURFACE | DATA | | | Durati | on of | Shut-in _ | 24 | Hours |
| Static / Dynamic Property | : | rifice Size ches) | Prove | rcle one: Meter er Pressur sig (Pm) | Pres Differ ir Inches | ential 1 | Flowing Temperatu | Well h | | Wellhea | asing d Pressur (P _t) or (P _c ps | .) | Wellhead (P _w) or (| P _t) or (P | | Durati (Hour | | Liquid Produced (Barrels) |
| Shut-In | \ \tag{\tau} | <u> </u> | Lp | ng (1 m) | inche. | 1120 | <u>`</u> | <u> </u> | | 30.0 | 44 | | psig 0.0 | | .0 | 24 | | (Ballels) |
| Flow | l | | | | . [| |] | | | | | | | | | 1 | | |
| L | | | | | | | F | I OW S | TRE | AM ATTRI | BUTES | } | | L | | 1 | | |
| Plate | | 0: | cle one: | 1 | Press | т- | | | | | | <u> </u> | | | | | Т | Charata a |
| Coefficien (F _b) (F _p) Mcfd | it | N | cie one. leter or er Pressure psia | 9 | Extension P _m x h | | Gravity Factor F _g | Tem | lowing peraturactor Factor | re Fa | riation actor F _{pv} | | Metered Flow R (Mcfd) | | (Cubic | GOR : Feet/Barrel) | † <u> </u> | Flowing Fluid Gravity G _m |
| | | | | | | | | | | | | Τ | | | | | | |
| (P _c) ² = | 2.0 | : | (P _w |) ² = | 0.0 : | (0 | PEN FLO P _d = | W) (DEL | LIVEI % | RABILITY) | CALC 4.4) + 1 | | | | | | P _a) ² = P _d) ² = | |
| | | | | | Formula 1 or 2 | 2: | LOG of | | - | Backpressure | | T | | - | | | T | |
| $(P_c)^2 - (P_a)$ or $(P_c)^2 - (P_d)$ | | (P _c) ² | · (P _w)² | 1. 2. | $P_c^2 - P_a^2$ $P_c^2 - P_d^2$ I by: $P_c^2 - P_w^2$ | ' | formula 1. or 2. nd divide by: | P _c ² - P _w ² | | Slope = "i or Assigned Standard Sl | J | пх | LOG | | , | Antilog | E | Open Flow Deliverability Equals R x Antilog (Mcfd) |
| | _ | | | | | + | | | ╁ | | | - | | | | | - | |
| Open Flow | | | 0 | | Mcfd @ 14 | 65 p | sia | | Deli | verability | | ــــــــــــــــــــــــــــــــــــــ | | <u> </u> | cfd @ | 14 65 peig | | |
| the facts stated | d there | | he unders | | hority, on beh | | he Company, | states that | t he is | duly authorize | d to make | the al | bove report and | I that he | has kr | 14.65 psia | , | 2010 |
| | | | | | | | | | | | | | (| YXC | | | | |
| | | | | Witness | | | | | İ | RECE | VED |) | Tom A | Z | Oxy | USA In | <u>. </u> | |
| | | | For | Commiss | noion | | | | | IAN 0 | 7 20 | 11 | | | | | | |

KCC WICHITA

| K.A.R. 8: containe | reclare under penalty of perjury under the laws of the state of Kansas that I am authorized to request exempt status under Rule 2-3-304 on behalf of the operator OXY USA Inc. and that the foregoing pressure information and statements don this application form are true and correct to the best of my knowledge and belief based upon available production summaries e records of equipment installation and/or upon type of completion or upon use being made of the gas well herein named. I hereby request a one-year exemption from open flow SUTTON B 5 for the gas well on the grounds that |
|-----------------------|---|
| (Check | one) |
| | is a coalbed methane producer |
| | is cycled on plunger lift due to water |
| | is a source of natural gas for injection into an oil reservoir undergoing ER |
| | is on a vacuum at the present time; KCC approval Docket No. |
| J | is not capable of producing at a daily rate in excess of 250 mcf/D |
| | ner agree to supply to the best of my ability any and all supporting documents deemed by Commission staff as necessary to |
| | ner agree to supply to the best of my ability any and all supporting documents deemed by Commission staff as necessary to ate this claim for exemption from testing. December 22, 2010 |
| corrobor | ate this claim for exemption from testing. |
| corrobora | ate this claim for exemption from testing. |
| corrobora | ate this claim for exemption from testing. |
| corrobora | ate this claim for exemption from testing. |

Instructions: If a gas well meets one of the eligibility criteria set out in the KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31st of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

RECEIVED JAN 07 2011 KCC WICHITA

OXY USA Inc.



P. O. Box 27570 Houston, Texas 77227-7570

Mid-Continent Business Unit

Phone 713.215.7623 Fax 713.350.4873

December 29, 2010

Jim Hemmen Finney State Office Building 130 South Market Street, Room 2078 Wichita, Kansas 67202-3802

RE: **Sutton B-5**

15-129-20684-0000

Section 33, Township 34 South, Range 41 West

Morton County, Kansas

Dear Mr. Hemmen:

Enclosed you will find the 2010 Form G-2 for the above listed gas well. OXY is requesting an exemption from annual open flow testing due to this well is not capable of producing at a daily rate in excess of 250 million cubic feet per day.

If you have any questions, need additional information or would like to discuss this matter, please feel free to contact me.

Regards,

Tom Acton

Gas Flow Coordinator

To act

Mid-Continent Business Unit

Oxy USA Inc.

Enclosures: 2010 Form G-2

Cc:

Well Test File

KCC WICHITA