

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1
June 2009

Form Must Be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 6037
Name: Staab Oil Company
Address 1: 1607 Hopewell Road
Address 2: _____
City: Hays State: KS Zip: 67601
Contact Person: Francis C. Staab
Phone: (785) 625-5013
CONTRACTOR: License # 5184
Name: Shields Drilling Company
Wellsite Geologist: Randy Killian
Purchaser: Coffeyville Resources

RECEIVED
DEC 21 2010
KCC WICHITA

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil WSW SWD SIOW
 Gas D&A ENHR SIGW
 OG GSW Temp. Abd.
 CM (Coal Bed Methane)
 Cathodic Other (Core, Expl., etc.): _____

If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to ENHR Conv. to SWD
 Conv. to GSW
 Plug Back: _____ Plug Back Total Depth
 Commingled Permit #: _____
 Dual Completion Permit #: _____
 SWD Permit #: _____
 ENHR Permit #: _____
 GSW Permit #: _____
11-04-10 11-11-10 12-04-10
Spud Date or Date Reached TD Completion Date or
Recompletion Date Recompletion Date

API No. 15 - 051-26053-00-00
Spot Description: _____
NE SW SE NE/4 Sec. 19 Twp. 12 S. R. 19 East West
2,000 Feet from North / South Line of Section
800 Feet from East / West Line of Section
Footages Calculated from Nearest Outside Section Corner:
 NE NW SE SW
County: Ellis
Lease Name: Vonfeldt - Staab Well #: 1
Field Name: Unnamed
Producing Formation: Arbuckle
Elevation: Ground: 2190 Kelly Bushing: 2195
Total Depth: 3921 Plug Back Total Depth: _____
Amount of Surface Pipe Set and Cemented at: 218 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set: 1517 Feet
If Alternate II completion, cement circulated from: D.V. Tool 1517
feet depth to: Surface w/ 450 sx cmt.

Drilling Fluid Management Plan
(Data must be collected from the Reserve Pit)
Chloride content: _____ ppm Fluid volume: _____ bbls
Dewatering method used: _____
Location of fluid disposal if hauled offsite:
Operator Name: _____
Lease Name: _____ License #: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Permit #: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

AFFIDAVIT
I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.
Signature: Francis C. Staab
Title: Partner Date: 12-18-10

KCC Office Use ONLY
 Letter of Confidentiality Received
Date: _____
 Confidential Release Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution
ALT I II III Approved by: DJG Date: 12/22/10

Operator Name: Staab Oil Company Lease Name: Vonfeldt - Staab Well #: 1
 Sec. 19 Twp. 12 S. R. 19 East West County: Ellis

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Submitted Electronically <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(If no, Submit Copy)</i> List All E. Logs Run: Dual Compensated Porosity Log, Dual Induction, Sonic & Micro Log	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample <table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:60%;">Name</td> <td style="width:20%;">Top</td> <td style="width:20%;">Datum</td> </tr> <tr> <td>Anh</td> <td>1544</td> <td>+651</td> </tr> <tr> <td>Base</td> <td>1590</td> <td>+605</td> </tr> <tr> <td>Topeka</td> <td>3235</td> <td>-1040</td> </tr> <tr> <td>Heebner</td> <td>3465</td> <td>-1270</td> </tr> <tr> <td>Lansing</td> <td>3508</td> <td>-1313</td> </tr> <tr> <td>BKC</td> <td>3753</td> <td>-1558</td> </tr> <tr> <td>Arbuckle</td> <td>3844</td> <td>-1649</td> </tr> </table>	Name	Top	Datum	Anh	1544	+651	Base	1590	+605	Topeka	3235	-1040	Heebner	3465	-1270	Lansing	3508	-1313	BKC	3753	-1558	Arbuckle	3844	-1649
Name	Top	Datum																							
Anh	1544	+651																							
Base	1590	+605																							
Topeka	3235	-1040																							
Heebner	3465	-1270																							
Lansing	3508	-1313																							
BKC	3753	-1558																							
Arbuckle	3844	-1649																							

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used T. D. <u>3921</u> <u>-1726</u>							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / FL	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/4	8 5/8	20	218	Common	150	2% Gel ; 3% CC
Production	7 7/8	5 1/2	14	3919	Common	150	2% Gel ; 10% Salt
	1517 Ft. D.V.	Tooled to Surface	450 sacks lite	weight 1/4lb	Flo Seal per	sack	

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth
4	3846 to 3852	none	
		RECEIVED	
		DEC 21 2010	
		KCC WICHITA	

TUBING RECORD: Size: <u>2 1/2</u> Set At: <u>3863</u> Packer At: _____		Liner Run: <input type="checkbox"/> Yes <input type="checkbox"/> No
Date of First, Resumed Production, SWD or ENHR. <u>12-06-10</u>	Producing Method: <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain) _____	
Estimated Production Per 24 Hours	Oil Bbls. <u>20</u>	Gas Mcf <u>0</u> Water Bbls. <u>0</u> Gas-Oil Ratio _____ Gravity <u>35</u>

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5) (Submit ACO-4)</i> <input type="checkbox"/> Other (Specify) _____	PRODUCTION INTERVAL: <u>Arbuckle</u>
---	---	---

ALLIED CEMENTING CO., LLC. 041765

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: Russell Ks.

DATE <u>11-5-200</u>	SEC. <u>19</u>	TWP. <u>12s</u>	RANGE <u>19w</u>	CALLED OUT	ON LOCATION	JOB START <u>5:30am</u>	JOB FINISH <u>6:00am</u>
VONFELDT LEASE <u>STAAB</u>	WELL # <u>1</u>	LOCATION <u>Hay 15 - I-70 / cement to Exit</u>		COUNTY <u>Ellis</u>	STATE <u>KANSAS</u>		
OLD OR <u>NEW</u> (Circle one)		<u>7 N 2 W 12 S 1/4 W INTO</u>					

CONTRACTOR Shield's Drilling Rig #1 OWNER _____

TYPE OF JOB Cement Surface

HOLE SIZE 12 1/4 T.D. 221

CASING SIZE 8 5/8 DEPTH 218

TUBING SIZE New 20# DEPTH _____

DRILL PIPE DEPTH _____

TOOL DEPTH _____

PRES. MAX 250# MINIMUM _____

MEAS. LINE SHOE JOINT _____

CEMENT LEFT IN CSG. 15

PERFS. _____

DISPLACEMENT 13.1" BBL

CEMENT AMOUNT ORDERED	<u>150 Com.</u>		
	<u>2% Gel</u>		
	<u>3% CC</u>		
COMMON	<u>150</u>	@ <u>13.50</u>	<u>2025.00</u>
POZMIX		@	
GEL	<u>3</u>	@ <u>20.25</u>	<u>60.75</u>
CHLORIDE	<u>5</u>	@ <u>51.50</u>	<u>257.50</u>
ASC		@	

EQUIPMENT

PUMP TRUCK CEMENTER Gilley

417 HELPER Bill GB

BULK TRUCK DRIVER George

328 DRIVER _____

BULK TRUCK DRIVER _____

RECEIVED	@	
DEC 21 2010	@	
KCC WICHITA	@	
HANDLING	<u>150</u>	@ <u>2.25</u> <u>337.50</u>
MILEAGE	<u>110/56/mile</u>	<u>300.00</u>
TOTAL		<u>2980.75</u>

REMARKS:

Set @ 218', Cement w/ 150sv Com 342, Release plug & displace 13" BBL, Cement did circulate to surface, shot in @ 250#.

THANK'S

SERVICE

DEPTH OF JOB		
PUMP TRUCK CHARGE		<u>991.00</u>
EXTRA FOOTAGE	@	
MILEAGE	<u>9</u>	@ <u>7.00</u> <u>63.00</u>
MANIFOLD	@	
	@	
	@	

CHARGE TO: STAAB Oil Co.

STREET _____

CITY _____ STATE _____ ZIP _____

Sufoe

TOTAL 1054.00

PLUG & FLOAT EQUIPMENT

To Allied Cementing Co., LLC.
You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

	@	
	@	
	@	
	@	
	@	
TOTAL		_____

PRINTED NAME Thomas J Engel

SIGNATURE Thomas J Engel

SALES TAX (If Any) _____

TOTAL CHARGES 1054.00

DISCOUNT _____ IF PAID IN 30 DAYS

GENERAL TERMS AND CONDITIONS

DEFINITIONS: In these terms and conditions, "ALLIED" shall mean Allied Cementing Co., LLC, and "CUSTOMER" shall refer to the party identified by that term on the front of this contract. As applicable, "Job" relates to the services described on the front side of this contract, "Merchandise" refers to the material described on the front of this contract and to any other materials, products, or supplies used, sold, or furnished under the requirements of this contract.

—**TERMS:** Unless satisfactory credit has been established, CUSTOMER must tender full cash payment to ALLIED before the job is undertaken or merchandise is delivered. If satisfactory credit has been established, the terms of payment for the job and/or merchandise, including bulk cement, are net cash, payable in 30 days from the completion of the job and/or delivery of the merchandise. For all past due invoices, CUSTOMER agrees to pay interest on amounts invoiced at a rate of 18 percent per annum until paid. Notwithstanding the foregoing, in no event shall this Contract provide for interest exceeding the maximum rate of interest that CUSTOMER may agree to pay under applicable law. If any such interest should be provided for, it shall be and hereby is deemed to be a mistake, and this contract shall be automatically reformed to lower the rate of interest to the maximum legal contract rate, any amounts previously paid as excess interest shall be deducted from the amounts owing from the CUSTOMER or at the option of ALLIED, refunded directly to CUSTOMER. For purposes of this paragraph, ALLIED and CUSTOMER agree that Kansas law shall apply. Any discounts granted with this contract are null and void if the charges are not paid when due.

—**ATTORNEY FEES:** In any legal action or proceeding between the parties to enforce any of the terms of this Service Contract, or in any way pertaining to the terms of this Contract, the prevailing party shall be entitled to recover all expenses, including, but not limited to, a reasonable sum as and for attorney's fees.

—**PRICES AND TAXES:** All merchandise listed in ALLIED'S current price schedule are F.O.B. ALLIED'S local station and are subject to change without notice. All prices are exclusive of any federal, state, local, or special taxes for the sale or use of the merchandise or services listed. The amount of taxes required to be paid by ALLIED shall be added to the quoted prices charged to CUSTOMER.

—**TOWING CHARGES:** ALLIED will make a reasonable attempt to get to and from each job site using its own equipment. Should ALLIED be unable to do so because of poor or inadequate road conditions, and should it become necessary to employ a tractor or other pulling equipment to get to or from the job site, the tractor or pulling equipment will be supplied by CUSTOMER or, if furnished by ALLIED, will be charged to and paid by CUSTOMER.

—**PREPARATION CHARGES:** If a job and/or merchandise is ordered and CUSTOMER cancels the order after preparation of a chemical solution or other material, CUSTOMER will pay ALLIED for the expenses incurred by ALLIED as a result of the cancellation.

—**DEADHAUL CHARGES:** Unless otherwise specified on the front of this Contract, a deadhaul charge as set forth in ALLIED'S current price book will be charged each way for each service unit which is ordered by CUSTOMER but not used.

—**SERVICE CONDITIONS AND LIABILITIES:**

1. ALLIED carries public liability and property damage insurance, but since there are so many uncertain and unknown conditions beyond ALLIED'S control, ALLIED shall not be liable for injuries to property or persons or for loss or damage arising from the performance of the job or delivery of the merchandise. CUSTOMER shall be responsible for and indemnify, defend, and hold harmless ALLIED, its officers, agents and employees, from and against any and all claims or suits for:

(A) Damage to property or for bodily injury, sickness, disease, or death, brought by any person, including CUSTOMER and/or the well owner; and:

(B) Oil spills, pollution, surface or sub-surface damage, injury to the well, reservoir loss, or damage arising from a well blowout arising out of or in connection with ALLIED'S performance of the job or furnishing of merchandise in accordance with this contract, unless such loss or damage is caused by the willful misconduct or gross negligence of ALLIED or its employees.

2. With respect to any of ALLIED'S tools, equipment, or instruments which are lost in the well or damaged when performing or attempting to perform the job or, in the case of marine operations, are lost or damaged at any time after delivery to the landing for CUSTOMER and before return to ALLIED at the landing, CUSTOMER shall either recover the lost item without cost to ALLIED or reimburse ALLIED the current replacement cost of the item unless the loss or damage results from the sole negligence of ALLIED or its employees.

3. ALLIED does not assume any liability or responsibility for damages or conditions resulting from chemical action in cements caused by contamination of water or other fluids.

WARRANTIES:

1. ALLIED warrants all merchandise manufactured or furnished by it to be free from defects in material and workmanship under normal use and service when installed, and used, and/or serviced in the manner provided and intended. ALLIED'S obligation under this warranty is expressly limited to repair, replacement, or allowance for credit, at its option, for any merchandise which is determined by ALLIED to be defective. THIS IS THE SOLE WARRANTY OF ALLIED AND NO OTHER WARRANTY IS APPLICABLE. EITHER EXPRESS OR OTHERWISE IMPLIED, IN FACT OR IN LAW, INCLUDING ANY WARRANTY AS TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE, CUSTOMER'S sole and only remedy with regard to any defective merchandise shall be the repair or replacement thereof or allowance for credit as herein provided, and ALLIED shall not be liable for any consequential, special, incidental, or punitive damages resulting from or caused by defective materials, products or supplies.

2. More specifically:

(A) Nothing in this contract shall be construed as a warranty by ALLIED of the success or the effectiveness of the result of any work done or merchandise used, sold, or furnished under this contract.

(B) Nothing in this contract shall be construed as a warranty of the accuracy or correctness of any facts, information, or data furnished by ALLIED or any interpretation of tests, meter readings, chart information, analysis of research, or recommendations made by ALLIED, unless the inaccuracy or incorrectness is caused by the willful misconduct or gross negligence of ALLIED or its employees in the preparation or furnishing of such facts, information or data.

(C) Work done by ALLIED shall be under the direct supervision and control of the CUSTOMER or his agent and ALLIED will accomplish the job as an independent contractor and not as an employee or agent of the CUSTOMER.

ALLIED CEMENTING CO., LLC. 033939

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: Russell KS

DATE <u>11-12-2010</u>	SEC. <u>19</u>	TWP. <u>12</u>	RANGE <u>19</u>	CALLED OUT	ON LOCATION	JOB START <u>3:00 AM</u>	JOB FINISH <u>4:00 AM</u>
VONFELD T LEASE <u>STAAB</u>	WELL # <u>1</u>	LOCATION <u>Hay's - Yocemento + Bucky RD</u>			COUNTY <u>ELLIS</u>	STATE <u>KANSAS</u>	
OLD OR <u>NEW</u> (Circle one)		Jct. 2 W 1/2 S 1/4 W INTO					

CONTRACTOR Shield's Dalg. Rig #1 OWNER _____
 TYPE OF JOB PRODUCTION STRING (D-V 2-STAGE)
 HOLE SIZE 7 7/8 T.D. 3920 CEMENT AMOUNT ORDERED * 150 sx Conn. 10% Salt
 CASING SIZE 5 1/2 New 14 DEPTH 3919 * 500 Gal WFR-2 2% GEL
 TUBING SIZE 8 5/8 SURFACE DEPTH 218 * 450 sx white-wt 1/4" FLO Seal Per SX
 DRILL PIPE LATCH Aug 38 1/2 DEPTH 3500
 TOOL DV Tool @ DEPTH 1574

PRES. MAX _____ MINIMUM _____
 MEAS. LINE _____ SHOE JOINT 42.64
 CEMENT LEFT IN CSG. 42.61
 PERFS. "Bottom" "Top"
 DISPLACEMENT 94.60 BBL / 38.40 BBL

COMMON	<u>150</u>	@	<u>13.50</u>	<u>2025.00</u>
POZMIX		@		
GEL		@		
CHLORIDE		@		
ASC		@		
<u>Sgt</u>		@	<u>21.25</u>	<u>148.75</u>
<u>Lite 450</u>		@	<u>11.85</u>	<u>5332.50</u>
HANDLING	<u>600</u>	@	<u>2.25</u>	<u>1350.00</u>
MILEAGE	<u>110/sk/mile</u>			<u>540.00</u>
TOTAL				<u>9396.25</u>

RECEIVED
DEC 21 2010
KCC WICHITA

PUMP TRUCK CEMENTER Glenn Bill
 # 398 HELPER RICHARD
 BULK TRUCK DRIVER Kevin
 # 410
 BULK TRUCK DRIVER RON-MARK
 # 473

REMARKS:

Ran 94 JTS New 14 # CSG. Set @ 3919'
Circulate for 30 min on Bottom. Cement
w/ 150 sx, Clear Line, Release LATCH DN. Aug
& Displace 95 BBL Land @ 1750 #
DROP DART & Open D-V Tool @ 800 #. Circ. 30 min
Mixed 450 sx, Release Plug. & Displace 38 1/2 BBL
& Land Plug @ 1200 # TO Close D-V TOOL
* 30 sx @ Rathde HANK'S
* 15 sx @ mouse hole

SERVICE

DEPTH OF JOB			
PUMP TRUCK CHARGE			<u>1957.00</u>
EXTRA FOOTAGE	@		
MILEAGE	<u>9</u>	@	<u>7.00</u> <u>63.00</u>
MANIFOLD	@		
	@		
	@		

CHARGE TO: STAAB Oil Co. & PARTNERS
 STREET _____
 CITY _____ STATE _____ ZIP _____

TOTAL 2020.00

*** Cement DID**
CIRCULATE TO SURFACE.

PLUG & FLOAT EQUIPMENT

Float-Shoe "AFU"	@	<u>214.00</u>
LATCH Down Plug Assy	@	<u>N-C</u>
1-BASKET	@	<u>161.00</u>
8-CENTRALIZERS	@	<u>35.00</u> <u>280.00</u>
D-V-Two STAGE TOOL	@	<u>2832.00</u>

TOTAL 3487.00

To Allied Cementing Co., LLC.
 You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

SALES TAX (If Any) _____
 TOTAL CHARGES 3487.00
 DISCOUNT _____ IF PAID IN 30 DAYS

PRINTED NAME Thomas J Engel
 SIGNATURE Thomas J Engel

GENERAL TERMS AND CONDITIONS

DEFINITIONS: In these terms and conditions, "ALLIED" shall mean Allied Cementing Co., LLC, and "CUSTOMER" shall refer to the party identified by that term on the front of this contract. As applicable, "Job" relates to the services described on the front side of this contract, "Merchandise" refers to the material described on the front of this contract and to any other materials, products, or supplies used, sold, or furnished under the requirements of this contract.

—**TERMS:** Unless satisfactory credit has been established, CUSTOMER must tender full cash payment to ALLIED before the job is undertaken or merchandise is delivered. If satisfactory credit has been established, the terms of payment for the job and/or merchandise, including bulk cement, are net cash, payable in 30 days from the completion of the job and/or delivery of the merchandise. For all past due invoices, CUSTOMER agrees to pay interest on amounts invoiced at a rate of 18 percent per annum until paid. Notwithstanding the foregoing, in no event shall this Contract provide for interest exceeding the maximum rate of interest that CUSTOMER may agree to pay under applicable law. If any such interest should be provided for, it shall be and hereby is deemed to be a mistake, and this contract shall be automatically reformed to lower the rate of interest to the maximum legal contract rate, any amounts previously paid as excess interest shall be deducted from the amounts owing from the CUSTOMER or at the option of ALLIED, refunded directly to CUSTOMER. For purposes of this paragraph, ALLIED and CUSTOMER agree that Kansas law shall apply. Any discounts granted with this contract are null and void if the charges are not paid when due.

—**ATTORNEY FEES:** In any legal action or proceeding between the parties to enforce any of the terms of this Service Contract, or in any way pertaining to the terms of this Contract, the prevailing party shall be entitled to recover all expenses, including, but not limited to, a reasonable sum as and for attorney's fees.

—**PRICES AND TAXES:** All merchandise listed in ALLIED'S current price schedule are F.O.B. ALLIED'S local station and are subject to change without notice. All prices are exclusive of any federal, state, local, or special taxes for the sale or use of the merchandise or services listed. The amount of taxes required to be paid by ALLIED shall be added to the quoted prices charged to CUSTOMER.

—**TOWING CHARGES:** ALLIED will make a reasonable attempt to get to and from each job site using its own equipment. Should ALLIED be unable to do so because of poor or inadequate road conditions, and should it become necessary to employ a tractor or other pulling equipment to get to or from the job site, the tractor or pulling equipment will be supplied by CUSTOMER or, if furnished by ALLIED, will be charged to and paid by CUSTOMER.

—**PREPARATION CHARGES:** If a job and/or merchandise is ordered and CUSTOMER cancels the order after preparation of a chemical solution or other material, CUSTOMER will pay ALLIED for the expenses incurred by ALLIED as a result of the cancellation.

—**DEADHAUL CHARGES:** Unless otherwise specified on the front of this Contract, a deadhaul charge as set forth in ALLIED'S current price book will be charged each way for each service unit which is ordered by CUSTOMER but not used.

—SERVICE CONDITIONS AND LIABILITIES:

1. ALLIED carries public liability and property damage insurance, but since there are so many uncertain and unknown conditions beyond ALLIED'S control, ALLIED shall not be liable for injuries to property or persons or for loss or damage arising from the performance of the job or delivery of the merchandise. CUSTOMER shall be responsible for and indemnify, defend, and hold harmless ALLIED, its officers, agents and employees, from and against any and all claims or suits for:

(A) Damage to property or for bodily injury, sickness, disease, or death, brought by any person, including CUSTOMER and/or the well owner; and:

(B) Oil spills, pollution, surface or sub-surface damage, injury to the well, reservoir loss, or damage arising from a well blowout arising out of or in connection with ALLIED'S performance of the job or furnishing of merchandise in accordance with this contract, unless such loss or damage is caused by the willful misconduct or gross negligence of ALLIED or its employees.

2. With respect to any of ALLIED'S tools, equipment, or instruments which are lost in the well or damaged when performing or attempting to perform the job or, in the case of marine operations, are lost or damaged at any time after delivery to the landing for CUSTOMER and before return to ALLIED at the landing, CUSTOMER shall either recover the lost item without cost to ALLIED or reimburse ALLIED the current replacement cost of the item unless the loss or damage results from the sole negligence of ALLIED or its employees.

3. ALLIED does not assume any liability or responsibility for damages or conditions resulting from chemical action in cements caused by contamination of water or other fluids.

WARRANTIES:

1. ALLIED warrants all merchandise manufactured or furnished by it to be free from defects in material and workmanship under normal use and service when installed, and used, and/or serviced in the manner provided and intended. ALLIED'S obligation under this warranty is expressly limited to repair, replacement, or allowance for credit, at its option, for any merchandise which is determined by ALLIED to be defective. THIS IS THE SOLE WARRANTY OF ALLIED AND NO OTHER WARRANTY IS APPLICABLE. EITHER EXPRESS OR OTHERWISE IMPLIED, IN FACT OR IN LAW, INCLUDING ANY WARRANTY AS TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE, CUSTOMER'S sole and only remedy with regard to any defective merchandise shall be the repair or replacement thereof or allowance for credit as herein provided, and ALLIED shall not be liable for any consequential, special, incidental, or punitive damages resulting from or caused by defective materials, products or supplies.

2. More specifically:

(A) Nothing in this contract shall be construed as a warranty by ALLIED of the success or the effectiveness of the result of any work done or merchandise used, sold, or furnished under this contract.

(B) Nothing in this contract shall be construed as a warranty of the accuracy or correctness of any facts, information, or data furnished by ALLIED or any interpretation of tests, meter readings, chart information, analysis of research, or recommendations made by ALLIED, unless the inaccuracy or incorrectness is caused by the willful misconduct or gross negligence of ALLIED or its employees in the preparation or furnishing of such facts, information or data.

(C) Work done by ALLIED shall be under the direct supervision and control of the CUSTOMER or his agent and ALLIED will accomplish the job as an independent contractor and not as an employee or agent of the CUSTOMER.

DRILL STEM TESTS

NO	INTERVAL	IFP/TIME	ISIP/TIME	FFP/TIME	FSIP/TIME	IFP/FFIP	RECOVERY
1	LGC G-F 3537- 3605'	16# 37H 5"	1002H	39# 154H 60"	798#	1750# 1709#	300' M, WLF w/ S.O.
2	Arb. 3841- 3867'	78# 212H 5"	1198# 60"	232# 439# 30"	1122# 75"	2008# 1891#	180' CTP 1058' G.O.I.L 120' G&O, C. Mud 37°
3							
4							
5							
6							
7							
8							

MUD RECORD						
CHK	DEPTH.	WT	VIS	FIL	CHL	YP
1	3120'					
2	3236'	8.6	72	7.4	3.5k	29
3	3370'	8.9	54			
4	3450'	9.0	55			
5	3605'	9.0	53	7.6	3.5k	20
6	3742'	9.3	48	7.6	3.7k	19
7						
8						
9						
10						
11						

Displaced
LCM 2#
LCM 2#
LCM 2#
LCM 2# \$606

BIT RECORD						
NO	SIZE	MAKE	TYPE	DEPTH-OUT	FEET	HOURS
1	12 1/2"	Reed	Mill	221'	221'	7 1/2
2	7 7/8"	Reed	S-52	3920'	3699'	92 1/2
3						
4						
5						
6						
7						

RECEIVED

DEC 21 2010

KCC WICHITA