

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1047817

Form ACO-1
June 2009
Form Must Be Typed
Form must be Signed
All blanks must be Filled

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 38	95		API No. 15 - 15-107-24261-00-00	
Name: Bobcat Oilfield S			Spot Description:	
Address 1: 30805 COLD W	ATER RD		NE_NW_SE_SE_Sec. 5 Twp. 20 S. H	R. <u>23</u> <b>▼</b> East  West
Address 2:				South Line of Section
City: LOUISBURG	_ State: KS Zip:	66053 + 8108	976 Feet from <b>▼</b> East /	West Line of Section
Contact Person: Bob Ebert			Footages Calculated from Nearest Outside Sect	
Phone: (913) 285-08	73		□ne □nw ☑se □sw	
CONTRACTOR: License #_	4339		County: Linn	
Name: Jackson, Dale E &		Jackson Production Co.	Lease Name: Harvey	Well #: _A-6
Wellsite Geologist: N/A			Field Name: LaCygne-Cadmus	
Purchaser: High Sierra Cru	de Oil		Producing Formation: Peru	
Designate Type of Completion			Elevation: Ground: 934 Kelly Bus	
	_	Workover	Total Depth: 342 Plug Back Total Depth:	•
	SWD	□ slow	Amount of Surface Pipe Set and Cemented at:	
Gas D&A	☐ SWD	☐ SIGW	Multiple Stage Cementing Collar Used?	
☐ OG	GSW	Temp. Abd.	If yes, show depth set:	<del></del>
CM (Coal Bed Methane)	_		If Alternate II completion, cement circulated from	
☐ Cathodic ☐ Other	(Core, Expl., etc.):		·	sx cmt
If Workover/Re-entry: Old We	ell Info as follows:		WW	3x G/III
Operator:				
Well Name:			Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)	
Original Comp. Date:	Original Tot	al Depth:	Chlorida contanti	aliimaa . hala
Deepening Re	perf. Conv. to E	NHR Conv. to SWD	Chloride content:ppm Fluid vo	
	Conv. to	GSW	Dewatering method used:	
Plug Back:	Plug	Back Total Depth	Location of fluid disposal if hauled offsite:	
Commingled	Permit #:		Operator Name:	
Dual Completion	Permit #:		Lease Name: Licenso	o #·
SWD	Permit #:			
ENHR	Permit #:		QuarterSecTwpS. R.	
☐ GSW	Permit #:		County: Permit #:	
11/22/2010 11/	24/2010	12/21/2010		
Spud Date or Date	Reached TD	Completion Date or Recompletion Date		

## AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY	
Letter of Confidentiality Received	
Date:	
Confidential Release Date:	
<b>☑</b> Wireline Log Received	
Geologist Report Received	000
<b>✓</b> UIC Distribution	W MC
ALT I III Approved by: Deanna Garrison Date:	12728/2010

Side Two



Operator Name: Bob	cat Oilfield Servi	ces, Inc.	Lease Name: Harvey Well #: A-6						
Sec. 5 Twp.20	s. R. <u>23</u>	✓ East  ☐ West	County: Line	1					
time tool open and clos	sed, flowing and shu s if gas to surface te	d base of formations pen- t-in pressures, whether sl st, along with final chart(s well site report.	hut-in pressure re	ached static level,	hydrostatic pressu	ures, bottom h	nole tempe	erature, fluid	
Drill Stem Tests Taken (Attach Additional S	Sheets)	☐ Yes 📝 No	<b>V</b>	Log Formatio	n (Top), Depth and		□ s	Sample	
Samples Sent to Geole	ogical Survey	Yes No	Na Peru	me	2	Тор 275	GL GL	)atum -	
Cores Taken Electric Log Run Electric Log Submitted (If no, Submit Copy)	✓ Yes No ✓ Yes No ✓ Yes No								
List All E. Logs Run:						•			
Gamma Ray/Neutron/C	CCL								
		CASING	RECORD	New ✓ Used					
	0:	Report all strings set-o			1	40-1-	Ŧ		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used		and Percent dditives	
Surface casing	8.75	6.25	8	20	Portland	5	ļ		
Production casing	5.625	2.875	6	338	Portland/Fly Ash	50	60/40 Poz Mix		
		ADDITIONAL	CEMENTING / S	QUEEZE RECORD					
Purpose:  —— Perforate	Depth Top Bottom	Type of Cement	Type of Cement # Sacks Used		d Type and Percent Additives				
Protect Casing Plug Back TD	<u>-</u>								
Plug Off Zone			<u></u>						
Shots Per Foot		ON RECORD - Bridge Plug		Acid, Fra	cture, Shot, Cement	Squeeze Reco	rd		
		Footage of Each Interval Per	forated		mount and Kind of Mai	terial Used)		Depth	
4	290-296 & 299-3	05		Acid 500 ga	1 7.5% HCL				
			<u> </u>						
							-		
TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run:	Yes No		<u> </u>		
Date of First, Resumed	Production, SWD or EN	IHR. Producing Met	hod:	Gas Lift (	Other (Explain)				
Estimated Production Per 24 Hours	Oil	Bbls. Gas	Mcf V	ater B	bis. G	as-Oil Ratio		Gravity	
DISDOSITIO	ON OF GAS:		METHOD OF COMP	N ETION:		PRODUCTI	ON INTER	./Δ1 ·	
Vented Sold			Perf. Du	ally Comp. Co	mmingled	FRODUCII	ON INTER	/AL.	
(If vented, Sub	_	Other (Specify)		it ACO-5) (Sub	mit AČO-4)				

**2**19137952194

P. 001

Avery Lumber
PO. BOX 68
MOUND CITY, KS 66056
{913} 795-2210 FAX {913} 795-2194

**Customer Copy** INVOICE PLEASE REFER TO INVOICE NUMBER ON ALL CORRESPONDENCE

Invoice: 10025897 Page: 1 15:24:51 Special Time: Ship Date: 11/10/10 Instructions Invotes Date: 11/18/10 Sale rep #: MAVERY MIKE Due Date: 12/05/10 Acct mp code: Sold To: BOBCAT OILFIELD SRVC,INC Ship To: BOBCAT OILFIELD SRVC,INC C/O BOB EBERHART (913) 837-2823 80805 COLDWATER RD LOUISBURG, K8 66053 (913) 637-2823

Customer & 3570021 Order By: TERRY Customer PO:

280.00 280.00 L BAG CPPC PORTLAND CEMENT 7.9900 au 5.1000 so 5.1000 1 14.00 L EA CPQP POST SET FLY ASH 75° 5.1000 so 5.1000 177.0000 EA 17.0000		-								7-1 E33111		_i
280.00 280.00 L BAG CPPC PORTLAND CEMENT 7.9900 au 5.1000 so 5.1000 1 14.00 L EA CPQP POST SET FLY ASH 75*	L approx	0.00	. 1	1104	1		5265107-011		140.0	2		EXTENSION
240.00 L BAG CPPM POST SET FLY ASH 759 QUIKRETE PALLETS  S.1000 BM 17.0000 EA 17.0000 EA 17.0000  1 Sales tox  Sales tox  Sales tox  Sales tox  Sales tox  Sales tox			-									
Taxabia Seles total  Sales tax  Taxabia Seles tax	1											2237.20
FELED BY CHECKED BY DATE BRIPPED DRIVER SHIP VIA LINN COUNTY ARCENED CONGRETE AND IN GOOD CONCITION Texable 3699.20 Nor-texable 0.000 Sales tax												1224.00
FILLED BY CHECKED BY DATE SHIPPED DRIVER  SHIP VIA LININ COUNTY  ACCEIVED COMPLETE AND IN GOOD CONDITION  Textable 3899.20 Non-taxable 0.00 Sales tax	14.00	14.00	Ч	EA	CPQP	QUIKHETE	ALLEIS		1	7,0000 EA	. 17.0000	238.00
SHIP VIA LINN COUNTY  ———————————————————————————————————				01	LRS	A	Harvey A-L	elven				
SHIP VIA LINN COUNTY  RECEIVED COMPLETE AND IN GOOD CONDITION  Taxable 3889.20  Non-taxable 0.000  Tax #			Ш		FILLED BY	CHECKED BY	OATE SHIPPED	DRIVER			Soles total	\$3699.20
Taxable 3889.20   Non-taxable 0.00					#							<b>*</b>
Non-taxable 0.00 Sales tax					SHIP VIA	LINN COUNTY	7				]	
TOTAL 835						CENED COMPLETE	AND IN GOOD CONDITION	No	n-taxable	3899.20 0.00	Sales tax	233.05
101AB											TOTAL	\$3932.25

2 - Customer Copy



Lease:

Owner:

OPR#:

Contractor: OPR #: HARVEY

BOBCAT OILFIELD SERVICES, INC.

DALE JACKSON PRODUCTION CO.

Dale Jackson Production Co. Box 266, Mound City, Ks 66056 Cell # 620-363-2683 Office # 913-795-2991

Core	
Run # 1	



Well #: A-6 NE
Location: N2; NW, SE, SE, S:5, T: 20, S.R.: 23,
E
County: LINN
FSL: 1,300 1324
FEL:-990 976
API#: 15-107-24261-00-00
Started: 11-22-10
Completed: 11-24-10

FT Depth Cl		Clock	Time	Formation/Remarks	Depth
0	280				+
1	281			OIL SAND (GOOD BLEED) (SOME SHALE )	
2	282				281.5
3	283	,		OIL SAND (LIMEY) (POOR BLEED)	283
4	284				
5	285			·	
6	286				
7	287			SANDY SHALE (SOME OIL SAND STREAKS) (FAIR BLEED)	
8	288				
9	289				
10	290				
11	291				291
12	292			OIL SAND (SHALEY) (GOOD BLEED)	291.5
13	293				294
14	294			SANDY SHALE (SOME OIL SAND STREAKS) (POOR BLEED)	
15	295			OIL SAND (SHALEY) (GOOD BLEED)	295
16	296				
17	297			SANDY SHALE (VERY LITTLE OIL)	
18	298				297.5
				OIL SAND SHALEY (GOOD BLEED)	298
19	299				
20				SANDY SHALE (OIL SAND STEAKS) (POOR BLEED)	

Lease :	HARVEY					
Owner:	BOBCAT OILFI	ELD SERVICES, INC				
OPR#:	3895					
Contractor:	DALE JACKSON	РРОО ОСТІОНІ СО.				
OPR#:	4339					
Surface: 20FT, 6IN	Cemented: 5 SACKS	8 3/4				
Longstring 338' 2 7/8 HYDRILL	Cemented: 50	Hole Size: 5 5/8				

Dale Jackson Production Co. Box 266, Mound City, Ks 66056 Cell # 620-363-2683 Office # 913-795-2991

Well	#: A-6/E
/Local	tion: N2, NW, SE, SE, S:5, T: 20, 23, E
Coun	ty: LINN
	1 <del>,300</del> /324
FEL:	996 976
API#	15-107-24261-00-00
Start	ed: 11-22-10
Com	pleted: 11-24-10

SN:	Packer:	TD: 342	
NONE			
Plugged:	Bottom Plug:		

TKN	BTM Depth	Formation	TIKN	BTM Depth	Formation
1	1	TOPSOIL			
23	24	LIME	† <del>.                                    </del>		1
4	28	SHALE	1		1
4	32	BLACKSHALE	1		SURFACE: 11-23-10
22	54	LIME	<b>-</b>		SET TIME: 3:30 P.M JUDY
2	56	SHALE	1		CALLED: 11:15 P.M.
3	59	BLACKSHALE	<b>i</b> —		CALLED. XI.13 F.W.
9	68	UME	1		<del>-</del>
1	69	BLACKSHALE	1		LONGSTIRNG: 338' 2 7/8 HYDRILL
19	88	SANDY SHALE (LIMEY)			TD: 342
26	114	SHALE	1		SET TIME: 2:30 P.M. 11-24-10
21	135	SANDY SHALE (DRY SAND STK)	1		
85	220	SHALE	1	Ì	CALLED: 1:30 P.M.
1	221	BLACKSHALE	T -		1
10	231	SHALE	1		
6	237	SANDY SHALE (LIMEY)	T		
22	259	SHALE	1		· ·
12	271	LIME (ODOR)	1		1
3	274	SHALE (UMEY)			
1	275	SANDY SHALE (LIMEY)	Ī		
2	277	OIL SAND (SHALEY) (FAIR BLEED) (SOME WATER)			
3	280	OIL SAND (SHALEY) (GOOD BLEED) (LOTS OF GAS) (GOOD OIL SHOW ON DITCH)			
1.5	281.5	OIL SAND (SOME SHALE) (GOOD BLEED)	1		
1.5	283	OIL SAND (LIMEY) (POOR BLEED)			
8	291	SANDY SHALE (SOME OIL SAND STREAKS) (FAIR BLEED)			
.5	291.5	OIL SAND (SHALEY) (GOOD BLEED)			
2.5	294	SANDY SHALE (SOME OIL SAND STREAKS) (POOR BLEED)			
1	295	OIL SAND (SHALEY) (GOOD BLEED)			
2.5	297.5	SANDY SHALE (VERY LITTLE OIL)			
.5	298	OIL SAND (SHALEY) (GOOD BLEED)			
4	302	SANDY SHALE (OIL SAND STK) ( POOR BLEED)		T	
3.5	305.5	OIL SAND (SOME SHALE) (GOOD BLEED)	T		
11.5	317	SHALE			
2	319	COAL	1		
6	325	SHALE			
11	336	UME			
TD	342	SHALE	ļ		
			ļ		
				<del></del>	