## Kansas Corporation Commission One Point Stabilized Open Flow or Deliverability Test

Type Test	t:			(	(See Instruct	tions on Re	everse Sid	θ)				
Op	en Flow	MSI		<b>7 5</b>				40	. B.I 4F			
De	liverabilty	•		Test Date 7/24/20					1 No. 15 1-20536-00 <b>4</b>	<b>7</b> 0		
Company Rosewood Resources, Inc.					Lease Philbric	Lease Philbrick				Well Number 22-09		
			Section 9				RNG (E/W) 40W			Acres Attributed 80		
Field Goodan	d				Reservoir Niobrara			Gas Gathering Connection Branch Systems Inc.				
Completion 6/17/08	on Date		** • • • ·	Plug Bac 1228'	Plug Back Total Depth 1228'			Packer Set at				
Casing S 2 7/8"	lze	Weigl 6.5#	ht	Internal I 2.441	Internal Diameter 2.441		Set at 1228'		Perforations 1056'		то 1086'	
			internal [	Diameter	Set	Set at Perforation		orations		То	_	
Type Con Single (		Describe) ntional)		Type Flui DryGa	d Production	n		Pump U flowin	nit or Traveling	Plunger?	Yes (	<u>00</u>
Producing		nnulus / Tubin	ng)	% (	Carbon Diox	de		% Nitro	gen	<u>-</u>	Gas Gravi	ty - G <sub>g</sub>
Vertical D	·				Pressure Taps Flange							n) (Prover) Size
<del>-</del>		7-2	23 2	. 09 1				-24		<del></del>		60
Pressure Well on L	•				09 at 11:40 (AM) (PM) Taken 7-			-25	20 20	09 at 1	12:40	(AM)(PM) (AM) (PM)
	-											
	0 111	Circle one:	Pressure			D SURFAC	E DATA	7	Tubing	Duration	of Shut-in	Hour
Static / Dynamic Property	Orifice Size (inches)	Meter Prover Press psig (Pm)		Flowing Temperature t	Well Head Temperature t	Wellhead (P <sub>w</sub> ) or (F	Pressure	Wellhead Pressure D (P <sub>w</sub> ) or (P <sub>1</sub> ) or (P <sub>c</sub> ) (I		ŀ	uration Liquid Produced fours) (Barrels)	
Shut-In			2			psig 26	40.4	psig	psla			<del></del>
Flow						27	41.4			24		0
				<del>,</del>	FLOW STR	EAM ATT	RIBUTES					
Plate Coefficient (F <sub>b</sub> ) (F <sub>p</sub> ) Mcfd		Circle one:  Meter or  Prover Pressure psia  Press Extension  Pmxh		Fac	Gravity Flowing Factor Factor Fr.,		Fa	Deviation Metered Flow Factor R F <sub>pv</sub> (Mcfd)			GOR Flowi (Cubic Feet/ Barrel) Gravi G_	
									19			
D \2 =		(D.)3			OW) (DELIV							0.207
$(P_e)^2 = (P_e)^2 - (I_e)^2 - (I_e$		(P <sub>w</sub> ) <sup>2</sup> =	Choose formula 1 or 2:  1. P <sub>c</sub> <sup>2</sup> - P <sub>e</sub> <sup>2</sup> 2. P <sub>c</sub> <sup>2</sup> - P <sub>d</sub> <sup>2</sup>	P <sub>d</sub> =	P.2 - P.3	Backpre Sig	P <sub>c</sub> - 14.4) - essure Curve ppe = "n" or ssigned	e e	LOG	Antile	(P <sub>d</sub> ) <sup>2</sup> =	Open Flow Deliverability Equals R x Antilog
			divided by: $P_c^2 - P_w^2$	by:		Stand	dard Slope					(McId)
Open Flo	w		Mcfd @ 14.	65 psia		Deliveral	bility	<del></del>		Mcfd @ 1	4.65 psia	-
		•	on behalf of the sald report is true			- ·	_		lovember	ort and the	it he has	knowledge of . 20 09 .
		Witness	(if any)				_/	m	For	Company .	1	KECEIVE[
		For Com	mission						Che	cked by		NOV 3 8 20
											,	10 1 - E

KCC WICHITA

	der penalty of perjury under the laws of the state of Kansas that I am authorized to request der Rule K.A.R. 82-3-304 on behalf of the operator Rosewood Resources, Inc.
and that the fore correct to the bes of equipment ins I hereby requ	going pressure information and statements contained on this application form are true and st of my knowledge and belief based upon available production summaries and lease records tallation and/or upon type of completion or upon use being made of the gas well herein named.  Just a one-year exemption from open flow testing for the Philbrick 22-09  rounds that said well:
l further agre	is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No is not capable of producing at a daily rate in excess of 250 mct/D se to supply to the best of my ability any and all supporting documents deemed by Commission by to corroborate this claim for exemption from testing.
	Signature:

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

RECEIVED

NOA 3 0 5000

KCC WICHITA

W2577 Philbrick 22-09 South Goodland Goodland None July-09

	Casing			HRS	REMARKS
DATE	PSI	STATIC	MCF	DOWN	(Maximum length 110 characters)
7/1/2009	27	40	19	0	
7/2/2009	27	40	19	0	
7/3/2009	27	40	19	0	
7/4/2009	27	40	19	0	
7/5/2009	27	40	19	0	
7/6/2009	27	40	19	0	
7/7/2009	27	40	19	0	
7/8/2009	27	40	19	0	
7/9/2009	27	40	19	0	
7/10/2009	27	40	19	0	
7/11/2009	27	40	19	0	
7/12/2009	27	40	19	0	
7/13/2009	27	40	19	0	
7/14/2009	27	40	19	0	
7/15/2009	27	40	19	0	
7/16/2009	27	40	19	0	
7/17/2009	27	40	19	0	
7/18/2009	26	39	19	0	
7/19/2009	26	39	19	0	
7/20/2009	26	39	19	0	
7/21/2009	26	39	19	0	
7/22/2009	26	39	19	0	
7/23/2009	26	39	19	5	
7/24/2009	27	40	15	24	
7/25/2009	27	40	16	11	
7/26/2009	27	40	19	0	
7/27/2009	26	39	19	0	
7/28/2009	26	39	19	0	
7/29/2009	26	39	19	0	
7/30/2009	26	39	19	0	
7/31/2009	26	39	19	0	

Total 582

W2577 Philbrick 22-09 South Goodland Goodland None August-09

	Casing			HRS	REMARKS
DATE	PSI	STATIC	MCF	DOWN	(Maximum length 110 characters)
8/1/2009	26	39	19	0	
8/2/2009	26	39	19	0	
8/3/2009	26	39	19	0	
8/4/2009	26	39	19	0	
8/5/2009	26	39	19	0	
8/6/2009	26	39	19	0	
8/7/2009	26	39	19	0	
8/8/2009	26	39	19	0	
8/9/2009	26	39	19	0	
8/10/2009	26	39	19	0	
8/11/2009	26	39	19	0	
8/12/2009	26	39	19	0	
8/13/2009	26	39	19	0	
8/14/2009	26	39	19	0	
8/15/2009	26	39	19	0	
8/16/2009	26	39	19	0	
8/17/2009	26	39	19	0	
8/18/2009	26	39	19	0	
8/19/2009	26	39	19	0	
8/20/2009	26	39	19	0	
8/21/2009	26	39	19	0	
8/22/2009	26	39	19	0	
8/23/2009	26	39	19	0	
8/24/2009	26	39	19	0	
8/25/2009	26	39	19	0	
8/26/2009	26	39	19	0	
8/27/2009	26	39	19	0	
8/28/2009	26	39	19	0	
8/29/2009	26	39	18	0	
8/30/2009	26	39	19	0	
8/31/2009	26	39	19	0	

Total 588

W2577 Philbrick 22-09 South Goodland Goodland None September-09

	Casing		Н	RS	REMARKS
DATE	PSI	STATIC MO	F D	own	(Maximum length 110 characters)
9/1/2009	26	39	18	0	
9/2/2009	26	39	13	0	
9/3/2009	26	39	19	0	
9/4/2009	26	39	19	0	
9/5/2009	26	39	19	0	
9/6/2009	26	39	19	0	
9/7/2009	26	39	18	0	
9/8/2009	26	39	16	0	
9/9/2009	26	39	19	0	
9/10/2009	26	39	19	0	
9/11/2009	26	39	19	0	
9/12/2009	26	39	19	0	
9/13/2009	26	39	18	0	
9/14/2009	26	39	18	0	
9/15/2009	26	39	18	0	
9/16/2009	26	39	18	0	
9/17/2009	26	39	18	0	
9/18/2009	26	39	18	0	
9/19/2009	26	39	18	0	
9/20/2009	26	39	18	0	
9/21/2009	26	39	18	0	
9/22/2009	26	39	18	0	
9/23/2009	26	39	18	0	
9/24/2009	25	38	18	0	
9/25/2009	25	38	18	0	
9/26/2009	25	38	18	0	
9/27/2009	25	38	18	0	
9/28/2009	25	38	18	0	
9/29/2009	25	38	18	0	
9/30/2009	25	38	18	0	
10/1/2009	0	0	0	0	

Total 541

NOV 3 0 2009
KCC WICHITA