

KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

(See Instructions on Reverse Side)

Type Test:

- Open Flow
 Deliverability

Test Date:
8/5/08

API No. 15
181-20541-0000

Company
Rosewood Resources, Inc.

Lease
Philbrick

Well Number
43-10

County Sherman Location NESE/4 Section 10 TWP 9S RNG (E/W) 40W Acres Attributed 80

Field Goodand Reservoir Niobrara Gas Gathering Connection Branch Systems Inc.

RECEIVED
KANSAS CORPORATION COMMISSION

Completion Date 6/13/08 Plug Back Total Depth 1263' Packer Set at

OCT 21 2008

Casing Size 2 7/8" Weight 6.5# Internal Diameter 2.441 Set at 1263' Perforations 1034' To 1064'

CONSERVATION DIVISION
WICHITA, KS

Tubing Size NONE Weight Internal Diameter Set at Perforations To

Type Completion (Describe) Single (Conventional) Type Fluid Production Dry Gas Pump Unit or Traveling Plunger? Yes No

Producing Thru (Annulus / Tubing) Annulus % Carbon Dioxide % Nitrogen Gas Gravity - G_g .6

Vertical Depth(H) 1275' Pressure Taps Flange (Meter Run) (Prover) Size 2"

Pressure Buildup: Shut in 20 at (AM) (PM) Taken 20 at (AM) (PM)

Well on Line: Started 8-5 20 08 at 3:20 (AM) (PM) Taken 8-6 20 08 at 3:35 (AM) (PM)

OBSERVED SURFACE DATA

Duration of Shut-in 72 Hours

Static / Dynamic Property	Orifice Size (inches)	Circle one: Meter or Prover Pressure psig (Pm)	Pressure Differential in Inches H ₂ O	Flowing Temperature t	Well Head Temperature t	Casing Wellhead Pressure (P _w) or (P _i) or (P _e)		Tubing Wellhead Pressure (P _w) or (P _i) or (P _e)		Duration (Hours)	Liquid Produced (Barrels)
						psig	psia	psig	psia		
Shut-In											
Flow						26	40.4			24	0

FLOW STREAM ATTRIBUTES

Plate Coefficient (F _s) (F _p) Mcfd	Circle one: Meter or Prover Pressure psia	Press Extension $\sqrt{P_m \times h}$	Gravity Factor F _g	Flowing Temperature Factor F _t	Deviation Factor F _{dv}	Metered Flow R (Mcfd)	GOR (Cubic Feet/ Barrel)	Flowing Fluid Gravity G _m
						20		

(OPEN FLOW) (DELIVERABILITY) CALCULATIONS

(P_e)² = _____ : (P_w)² = _____ : P₀ = _____ % (P_e - 14.4) + 14.4 = _____ : (P_e)² = 0.207
(P₀)² = _____

(P _e) ² - (P _s) ² or (P _e) ² - (P ₀) ²	(P _e) ² - (P _w) ²	Choose formula 1 or 2: 1. P _e ² - P _s ² 2. P _e ² - P ₀ ² divided by: P _e ² - P _w ²	LOG of formula 1, or 2, and divide by: P _e ² - P _w ²	Backpressure Curve Slope = "n" Assigned Standard Slope	n x LOG []	Antilog	Open Flow Deliverability Equals R x Antilog (Mcfd)

Open Flow Mcfd @ 14.65 psia Deliverability Mcfd @ 14.65 psia

The undersigned authority, on behalf of the Company, states that he is duly authorized to make the above report and that he has knowledge of the facts stated therein, and that said report is true and correct. Executed this the 8 day of October 20 08

Witness (if any)

For Company

For Commission

Checked by

I declare under penalty of perjury under the laws of the state of Kansas that I am authorized to request exempt status under Rule K.A.R. 82-3-304 on behalf of the operator Rosewood Resources, Inc. and that the foregoing pressure information and statements contained on this application form are true and correct to the best of my knowledge and belief based upon available production summaries and lease records of equipment installation and/or upon type of completion or upon use being made of the gas well herein named.

I hereby request a one-year exemption from open flow testing for the Philbrick 43-10 gas well on the grounds that said well:

RECEIVED
KANSAS CORPORATION COMMISSION

OCT 21 2008


CONSERVATION DIVISION
WICHITA, KS

(Check one)

- is a coalbed methane producer
- is cycled on plunger lift due to water
- is a source of natural gas for injection into an oil reservoir undergoing ER
- is on vacuum at the present time; KCC approval Docket No. _____
- is not capable of producing at a daily rate in excess of 250 mcf/D

I further agree to supply to the best of my ability any and all supporting documents deemed by Commission staff as necessary to corroborate this claim for exemption from testing.

Date: 10-8-08

Signature: 
Title: Production Foreman

Instructions: If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

W2589
 Philbrick 43-10
 South Goodland
 Goodland
 None
 August-08

DATE	Casing PSI	STATIC MCF	HRS DOWN	REMARKS (Maximum length 110 characters)
8/1/2008			0	
8/2/2008			0	
8/3/2008			0	
8/4/2008			0	
8/5/2008			0	1stgas 3:20pm 26mcf @ 52cp
8/6/2008	39	52	25	0
8/7/2008	47	60	23	0
8/8/2008	47	60	23	0
8/9/2008	47	60	23	0
8/10/2008	46	59	22	0
8/11/2008	44	57	22	0
8/12/2008	43	56	22	0
8/13/2008	43	56	22	0
8/14/2008	44	57	20	0
8/15/2008	43	56	17	0
8/16/2008	43	56	20	0
8/17/2008	43	56	20	0
8/18/2008	41	54	21	0
8/19/2008	41	54	21	0
8/20/2008	41	54	21	0
8/21/2008	40	53	21	0
8/22/2008	40	53	20	0
8/23/2008	40	53	20	0
8/24/2008	40	53	20	0
8/25/2008	39	52	19	0
8/26/2008	39	52	20	0
8/27/2008	39	52	20	0
8/28/2008	39	52	20	0
8/29/2008	39	52	20	0
8/30/2008	39	52	20	0
8/31/2008	39	52	19	0

Total 541

RECEIVED
 KANSAS CORPORATION COMMISSION
 OCT 21 2008
 CONSERVATION DIVISION
 WICHITA, KS

W2589
 Philbrick 43-10
 South Goodland
 Goodland
 None
 September-08

DATE	Casing		HRS		REMARKS (Maximum length 110 characters)
	PSI	STATIC MCF		DOWN	
9/1/2008	40	53	18	10.5	
9/2/2008	40	53	9	24	
9/3/2008	41	54	7	0	
9/4/2008	42	55	6	0	
9/5/2008	38	51	15	0	
9/6/2008	38	51	19	0	
9/7/2008	38	51	19	0	
9/8/2008	38	51	19	0	
9/9/2008	37	50	19	0	
9/10/2008	37	50	19	0	
9/11/2008	37	50	19	0	
9/12/2008	38	51	11	24	
9/13/2008	38	51	0	24	
9/14/2008	38	51	0	24	
9/15/2008	38	51	0	24	
9/16/2008	38	51	11	0	
9/17/2008	37	50	17	0	
9/18/2008	37	50	19	0	
9/19/2008	36	49	19	0	
9/20/2008	37	50	16	7	
9/21/2008	34	47	18	0	
9/22/2008	36	49	19	0	
9/23/2008	36	49	19	0	
9/24/2008	36	49	19	0	
9/25/2008	35	48	18	0	
9/26/2008	35	48	18	3	
9/27/2008	35	48	18	0	
9/28/2008	35	48	18	0	
9/29/2008	34	47	18	0	0 opened to 26 mcf
9/30/2008	32	45	24	0	
10/1/2008				0	

Total

451

RECEIVED
 KANSAS CORPORATION COMMISSION

OCT 21 2008

CONSERVATION DIVISION
 WICHITA, KS

W2589
 Philbrick 43-10
 South Goodland
 Goodland
 None
 October-08

DATE	Casing		MCF	HRS	REMARKS (Maximum length 110 characters)
	PSI	STATIC		DOWN	
10/1/2008	32	45	25	0	
10/2/2008	32	45	25	0	
10/3/2008	32	45	25	0	
10/4/2008	32	45	25	0	
10/5/2008	30	43	24	0	
10/6/2008	32	45	24	0	
10/7/2008	30	43	24	0	
10/8/2008	29	42	24	0	
10/9/2008	29	42	24	0	
10/10/2008	29	42	23	0	
10/11/2008	29	42	23	0	
10/12/2008	29	42	23	0	
10/13/2008	29	42	22	0	
10/14/2008				0	
10/15/2008				0	
10/16/2008				0	
10/17/2008				0	
10/18/2008				0	
10/19/2008				0	
10/20/2008				0	
10/21/2008				0	
10/22/2008				0	
10/23/2008				0	
10/24/2008				0	
10/25/2008				0	
10/26/2008				0	
10/27/2008				0	
10/28/2008				0	
10/29/2008				0	
10/30/2008				0	
10/31/2008				0	

Total

311

RECEIVED
 KANSAS CORPORATION COMMISSION
 OCT 21 2008
 CONSERVATION DIVISION
 WICHITA, KS