KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST (See Instructions on Reverse Side)

Type Test:			(-	See Instructi	ons on Rever	se Side)					
	X Shut-in Pressur		Test Date: 12-18-05					API No. 15 -103-20,913 0000			
Company Monument Resources, Inc.			Lease Gruendel						W	ell Number #1	
County Leavenwo	Location		Section 12		TWP 10S		RNG (E/W) 22E		Acres Attributed 40		
Field Fairmount			Reservoir McLouth				Gas Gathering Connection COG Transmission Corporation				
Completion Date 1/22/88			Plug Back Total Depth 1240				Packer So	et at	-		
Casing Size				iameter	Set at 1240 '		Perforations 1)96' - 1110'		
Tubing Size 2 3/8"	Weigh 4	· **	Internal Di	iameter	Set at 1070		Pertor		То		
Type Completion	Type Fluid Production				Pump Unit or Transfer Charges Yes /200						
Gas			Water (Nil)				Pu % Nitroge		Gas Gra	Gas Gravily - G	
Producing Thru (Annulus / Tubing)			% Carbon Dioxide				Ni				
Annulus			NIT	Nil Pressure Taps				(Meter Run) (Rogger) Size			
Vertical Depth(H)			,	•				2"		
		17 20		9.30	(AM) (ÞÞ)	aken	12-18	2005	at10:0	0 (AM) (MH)K	
Pressure Buildup	o: Shut in <u>12</u>	· · · · · · · · · · · · · · · · · · ·									
Well on Line:	Started	19	3al		(AM) (PM) T	aken		19 .	al	(AM) (FM)	
				ORSERVE	D SURFACE	DATA			Ouration of Shut-i	n 24 Hours	
	Cycle one:	Pressure	Γ	T	Casin		-	Tubing			
Static / Orific Dynamic Size Property inches	Meter or Prover Pressi	Differential	Flowing Well Head Temperature t t		Wellhead Pressure (P _e) or (P ₁) or (P _e) osio psia		Wellhead Pressure (P ₊) or (P ₁) or (P ₂) psig psia		Duration (Hours)	Liquid Produced (Barrels)	
Shut-In -	psig				osig 15				24		
Flow											
<u></u>			·	FLOW STE	REAM ATTRI	BUTES					
<u> </u>	Circle one:	0			Flowing D		eviation Matered Flow		GOR	Flowing	
Plate Coeffiecient	· Meter or	Press Extension	Gra Fac	tor	Temperature	F	actor	R	(Cubic Fee	el/ Fluid Gravity	
(F,) (F,)	(F,) (F,) Prover Pressure		F	9	Factor F ₁₁		F _{pv} (McId)		Barrel)	G_	
McId											
		<u> </u>						<u></u>			
			(OPEN FL	.OW) (DELIV	/ERABILITY)				-	² = 0.207 ² =	
(P _c) ² =	: (P _w)²		P _a =		• •		+ 14.4 = _		(' a)		
(B.V2. (B.V3	(P¸)*• (P¸)*	Choose formula 1 or 1. P ² -P ²	LOG of	Γ		sure Cur		LOG		Open Flow Deliverability	
(P _e) ² - (P _p) ² or	(12) (14)	2. P 2 P 2	tormula 1. or 2.		Assigned		" "		Antilog	Equals R x Antilog	
(P _a) ² - (P _a) ²		divided by: P2 P				Standard Slope				Mcfd	
								,			
			_	_	-						
]						. Mctd ⊕ 14.65 psia				
Open Flow		McId @ 14			Deliverabil		·				
The under	signed authority, c	on behalf of the	Company, st	tates that he	is duly author 30th	rized to (bove report and December	that he has know	wiedge of the facts 2005	
Julio Horong b				3 2006	-		(bl	Jaux	Company	- 	
	Witnes	s (if any)	KCC N	ACHIT	A .		Pre	sident	acked by		

I declare under penalty or perjury under the laws of the state of Kansas that I am authorized to request exempt status under Rule K.A.R. 82-3-304 on behalf of the operator <u>Monument Resources</u> , <u>Inc.</u> and that the foregoing information and statements contained on this application form are true and correct to the best of my knowledge and belief based upon gas production records and records of equipment installation and/or of type completion or upon use of the gas well herein named. I hereby request a permanent exemption from open flow testing for the <u>Gruendel #1</u> gas well on the grounds that said well:
is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No. X is incapable of producing at a daily rate in excess of 150 mcf/D
Date: December 30, 2005
Signature:
tructions

Instructions:

All active gas wells must have at least an original G-2 form on file with the conservation division. If a gas well meets the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to obtain a testing exemption.

At some point during the succeeding calendar year, wellhead shut-in pressure shall be measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under "observed surface data." Shut-in pressure shall thereafter be reported yearly in the same manner.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than thirty (30) days after the taking of the pressure reading. The form must be signed and dated on the front side as though it was a verified report of test results.