KANSAS CORPORATION COMMISSION

		ONE I	POINT ST					ELIVER	ABILITY	TEST		12-27-02
Type Test: Open Flow X Shut—in Deliverability Pressure			(See Instructions on Reverse Side) Test Date: 12-11-02				API No. 15 -103-20,913000)		
Company Monument Resources, Inc.				Lease Gruendel							/ell Number #1	_
County Location SE,SE,NE			Section 12		TWP 10S		RNG (E/W) 22E		A	Acres Attributed 40		
Field Fairmount				Reservoir McLouth		· ·			ing Connecti ansmissi	on on Corporation		_
Completion Date 1/22/88			Plug Back Total Depth 1240				Packer Set	at			_	
Casing Size Weight 4 1/2" 11.6#		 ‡	Internal Diameter		Set at 1240'				5' - 1110'	' - 1110'		
Tubing Size Weight 2 3/8" 4.7#		#	Internal Diameter		Set at 1070	070'			То		_	
Type Com	pletion (De	scribe)		Type Fluid	Production		•			Charagenthy Yes /2	4260	
Gas		•		Water (Nil)				Pump % Nitrogen Gas Gravity - G				_
Producing Thru (Annulus / Tubing)				% Carbon Dioxide				% Nitrogen Nil		Gas Gra	vity - G	
Annu	lus			Nil_				MIT	·	(Meter R	un) (Roomer) Size	_
Vertical Do					Pressu	ıre Taps				2"		-
Pressure Well on Li		Shut in _12=	1019	02_at)at	9:00	(AM) (PM)XT	Taken	12-11	19	2 at9; at	(AM) (PM)	_
					OBSERVE	D SURFACE	DATA	···	·	Duration of Shut-	in 24 Hou	rs T
Static / Dynamic	Orifice Size	Circle one: Meter of Prover Pressur		Flowing Well Head Temperature		Casing Wellhead Pressure (P _w) or (P _t) or (P _c)		Tubing Wellhead Pressure $(P_w) \propto (P_t) \propto (P_c)$		Duration (Hours)	Liquid Produced (Barrels)	
Property	inches	psig	Inches H ₂ 0		<u> </u>	psig 20	psia	psig	psia	24		
Shut-In Flow			 									
		1		<u> </u>	FLOW STE	REAM ATTRI	BUTES					٦
Plate Coeffice (F _b) (F	ient Pr	Circle one: Meter or Prover Pressure psia Press Extension P_x H_		Gravity Factor F		Flowing Temperature Factor	perature Factor		Metered Flow R (McId)	GOR (Cubic Fe Barrel)	YIIVKIE) I	
						/ERABILITY	CALCUI	ATIONS			. 0.207	
14		/D \2 =		(OPEN FL				+ 14.4 =	:) ² = 0.207) ² =	
(P _e) ² =	·	در P) - در (P)	Choose formula 1 or: 1. P ² ·P ² 2. P ² ·P ² divided by: P ² ·P	LOG of lomula 1. or 2. and divide		Backpre Sloj	ssure Curvi pe = "n" - or signed lard Slope		٦٦	Antilog	Open Flow Deliverability Equals R x Antilo Mold	99
			Grand 27. 1 2 1 ,									_
										Mcfd @ 14.65 ps	ia	
Open Flo)W		Mcfd @ 14.		ates that he	Deliverabi		nake the ab			wledge of the fact	 s
			is true and co						December	.	2992	
		Witness	'il any)					UL		Company		
		viimess i	 -11				P	residen	it			

For Commission

Checked by

and that the fo the best of my tion and/or of the hereby re	under penalty or perjury under the laws of the state of Kansas that I am authorized to request under Rule K.A.R. 82-3-304 on behalf of the operator Mornment Resources, Inc. pregoing information and statements contained on this application form are true and correct to knowledge and belief based upon gas production records and records of equipment installative completion or upon use of the gas well herein named. quest a permanent exemption from open flow testing for the
(Che	is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No. is incapable of producing at a daily rate in excess of 150 mcf/D
Date: Decemb	Signature:
structions: All active	gas wells must have at least on a divisit to a divisit to a division of the same at least on a division of the same at least of the same at least on a division of the same at least on a division of the same at least of

All active gas wells must have at least an original G-2 form on file with the conservation division. If a gas well meets the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to obtain a testing exemption.

At some point during the succeeding calendar year, wellhead shut-in pressure shall be measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under "observed surface data." Shut-in pressure shall thereafter be reported yearly in the same manner.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than thirty (30) days after the taking of the pressure reading. The form must be signed and dated on the front side as though