* CORRECTED*

CORRECTED

For KCC Use: Effective Date: _	10-31-2010
District #	3
CCA2 Ma	e IXInio

KANSAS CORPORATION COMMISSION Oil & Gas Conservation Division

March 2010
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date: October 28, 2010 month day year	Spot Description:	
	Sec. 20 IWp. 20 S. K. 21 IVp. 20 S. K. 2	'لِل ال
OPERATOR: License#	3795 3503 feet from N / X S Line 2475 107 feet from X E / W Line	
Name: Pharyn Resources, LLC	**	ai Sectio
Address 1: 15621 West 87th Street, Suite 262	Is SECTION: Regular Inregular?	
Address 2:	(Note: Locale well on the Section Plat on reverse side) Lina	
Contact Person: Brad Kramer	County: Linn Lease Name: Shikles Well #: 18	
Phone: (913) 669-2253	Lease Name: Slikkes Well #: Well #:	
CONTRACTOR: License# 8509	red rance.	s 🔀N
Name: Evans Energy Development, Inc.	Target Formation(s): Squirrel Sandstone	- <u>12.</u> Sr.
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 185 182	
Well Drilled For. Well Class. Type Equipment.	Ground Surface Elevation: 2014 955	_feet MS
Elili (tec)	Water well within one-quarter mile:	s 🔀
Gas Storage Pool Ext. X Air Rotary Disposal Wildcal Cable	Public water supply well within one mile:	∞ ⊠r
Seismic : # of Holes Other	Depth to bottom of fresh water: 100'	
Other: WSW	Depth to bottom of usable water: 150'	
of OWWO: old well information as follows:	Surface Pipe by Alternate: [1] [X]II	
The STATES Of the state transmission of temperal.	Length of Surface Pipe Planned to be set: 20' Length of Conductor Pipe (if any): N/A	
Operator:	Projected Total Depth: 200	
Well Name: Original Total Depth:	Formation at Total Depth: Squirrel Bandstone MUSISSIA	ممر
•	Water Source for Orilling Operations:	
Directional, Deviated or Horizontal wellbore?	[©] IMwell iX Farm Pond I kOther:	
Directional, Deviated or Horizontal wellbore? If Yes, true vertical depth:	Well Farm Pond Other: DWR Permit #:	
If Yes, true vertical depth: Bottom Hole Location: KCC DKT#: NN-AIW-SW-AIE: 3795 F5L; 2475 FEL; NLU	DWR Permit #: (Note: Apply for Permit with DWR	» \
If Yes, true vertical depth: Bottom Hole Location: KCC DKT#: ON ; NW-NW-SW-NE; 3795 FSL; 2475 FEL; NLU WSW; SE-NE-SE-ME; 3553 FSL; 102 FEL; NLU	DWR Permit #: (Note: Apply for Permit with DWR B: 165 Mill Cores be taken? (I'Yes, proposed zone: AFFIDAVIT TS: PTO 630; Squirte Sandaring AFFIDAVIT TS: PTO 1200; mississippien	
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: O\); NW-NW-SW-NE; 3795 FSL; 2475 FEL; NLU WSW; SE-NE-SE-NE; 3 553 FSL; 102 FEL; NLU The undersigned hereby affirms that the drilling, completion and eventual	DWR Permit #: (Note: Apply for Permit with DWR B: No Will Cores be taken? DB: 102 AFFIDAVIT TS: PTO DO: Missisippian R Plugging of this well will comply with K.S.A. 55 et. seq.	ECE SECE
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: CON ; NW-NW-SW-NE; 3795 F5L; 2475 F5L; NLW WSW; SE-NE-SE-NE; 3553 FSL; 102 F6L; NLW The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:	DWR Permit #: (Note: Apply for Permit with DWR B: No Will Cores be taken? DB: 102 AFFIDAVIT TS: PTO DO: Missisippian R Plugging of this well will comply with K.S.A. 55 et. seq.	
If Yes, true vertical depth: Bottom Hole Location: KCC DKT#: O\); NW-NW-SW-NE; 3795 F5L; 2475 F6L; NLW WSW; SE-NE-SE-NE; 3 553 F3L; 102 F6L; NLW The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well;	DWR Permit #: (Note: Apply for Permit with DWR B: No Will Cores be taken? DB: 102 AFFIDAVIT TS: PTO DO: Mississippian R Plugging of this well will comply with K.S.A. 55 et. seq. Oliver Sequence of the seq.	ECE CT 2
If Yes, true vertical depth: Bottom Hole Location: KCC DKT#: NW-NW-SW-NE; 3795 F5L; 2475 F5L; NLV WSW; SE-NE-SE-NE; 3 553 F5L;)Q2 F6L; NLV The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on a 3. The minimum amount of surface pipe as specified below shall be:	DWR Permit #: (Note: Apply for Permit with DWR B: No Will Cores be taken? (Yes, proposed zone: (Yes, propo	ECE CT 2
If Yes, true vertical depth: Bottom Hole Location: KCC DKT#: NW-NW-SW-NE; 3795 F5L; 2475 F5L; NLV WSW: SE-NE-SE-NE; 3 553 * F5L; 102 * F6L; NLV The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e. 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into	DWR Permit #: (Note: Apply for Permit with DWR B: No Will Cores be taken? If Yes, proposed zone: PTD 630; Squirre Squirr	ECE CT 2
If Yes, true vertical depth: Bottom Hole Location: KCC DKT#: NW-AW-SW-ARE; 3795 F5C; 2475 F5C; ALW SE-NE-SE-NE; 3553 F3C; DQ2 F6C; NLW The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on e 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the	DWR Permit #: (Note: Apply for Permit with DWR B: No Will Cores be taken? (If Yes, proposed zone: (If Yes, proposed z	ECE CT 2
If Yes, true vertical depth: Bottom Hole Location: KCC DKT#: O\); NW-AIW-SW-AIE; 3795 FSL; 2475 FFL; NLW WSW; SE-NE-SE-NE; 3 553 FSL; 102 FFL; NLW It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on a 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be come	DWR Permit #: (Note: Apply for Permit with DWR B: No Will Cores be taken? PTD 630; Squitte	CT 2 C WI
If Yes, true vertical depth: Bottom Hole Location: KCC DKT#: NW-AlW-SW-AIE; 3795 FSL; 2475 FSL; NLW WSW; SE-NE-SE-NE; 3 SS3 FSL; 102 FSL; NLW The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on a 3. The minimum amount of surface pips as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pips shall be come Or pursuant to Appendix "B" - Eastern Kansas surface casing orde	DWR Permit #: (Note: Apply for Permit with DWR B: No Will Cores be taken? PTD 630; Squitte	CT 2 C WI
If Yes, true vertical depth: Bottom Hole Location: KCC DKT#: O\); NW-AW-SW-AR; 3795 F5L; 2475 F5L; NLW WSW SE-NE-SE-NE; 3553 F5L; 102 FFL; NLW It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on a 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be come Or pursuant to Appendix 'B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall.	DWR Permit #: (Note: Apply for Permit with DWR B: No Will Cores be taken? PTD 630; Squirre	CT 2 C WI
If Yes, true vertical depth: Bottom Hole Location: KCC DKT#: NW-AlW-SW-AIE; 3795 FSL; 2475 FSL; NLW WSW; SE-NE-SE-NE; 3 SS3 FSL; 102 FSL; NLW The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on a 3. The minimum amount of surface pips as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pips shall be come Or pursuant to Appendix "B" - Eastern Kansas surface casing orde	DWR Permit #: (Note: Apply for Permit with DWR B: No Will Cores be taken? PTD 630; Squirre	CT 2 C WI
If Yes, true vertical depth: Bottom Hole Location: KCC DKT#: O\); NW-AW-SW-AR; 3795 F5L; 2475 F5L; NLW WSW SE-NE-SE-NE; 3553 F5L; 102 FFL; NLW It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on a 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be come Or pursuant to Appendix 'B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall.	DWR Permit #: (Note: Apply for Permit with DWR B: No Will Cores be taken? PTD 630; Squirre	CT 2 C WI
If Yes, true vertical depth: Bottom Hole Location: KCC DKT#: NWW SW-NE-SE-NE 3 553 FSL; 2475 FSL; NLV WSW SE-NE-SE-NE 3 553 FSL; 102 FSL; NLV The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shell be posted on a 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be come Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the October 17, 2010 Signature of Operator or Agent:	DWR Permit #: (Note: Apply for Permit with DWR B: No Will Cores be taken? (Yes, proposed zone: PTD 630; Squirre Survey Su	CT 2 C WI
If Yes, true vertical depth: Bottom Hole Location: KCC DKT#: NW-NW-SW-NE; 3795 F5L; 2475 F5L; NLV WSW SE-NE-SE-NE; 3 553 F5L; 102 F6L; NLV The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shell be posted on a 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix 'B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the complete of the complete of the plant of the post of the complete of the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the	DWR Permit #: (Note: Apply for Permit with DWR B: No Will Cores be taken? PTD 630; Squirre San AFFIDAVIT TS: PTD 100; Mississippian It plugging of this well will comply with K.S.A. 55 et. seq. Of the underlying formation. district office on plug length and placement is necessary prior to plugging lugged or production casing is cemented in; and formation as a plugged or production casing is cemented in; and formation as a plugged. In all cases, NOTIFY district office prior to any cementing. Find of my knowledge and belief. Title: Director	CT 2 C WI
If Yes, true vertical depth: Bottom Hole Location: KCC DKT#: NWW SW-NE-SE-NE 3 553 FSL; 2475 FSL; NLV WSW SE-NE-SE-NE 3 553 FSL; 102 FSL; NLV The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shell be posted on a 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be come Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the October 17, 2010 Signature of Operator or Agent:	DWR Permit #: (Note: Apply for Permit with DWR B: No Will Cores be taken? PTD 630; Squitte	CT 2 C WI
If Yes, true vertical depth: Bottom Hole Location: KCC DKT#: NW-NW-SW-NE; 3795 F5L; 2475 F5L; NLV WSW SE-NE-SE-NE; 3 553 F5L; 102 F6L; NLV The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shell be posted on a 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix 'B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the complete of the complete of the plant of the post of the complete of the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the	DWR Permit #: (Note: Apply for Permit with DWR B: No Will Cores be taken? (Yes, proposed zone: PTD 630; Squitte Squitte	CT 2 C WI
If Yes, true vertical depth: Bottom Hole Location: KCC DKT#: O\); NW-AW-SW-AR; 3795 F5L; 2475 F5L; NLW WSW; SE-NE-SE-NE; 3553 F5L; 102 F6L; NLW It is agreed thereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on a 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be come Or pursuant to Appendix 'B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best. Date: October 17, 2010 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 107 ~ 24/334-00-00	DWR Permit #: (Note: Apply for Permit with DWR B: No Will Cores be taken? (Yes, proposed zone: (If yes, proposed zone: (CT 2 C WI
If Yes, true vertical depth: Bottom Hole Location: KCC DKT#: NW-NW-SW-NE; 3795 F5L; 2475 F5L; NLV WSW: SE-NE-SE-NE; 3 553 F5L; 102 F6L; NLV The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on a 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the complete than the statements made herein are true and to the best of the Cotober 17, 2010 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 107 - 24334-00-00 Conductor pipe required 100 - 100	DWR Permit #: (Note: Apply for Permit with DWR B: No Will Cores be taken? (Yes, proposed zone: PTD 630; Squitte Squitte	CT 2 C WI
If Yes, true vertical depth: Bottom Hole Location: KCC DKT#: NWW SE-NE-SE-NE; 3 553 FSL; 2475 FEL; NLV WSW SE-NE-SE-NE; 3 553 FSL; 102 FEL; NLV The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on a surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the first management to Appendix B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be come or pursuant to Appendix B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the Cotober 17, 2010 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 107 - 24334-00-00 Conductor pipe required 10 feet per ALT. 11 Minimum surface pipe required 10 feet per ALT. 11 Minimum surface pipe required 10 feet per ALT. 11 Minimum surface pipe required 10 feet per ALT. 11 Minimum surface pipe required 10 feet per ALT. 11 Minimum surface pipe required 10 feet per ALT. 11 Minimum surface pipe required 10 feet per ALT. 11 Minimum surface pipe required 10 feet per ALT. 11 Minimum surface pipe required 10 feet per ALT. 11 Minimum surface pipe required 10 feet per ALT. 11 Minimum surface pipe required 10 feet per ALT. 11 Minimum surface pipe required 10 feet per ALT. 11 Minimum surface pipe required 10 feet per ALT. 11 Minimum surface pipe required 10 feet per ALT. 11 Minimum surface pipe required 10 feet per ALT. 11 Minimum surface pipe required 10 feet per ALT. 11 Minimum surface pipe required 10 feet per ALT. 11 Minimum surface pipe required 10 feet per ALT. 11 Minimum surface pipe required 10 feet per ALT. 11 Minimum surface pipe required 10 feet per AL	DWR Permit #: (Note: Apply for Permit with DWR B: No Will Cores be taken? PTD 630; Squirre San AFFIDAVIT TS: PTO 100; Mississippian I plugging of this well will comply with K.S.A. 55 et. seq. Of the underlying formation. district office on plug length and placement is necessary prior to plugging lugged or production casing is cemented in; anted from below any usable water to surface within 120 DAYS of spud date r #133,891-C, which applies to the KCC District 3 area, alternate II cemential to plugged. In all cases, NOTIFY district office prior to any cementing. Of my knowledge and belief. Title: Director Remember to: - File Certification of Compliance with the Kansas Surface Owner Notifical Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 day)	CT 2 C WI
If Yes, true vertical depth: Bottom Hole Location: KCC DKT#: O\); NW-AlW-SW-AIE; 3795 F5L; 2475 F5L; NLW WSW; SE-NE-SE-NE; 3 553 * F5L; 102 * F6L; NLW The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on a 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be come Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the complete of the spud date or the well shall be completed. Date: October 17, 2010 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 107 - 24334-00-00 Conductor pipe required None feet Minimum surface pipe required 10 feet per ALT. Implication in the production of the production of the pipe required 10 feet per ALT. Implication in the production of the pipe required 10 feet per ALT. Implication in the production of the pipe required 10 feet per ALT. Implication in the pipe required 10 feet per ALT. Implication in the pipe required 10 feet per ALT. Implication in the pipe required 10 feet per ALT. Implication in the pipe required 10 feet per ALT. Implication in the pipe required 10 feet per ALT. Implication in the pipe required 10 feet per ALT. Implication in the pipe required 10 feet per ALT. Implication in the pipe required 10 feet per ALT. Implication in the pipe required 10 feet per ALT. Implication in the pipe required 10 feet per ALT. Implication in the pipe required 10 feet per ALT. Implication in the pipe requi	DWR Permit #: (Note: Apply for Permit with DWR B: No Will Cores be taken? PTD 630; Squirre San AFFIDAVIT TS: PTD 100; Mississippian It plugging of this well will comply with K.S.A. 55 et. seq. Of the underlying formation. district office on plug length and placement is necessary prior to plugging langed or production casing is cemented in; anted from below any usable water to surface within 120 DAYS of spud date r #133,891-C, which applies to the KCC District 3 area, alternate II cemential be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief. Title: Director Remember to: File Certification of Compliance with the Kansas Surface Owner Notifical Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 day of the completion plat according to injecting salt water.	CT 2 C WI
If Yes, true vertical depth: Bottom Hole Location: KCC DKT#: O\); NW-AlW-SW-AIE; 3795 F5L; 2475 F5L; NLW WSW SE-NE-SE-NE; 3 553 F5L; 102 F6L; NLW It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on a 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be come Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the complete of the statements made herein are true and to the best of the complete of the statements of Operator or Agent: Date: October 17, 2010 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 107 - 24334-00-00 Conductor pipe required 10 feet per ALT. 11 Minimum surface pipe required 20 feet per ALT. 11 Minimum surface pipe required 20 feet per ALT. 11 Minimum surface pipe required 20 feet per ALT. 11 Minimum surface pipe required 20 feet per ALT. 11 Minimum surface pipe required 10 feet per ALT. 11 Minimum surface pipe required 10 feet per ALT. 11 Minimum surface pipe required 10 feet per ALT. 12 Minimum surface pipe required 10 feet per ALT. 12 Minimum surface pipe required 10 feet per ALT. 12 Minimum surface pipe required 10 feet per ALT. 12 Minimum surface pipe required 10 feet per ALT. 13 Minimum surface pipe required 10 feet per ALT. 14 Minimum surface pipe required 10 feet per ALT. 14 Minimum surface pipe required 10 feet per ALT. 15 Minimum surface pipe required 10 feet per ALT. 16 Minimum surface pipe required 10 feet per ALT. 16 Minimum surface pipe required 10 feet per ALT. 17 Minimu	DWR Permit #: (Note: Apply for Permit with DWR B: No Will Cores be taken? PTD 630; Squirre San AFFIDAVIT TS: PTO 100; Mississippian I plugging of this well will comply with K.S.A. 55 et. seq. Of the underlying formation. district office on plug length and placement is necessary prior to plugging lugged or production casing is cemented in; anted from below any usable water to surface within 120 DAYS of spud date r #133,891-C, which applies to the KCC District 3 area, alternate II cemential to plugged. In all cases, NOTIFY district office prior to any cementing. Of my knowledge and belief. Title: Director Remember to: - File Certification of Compliance with the Kansas Surface Owner Notifical Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 day)	CT 2 C WI
If Yes, true vertical depth: Bottom Hole Location: KCC DKT#: NWW SE-NE-SE-NE; 3553 FSL; 102 FEL; NLV The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on a surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the finance of the well is dry hole, an agreement between the operator and the finan ALTERNATE II COMPLETION, production pipe shall be come or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the complete than the statements made herein are true and to the best of the complete than the statements made herein are true and to the best of the complete than the statements made herein are true and to the best of the complete than the statements made herein are true and to the best of the complete than the statements made herein are true and to the best of the complete than the statements made herein are true and to the best of the specific than the statement of the specific true and the best of the specific true and the best of the specific true and the statement of the specific true and the specific	DWR Permit #: (Note: Apply for Permit with DWR B: No Will Cores be taken? PTD 630; Squitte San AFFIDAVIT TS: PTD 100; Mississippian Pugging of this well will comply with K.S.A. 55 et. seq. Olimatch drilling rig; set by circulating cement to the top; in all cases surface pipe shall be pugging of this well will comply with K.S.A. 55 et. seq. Olimatch drilling rig; set by circulating cement to the top; in all cases surface pipe shall be pugging to the underlying formation. district office on plug length and placement is necessary prior to plugging lugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date r #133,891-C, which applies to the KCC District 3 area, alternate II cemential be plugged. In all cases, NOTIFY district office prior to any cementing. Of my knowledge and belief. File Criffication of Compliance with the Kansas Surface Owner Notifical Act (KSONA-1) with Intent to Drill; File Crifl Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACQ-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 day Obtain written approval before disposing or injecting salt water. If well will not be drilled or permit has expired (See, authorized expiration please check the box below and return to the address below.	CT 2 C WI
If Yes, true vertical depth: Bottom Hole Location: KCC DKT#: O\); NW-AlW-SW-AIE; 3795 F5L; 2475 F5L; NLW WSW SE-NE-SE-NE; 3 553 F5L; 102 F6L; NLW It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on a 3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be come Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the complete of the statements made herein are true and to the best of the complete of the statements of Operator or Agent: Date: October 17, 2010 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 107 - 24334-00-00 Conductor pipe required 10 feet per ALT. 11 Minimum surface pipe required 20 feet per ALT. 11 Minimum surface pipe required 20 feet per ALT. 11 Minimum surface pipe required 20 feet per ALT. 11 Minimum surface pipe required 20 feet per ALT. 11 Minimum surface pipe required 10 feet per ALT. 11 Minimum surface pipe required 10 feet per ALT. 11 Minimum surface pipe required 10 feet per ALT. 12 Minimum surface pipe required 10 feet per ALT. 12 Minimum surface pipe required 10 feet per ALT. 12 Minimum surface pipe required 10 feet per ALT. 12 Minimum surface pipe required 10 feet per ALT. 13 Minimum surface pipe required 10 feet per ALT. 14 Minimum surface pipe required 10 feet per ALT. 14 Minimum surface pipe required 10 feet per ALT. 15 Minimum surface pipe required 10 feet per ALT. 16 Minimum surface pipe required 10 feet per ALT. 16 Minimum surface pipe required 10 feet per ALT. 17 Minimu	DWR Permit #: (Note: Apply for Permit with DWR B: No Will Cores be taken? PTD 630; Squitte	CT 2 C WI

KCC WICHITA



IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

	ources, LLC					* _37				🗙 S Line	of Section
Shikles mber: <u>18</u>						* 24			rom 🔀 E /	W Line	of Section
oodrich-Park	er					Sec.	15 Twp	<u>20</u> S.	R. 21	X E L	W
of Acres attri	ibutable to v	* 5E	NE		P	If Section	on corner used	iar, locate well f	SE_	sw	dary.
SI lease roa	now location ds. tank ba	tteries, pipe	II. Show foo	electrical li You may	ines, as re	quired by t separate pl	he Kansas Sui at if desired.	ie. Show the pred face Owner Nigtii	ce Act (House	. u Bill 2032).	
******	:				: : ••.		7		Well Location	n	
			1	10 11e			1		Tank Battery	Location	
			زر	KY PI	20				Pipeline Loc		
			(1)	6 = 0 2	•	:	-3		Electric Line		•
						<u>:</u>			Lease Road	Location	
	: :	:		:	:	:	19.				
j		. :	1				l	EXAMPLE	:	:	ì
		:	ľ								
		- :	L	<u>:</u>	<u>:</u>	<u>_</u> -		:		:	
			 	<u> </u>							
										• •	
											,
									o -		1980 F:
									· · · · · · · · · · · · · · · · · · ·		1980' F
									0		1980' F
									0	•	1980' F
								SEWARD CO. 3	0 1	DE	1980' F

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections CC WICHITA 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

RECEIVED FEB 2 2 2011

KCC WICHITA

15-107-24334-00-00 Kansas Corporation Commission

OIL & GAS CONSERVATION DIVISION

CORRECTED Form Must Be Typed Form must be Signed All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

OPERATOR: License # 34349 Name: Pharyn Resources, LLC Address 1: 15621 West 87th Street, Suite 262	, ne se ne se	
4EG21 Wast 97th Street Couts 200	Well Location: Well Location: WE Sec. 25 Twp. 20 S. R	21 🔽 - 🗀
Address t. 1002 West of thi Sheet, Suite 202	County: Linn	E Aleas West
Address 2:	Lease Name: Shikles	
city: Lenexa State: KS Zip: 66219 +	If filing a Form T-1 for multiple wells on a lease, e. the lease below:	· -
Contact Person: Brad Kramer Chone: (913) 669-2253 Fax: (913) 344-1521		
mail Address: kramerbradley@yahoo.com		
Surface Owner Information: _{Jame:} Jewell & Joan Shikles	When filing a Form T-1 involving multiple surface of	Nicosom ottopia na additional
Name: Jewell & Joan Shikes Address 1: 14617 W. 81st Street	sheet listing all of the information to the left for ea	ich surface owner. Surface
Address 2:	 owner information can be found in the records of the county, and in the real estate property tax records 	
State KS Zip: 66215		-
,		
I certify that, pursuant to the Kansas Surface Owner Notice Ar owner(s) of the land upon which the subject well is or will be to CP-1 that I am filing in connection with this form; 2) if the form b form; and 3) my operator name, address, phone number, fax, ar I have not provided this information to the surface owner(s). I ack CC will be required to send this information to the surface owner(s). I ack to the surface owner that I am being abstrated a \$20.00 km and line.	cated: 1) a copy of the Form C-1, Form CB-1, Feing filed is a Form C-1 or Form CB 1, the plat(s) and email address. Eknowledge that, because I have not provided thinger(s). To mitigate the additional cost of the KC fee, payable to the KCC, which is enclosed with	orm T-1, or Form s) required by this s information, the C performing this this form.
choosing the second option, submit payment of the \$30.00 handling t	iee with this form, if the lee is not received with. I will be returned	this form, the KSONA-1
choosing the second option, submit payment of the \$30.00 handling t	ree with this form, if the fee is not received with will be returned.	VECEIAED
choosing the second option, submit payment of the \$30.00 handling to orm and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1 hereby certify that the statements made herein are true and correct to	the best of my knowledge and belief.	this form. the KSONA-1 RECEIVED OCT 2 5 2010
choosing the second option, submit payment of the \$30.00 handling to born and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1 thereby certify that the statements made herein are true and correct to	vun be returnea.	VECEIVED

KCC WICHITA



Kansas Corporation Commission Oil & Gas Conservation Division

APPLICATION FOR SURFACE PIT

Submit in Duplicate

			Lines-a November 2	4349		
Operator Name: Pharyn Resources,	LLC		License Number: 34			
Operator Address: 15621 West 87	7th Street, Suit	te 262	L	_enexa	KS	66219
Contact Person: Brad Kramer			Phone Number:(9	13) 669-225	3	
Lease Name & Well No.: Shikles	18	Ä	Pit Location (QQQQ)			
Type of Pit:	Pit is;	•	MM MM	SW NE		
Emergency Pit Burn Pit	X Proposed	Existing	Sec. 25 Twp. 2	0 R. 21 X]East ∏ V	Vest
Settling Pit X Drilling Pit	if Existing, date co	nstructed: 🛧		om 🔲 North / 🔀 S		
Workover Pit Haul-Off Pit			2/475 105	om 🔀 East / 🔲 W	(t 1 : f f	See at
(If WP Supply API No. or Year Orilled)	Pit capacity:		Linn	om 🔀 East / 🔲 v	vest Line of a	section
<u></u>	120	(bbls)	<u> </u>			County
Is the pit located in a Sensitive Ground Water	r Area? Yes 🔀	No	Chloride concentration (For Em	n: nergency Pits and Settlir	ng Pits only)	_ mg/i
Is the bottom below ground level? XYes No	Artificial Liner?	No	How is the pit lined if a Native Mud	a plastic liner is not us	sed?	
Pit dimensions (all but working pits):	12 Length (fe	et)6	Width (feet)		I/A: Steel Pit	s
Depth	from ground level to dec	epest point	(feet)		lo Pit	
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic mainte ncluding any special mor		ing	
material, thickness and installation procedure	<u> </u>	liner integrity, is	ncluding any special mor	atoring.	ing	
material, thickness and installation procedure	<u> </u>	liner integrity, is	ncluding any special mor	atoring.	ing	
material, thickness and installation procedure	e of pit:	liner integrity, is	ncluding any special mor	atoring.	⊠ KDW	R
material, thickness and installation procedure Distance to nearest water well within one-mile N A feet Depth of water well	e of pit:	Depth to shalls Source of infor	ncluding any special mor	feet.		R
Distance to nearest water well within one-mile N A feet Depth of water well	e of pit:	Depth to shalld Source of infor measured	owest fresh waterwell owner	feet. electric log		R
Distance to nearest water well within one-mile Distance to nearest water well within one-mile Distance to nearest water w	e of pit:	Depth to shalle Source of infor measured Drilling, Works	owest fresh water well owner well owner over and Haul-Off Pits (feet. electric log DNLY: Drilling Mud		R
Distance to nearest water well within one-mile Depth of water well _ Emergency, Settling and Burn Pits ONLY: Producing Formation:	e of pit:	Depth to shalld Source of informeasured Drilling, Worker Type of material Number of wor	owest fresh water owest fresh water mation: well owner over and Haul-Off Pits (al utilized in drilling/worke	feet. electric log DNLY: Drilling Mud	⊠ kow	R
Distance to nearest water well within one-mile Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced dally: Does the slope from the tank battery allow all	e of pit:	Depth to shalld Source of infor measured Drilling, Work Type of materia Number of wor Abandonment	owest fresh water owest fresh water mation:	electric log DNLY: Drilling Mud 1 Air dry and ba	⊠ kow ackfill	CEIV
Distance to nearest water well within one-mile Distance to nearest water well within one-mile Frequency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced dally: Does the slope from the tank battery allow all	e of pit: feet feet	Depth to shalle Source of informeasured Drilling, Worke Type of material Number of wor Abandonment Drill pits must to	owest fresh water owest fresh water mation:	feet. lefectric log DNLY: Drilling Mud 1 Air dry and bases of spud date.	⊠ kow ackfill	CEIV
Distance to nearest water well within one-mile Depth of water well	e of pit:feet spilled fluids to	Depth to shalle Source of informeasured Drilling, Work Type of materia Number of wor Abandonment Drill pits must be rect to the best of	owest fresh water owest fresh water ower and Haul-Off Pits (al utilized in drilling/worke rking pits to be utilized: procedure: be closed within 365 days frey knowledge and belie	electric log DNLY: Drilling Mud 1 Air dry and base of spud date.	⊠ kow ackfill	
Distance to nearest water well within one-mile N A feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced dally: Does the slope from the tank battery allow all flow into the pit? Yes No	e of pit:feet spilled fluids to	Depth to shallo Source of infor measured Drilling, Work Type of materia Number of wor Abandonment Drill pits must the tect to the best of Signature	owest fresh water	electric log DNLY: Drilling Mud 1 Air dry and base of spud date.	⊠ kow ackfill	CEIV
Distance to nearest water well within one-mile Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced dally: Does the slope from the tank battery allow all flow into the pit? I hereby certify that the above state October 17, 2010	e of pit:feet spilled fluids to	Depth to shalle Source of informeasured Drilling, Work Type of materia Number of wor Abandonment Drill pits must be rect to the best of	owest fresh water	feet. electric log Drilling Mud 1 Air dry and bases of spud date. f. Gent	kow nckfill RE OC KCC	CEIV

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

RECEIVED

FEB 2 2 2011

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



phone: 316-337-6200 fax: 316-337-6211 http://kcc.ks.gov/

Thomas E. Wright, Chairman Ward Loyd, Commissioner

Corporation Commission

Sam Brownback, Governor

February 22, 2011

Pharyn Resources LLC 15621 West 87th St Ste 262 Lenexa, KS 66219

RE:

Drilling Pit Application Shikles Lease Well No. 18 NE/4 Sec. 25-20S-21E Linn County, Kansas

Dear Sir or Madam:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit immediately after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Environmental Protection and Remediation Department

cc: File