For KCC Use: Effective Date: 🖳 District # SGA?

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

| | as Surface Owner Notification Act, MUST be submitted with t | |
|--|---|---|
| Expected Spud Date: 03/03/2011 | Spot Description: | |
| month day year | SE NW NE NW Sec. 19 Twp. 30 S | 22 57- |
| OPERATOR: License# 9313 | (Q/Q/Q/Q) 4,785 Sec Wp Sec Wp Sec Wp Sec Wp Sec Wp Sec Se | |
| Name James D. Lorenz | | S Line of Section |
| Address 1: 543A 22000 Road | In SECTION Drawler Division XIE | / W Line of Section |
| Address 2: | Is SECTION: Regular Irregular? | |
| City: Cherryvale State: KS Zip: 67335 + 8515 | (Note: Locate well on the Section Plat on re | verse side) |
| Contact Person: James D. Lorenz | County: Crawford | · |
| Phone: 620-423-9360 | Lease Name; Amershek II | Well #: 2C |
| 5934 | Field Name: McCune | |
| CONTRACTOR: License#_ 5831 | Is this a Prorated / Spaced Field? | Yes XNo |
| Name: Mokat Drilling | Target Formation(s): Bartlesville | |
| Well Drilled For: Well Class: Type Equipment: | Nearest Lease or unit boundary line (in footage): 165' | |
| ⊠Oil | Ground Surface Elevation: 906Est | feet MSL |
| Gas Storage Pool Ext. XAir Rotary | Water well within one-quarter mile: | Yes No |
| Disposal Wildcat Cable | Public water supply well within one mile: | |
| Seismic ; # of Holes Other | Depth to bottom of fresh water: _50' | L_Yes ⊠No |
| Other: | Depth to bottom of usable water: 100' | |
| | Surface Pipe by Alternate: | - |
| If OWWO: old well information as follows: | Length of Surface Pipe Planned to be set: 20' | |
| Operator: | Length of Conductor Pipe (if any): n/a | |
| Operator: | Projected Total Depth: 350' | |
| Original Completion Date: Original Total Depth: | | <u></u> |
| Original Iolal Depth. | Formation at Total Depth: | |
| Directional, Deviated or Horizontal wellbore? | Water Source for Drilling Operations: | |
| If Yes, true vertical depth: | | |
| Bottom Hole Location: | DWR Permit #: | |
| KCC DKT#: | (Note: Apply for Permit with DWR | • <u> </u> |
| | Will Cores be taken? | ☐Yes XNo |
| | If Yes, proposed zone: | |
| AF | FIDAVIT | DECT! |
| The undersigned hereby affirms that the drilling, completion and eventual p | lugging of this well will comply with K.S.A. 55 et. sea. | RECEIVED |
| t is agreed that the following minimum requirements will be met: | 1, | |
| Notify the appropriate district office <i>prior</i> to spudding of well: | | FEB 2 4 2011 |
| | | |
| 2. A copy of the approved notice of intent to drill shall be nosted on each | sh drilling rig: | |
| A copy of the approved notice of intent to drill shall be posted on eac The minimum amount of surface pipe as specified below shall be se | ch drilling rig; f by circulating coment to the top: in all cases surface pine of | KCCM//CLUTA |
| The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the | t by circulating cement to the top; in all cases surface pipe some underlying formation | |
| The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the distribution of the distribution. If the well is dry hole, an agreement between the operator and the distribution. | t by circulating cement to the top; in all cases surface pipe some underlying formation. Strict office on plug length and placement is necessary prior. | |
| The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the second of the secon | t by circulating cement to the top; in all cases surface pipe some underlying formation. Strict office on plug length and placement is necessary prior upon production casing is comented in: | to plugging; |
| The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the second of the secon | t by circulating cement to the top; in all cases surface pipe some underlying formation. Strict office on plug length and placement is necessary prior liged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS. | to plugging; |
| The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the second of the secon | t by circulating cement to the top; in all cases surface pipe some underlying formation. strict office on plug length and placement is necessary prior aged or production casing is cemented in; ded from below any usable water to surface within 120 DAYS 133.891-C. which applies to the KCC District 3 area, alternation | to plugging; of spud date. |
| The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the second of the secon | It by circulating cement to the top; in all cases surface pipe so the underlying formation. Strict office on plug length and placement is necessary prior aged or production casing is cemented in; and form below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any | to plugging; of spud date. |
| The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the second of the secon | It by circulating cement to the top; in all cases surface pipe so the underlying formation. Strict office on plug length and placement is necessary prior aged or production casing is cemented in; and form below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any | to plugging; of spud date. |
| The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the second of the secon | If by circulating cement to the top; in all cases surface pipe some underlying formation. Strict office on plug length and placement is necessary prior aged or production casing is cemented in; seed from below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any my knowledge and belief. | to plugging; of spud date. |
| The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the second of the secon | It by circulating cement to the top; in all cases surface pipe so the underlying formation. Strict office on plug length and placement is necessary prior aged or production casing is cemented in; and form below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any | to plugging; of spud date. |
| 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the second of the | If by circulating cement to the top; in all cases surface pipe some underlying formation. Strict office on plug length and placement is necessary prior aged or production casing is cemented in; seed from below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any my knowledge and belief. | to plugging; of spud date. |
| 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into | If by circulating cement to the top; in all cases surface pipe so the underlying formation. Strict office on plug length and placement is necessary prior aged or production casing is cemented in; and from below any usable water to surface within 120 DAYS \$133,891-C\$, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any my knowledge and belief. Complete | to plugging; of spud date. te II cementing cementing. |
| 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the second of the s | If by circulating cement to the top; in all cases surface pipe so the underlying formation. In strict office on plug length and placement is necessary prior aged or production casing is cemented in; and from below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any my knowledge and belief. Complete | to plugging; of spud date. te II cementing cementing. |
| 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into | t by circulating cement to the top; in all cases surface pipe so the underlying formation. In strict office on plug length and placement is necessary prior aged or production casing is cemented in; and from below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any my knowledge and belief. Title: agent Remember to: | to plugging; of spud date. te II cementing cementing. |
| 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into t | the circulating cement to the top; in all cases surface pipe so the underlying formation. In strict office on plug length and placement is necessary prior aged or production casing is cemented in; and from below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any my knowledge and belief. Title: agent Remember to: | to plugging; of spud date. te II cementing cementing. |
| 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the second of the s | the virculating cement to the top; in all cases surface pipe so the underlying formation. In strict office on plug length and placement is necessary prior good or production casing is cemented in; ed from below any usable water to surface within 120 DAYS et 133,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any my knowledge and belief. Title: agent Remember to: File Certification of Compliance with the Kansas Surface Of Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date. File acreage attribution plat according to field proration ord. | to plugging; of spud date. te II cementing cementing. where Notification area. |
| 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the second of the s | the virculating cement to the top; in all cases surface pipe so the underlying formation. In strict office on plug length and placement is necessary prior good or production casing is cemented in; led from below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any my knowledge and belief. Title: agent Remember to: File Certification of Compliance with the Kansas Surface O Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration ord. Notify appropriate district office 48 hours prior to workover | to plugging; of spud date. te II cementing cementing. where Notification ers; or re-entry; |
| 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the second of the | the virculating cement to the top; in all cases surface pipe so the underlying formation. In strict office on plug length and placement is necessary prior good or production casing is cemented in; ed from below any usable water to surface within 120 DAYS et 133,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any my knowledge and belief. Title: agent Remember to: File Certification of Compliance with the Kansas Surface Of Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration ord. Notify appropriate district office 48 hours prior to workover. Submit plugging report (CP-4) after plugging is completed. | to plugging; of spud date. te II cementing cementing. where Notification ers; or re-entry; (within 60 days); |
| 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the second of the s | the virculating cement to the top; in all cases surface pipe so the underlying formation. In strict office on plug length and placement is necessary prior good or production casing is cemented in; ed from below any usable water to surface within 120 DAYS et 133,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any my knowledge and belief. Title: agent Remember to: File Certification of Compliance with the Kansas Surface Of Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration ord. Notify appropriate district office 48 hours prior to workover. Submit plugging report (CP-4) after plugging is completed. Obtain written approval before disposing or injecting salt with the content of | to plugging; of spud date. te II cementing cementing. where Notification ers; or re-entry; (within 60 days); ater. |
| 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the seed of the well is dry hole, an agreement between the operator and the district of the well is district of the well be notified before well is either plug of the appropriate district of the will be notified before well is either plug of the appropriate district of the well be notified before well is either plug of the appropriate of the seed of the specific casing order the must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of the plug of the specific casing order the well shall be hereby certify that the statements made herein are true and to the best of the plug of the specific casing order the well shall be hereby certify that the statements made herein are true and to the best of the plug of the specific casing order the well shall be hereby certify that the statements made herein are true and to the best of the plug of the specific case of the speci | It by circulating cement to the top; in all cases surface pipe so the underlying formation. In strict office on plug length and placement is necessary prior good or production casing is cemented in; led from below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any my knowledge and belief. Title: agent Remember to: File Certification of Compliance with the Kansas Surface Of Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration ord. Notify appropriate district office 48 hours prior to workover. Submit plugging report (CP-4) after plugging is completed. Obtain written approval before disposing or injecting salt within 15 will into the drilled or permit has expired (See: authorized). | to plugging; of spud date. te II cementing cementing. where Notification ers; or re-entry; (within 60 days); ater. ed expiration date) |
| 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the second of the | the priculating cement to the top; in all cases surface pipe so the underlying formation. In strict office on plug length and placement is necessary prior aged or production casing is cemented in; led from below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any my knowledge and belief. File Certification of Compliance with the Kansas Surface Office Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration ord. Notify appropriate district office 48 hours prior to workover. Submit plugging report (CP-4) after plugging is completed. Obtain written approval before disposing or injecting salt with 11 will will not be drilled or permit has expired (See: authoriz please check the box below and return to the address below. | to plugging; of spud date. te II cementing cementing. where Notification area; or re-entry; (within 60 days); ater. ed expiration date) |
| 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the seed of the well is dry hole, an agreement between the operator and the district of the well is district of the well be notified before well is either plug of the appropriate district of the will be notified before well is either plug of the appropriate district of the well be notified before well is either plug of the appropriate of the seed of the specific casing order the must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of the plug of the specific casing order the well shall be hereby certify that the statements made herein are true and to the best of the plug of the specific casing order the well shall be hereby certify that the statements made herein are true and to the best of the plug of the specific casing order the well shall be hereby certify that the statements made herein are true and to the best of the plug of the specific case of the speci | It by circulating cement to the top; in all cases surface pipe so the underlying formation. In strict office on plug length and placement is necessary prior good or production casing is cemented in; led from below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any my knowledge and belief. Title: agent Remember to: File Certification of Compliance with the Kansas Surface Of Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration ord. Notify appropriate district office 48 hours prior to workover. Submit plugging report (CP-4) after plugging is completed. Obtain written approval before disposing or injecting salt within 15 will into the drilled or permit has expired (See: authorized). | to plugging; of spud date. te II cementing cementing. where Notification where Notification sers; or re-entry; (within 60 days); ater. ed expiration date) |

For KCC Use ONLY API#15- 037-22/49-000

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| Operator: James D. Lorenz | Location of Well: County: Crawford | |
|--|--|--|
| Lease: Amershek II | 4,785 feet from | |
| Well Number: 2C | | |
| Field: McCune | | |
| Number of Acres attributable to well: | Is Section: Regular or Irregular | |
| QTR/QTR/QTR/QTR of acreage: SE - NW - NE - NW | | |
| | If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW | |
| | PLAT I lease or unit boundary line. Show the predicted locations of | |
| lease roads, tank batteries, pipelines and electrical lines, as re | equired by the Kansas Surface Owner Notice Act (House Bill 2032). separate plat if desired. | |
| | | |
| | | |
| | LEGEND | |
| | O Well Location | |
| | • | |
| | Tank Battery Location Pipeline Location | |
| | | |
| | Electric Line Location | |
| | Lease Road Location | |
| | : | |
| | | |
| 19 | EXAMPLE | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | 1980' FSL | |
| | | |
| | ······································ | |
| | | |
| | SEWARD CO. 3390' FEL | |

In plotting the proposed location of the well, you must show:

1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections.

RECEIVED

FEB 2 4 2011

2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

15-037-22149-0000 KANSAS CORPORATION COMMISSION

OIL & GAS CONSERVATION DIVISION

Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

| 9313 | | |
|--|---|--|
| OPERATOR: License # 9313 | Well Location: SE NW NE NW Sec. 19 Twp. 30 S. R. 22 XEas Wes | |
| Name: 543A 22000 Road | | |
| Address 1: | County: Crawford Lease Name: Amershek II Well #: 2C | |
| Cherryvale KS - 67335 8515 | Lease Name: Atherstex II Well #: 20 | |
| Contact Barrer James D. Lorenz | If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below: | |
| Contact Person: 423-9360 | | |
| Name: James D. Lorenz Address 1: 543A 22000 Road Address 2: | | |
| Surface Owner Information: Name: Richard Amershek Address 1: 668 W. Highway 216 | When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the | |
| Address 2 | | |
| Address 2: City: McCune State: KS Zip: 66753 + | county, and in the real estate property tax records of the county treasurer. | |
| If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathe KCC with a plat showing the predicted locations of lease roads, | county, and in the real estate property tax records of the county treasurer. thodic Protection Borehole Intent), you must supply the surface owners and tank batteries, pipelines, and electrical lines. The locations shown on the plated on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. | |
| If this form is being submitted with a Form C-1 (Intent) or CB-1 (Ca the KCC with a plat showing the predicted locations of lease roads, | thodic Protection Borehole Intent), you must supply the surface owners and tank batteries, pipelines, and electrical lines. The locations shown on the plat | |
| If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathe KCC with a plat showing the predicted locations of lease roads, are preliminary non-binding estimates. The locations may be entered. Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the forform; and 3) my operator name, address, phone number, father than the provided this information to the surface owner(s). KCC will be required to send this information to the surface | athodic Protection Borehole Intent), you must supply the surface owners and tank batteries, pipelines, and electrical lines. The locations shown on the plat and on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. The Act (House Bill 2032), I have provided the following to the surface be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form the being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address. I acknowledge that, because I have not provided this information, the cowner(s). To mitigate the additional cost of the KCC performing this | |
| If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathe KCC with a plat showing the predicted locations of lease roads, are preliminary non-binding estimates. The locations may be entered Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form; and 3) my operator name, address, phone number, factoric linear provided this information to the surface owner(s). KCC will be required to send this information to the surface task, I acknowledge that I am being charged a \$30.00 hands. | athodic Protection Borehole Intent), you must supply the surface owners and tank batteries, pipelines, and electrical lines. The locations shown on the plat and on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. The Act (House Bill 2032), I have provided the following to the surface be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form the being filed is a Form C-1 or Form CB-1, the plat(s) required by this x, and email address. I acknowledge that, because I have not provided this information, the cowner(s). To mitigate the additional cost of the KCC performing this ling fee, payable to the KCC, which is enclosed with this form. | |
| If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathe KCC with a plat showing the predicted locations of lease roads, are preliminary non-binding estimates. The locations may be entered Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form; and 3) my operator name, address, phone number, factoric linear provided this information to the surface owner(s). KCC will be required to send this information to the surface task, I acknowledge that I am being charged a \$30.00 hands. | athodic Protection Borehole Intent), you must supply the surface owners and tank batteries, pipelines, and electrical lines. The locations shown on the plat and on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. The Act (House Bill 2032), I have provided the following to the surface be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form the being filed is a Form C-1 or Form CB-1, the plat(s) required by this x, and email address. I acknowledge that, because I have not provided this information, the electron owner(s). To mitigate the additional cost of the KCC performing this ling fee, payable to the KCC, which is enclosed with this form. If the fee is not received with this form, the KSONA-1 CP-1 will be returned. | |
| If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathe KCC with a plat showing the predicted locations of lease roads, are preliminary non-binding estimates. The locations may be entered Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form; and 3) my operator name, address, phone number, factory in the surface owner (s). KCC will be required to send this information to the surface task, I acknowledge that I am being charged a \$30.00 hands form and the associated Form C-1, Form CB-1, Form T-1, or Form CB-1, Form | athodic Protection Borehole Intent), you must supply the surface owners and tank batteries, pipelines, and electrical lines. The locations shown on the plat and on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. The Act (House Bill 2032), I have provided the following to the surface be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form the being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address. I acknowledge that, because I have not provided this information, the electron owner(s). To mitigate the additional cost of the KCC performing this ling fee, payable to the KCC, which is enclosed with this form. If the fee is not received with this form, the KSONA-1 RECEIVED. | |
| If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathe KCC with a plat showing the predicted locations of lease roads, are preliminary non-binding estimates. The locations may be entered Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form; and 3) my operator name, address, phone number, factorized in the surface owner(s). I have not provided this information to the surface owner(s). KCC will be required to send this information to the surface task, I acknowledge that I am being charged a \$30.00 hands. | athodic Protection Borehole Intent), you must supply the surface owners and tank batteries, pipelines, and electrical lines. The locations shown on the plat and on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. The Act (House Bill 2032), I have provided the following to the surface be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form and being filed is a Form C-1 or Form CB-1, the plat(s) required by this x, and email address. I acknowledge that, because I have not provided this information, the electron owner(s). To mitigate the additional cost of the KCC performing this ling fee, payable to the KCC, which is enclosed with this form. If the fee is not received with this form, the KSONA-1 CP-1 will be returned. | |

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| Operator Name: James D. Lorenz | | License Number: 9313 | | |
|---|---------------------------------|----------------------------|---|--|
| Operator Address: 543A 22000 Road | | Cherryvale KS 67335 | | |
| Contact Person: James D. Lorenz | | Phone Number: 620-423-9360 | | |
| Lease Name & Well No.: Amershek II | lame & Well No.: Amershek II 2C | | Pit Location (QQQQ): | |
| Type of Pit: | Pit is: | , | SE NW NE NW | |
| Emergency Pit Burn Pit | Proposed Existing | | Sec. 19 Twp. 30 R. 22 X East West | |
| Settling Pit Drilling Pit | If Existing, date constructed: | | 4,785 Feet from North / X South Line of Section | |
| Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) | Dit conneits: | | 3,465 Feet from X East / West Line of Section | |
| (ii vvr Supply Art No. or tear Dillieu) | Pit capacity:(bbls) | | Crawford County | |
| Is the pit located in a Sensitive Ground Water A | | | Chloride concentration: mg/l (For Emergency Pits and Settling Pits only) | |
| Is the bottom below ground level? | Artificial Liner? | | How is the pit lined if a plastic liner is not used? | |
| X Yes No | Yes XI | No . | Native Clay | |
| Pit dimensions (all but working pits): | <u> </u> | et) | Width (feet) N/A: Steel Pits | |
| Depth fro | m ground level to de | epest point: | 5 (feet) No Pit | |
| | | | edures for periodic maintenance and determining including any special monitoring. | |
| | | | | |
| ' | | west fresh waterfeet. | | |
| n/a . | | Source of inforr | mation: well owner electric log KDWR | |
| | | Drilling, Worke | over and Haul-Off Pits ONLY: | |
| | | | Type of material utilized in drilling/workover: | |
| ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | | king pits to be utilized: | |
| | | Abandonment p | a:- day and | |
| Does the slope from the tank battery allow all spilled fluids to | | Drill pits must b | e closed within 365 days of spud date. | |
| I hereby certify that the above statements are true and correct to the best of my knowledge and belief. FEB 2 4 2011 | | | | |
| 2/21/11 Date **Elew J. Social KCC WICHITA Signature of Applicant of Agent | | | | |
| KCC OFFICE USE ONLY Liner Steel Pit KRFAC RFAS | | | | |
| Date Received: 2 - 24 - 11 Permit Number: Permit Date: 2 - 24 - 11 Lease Inspection: Yes A No | | | | |

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



phone: 316-337-6200 fax: 316-337-6211 http://kcc.ks.gov/

Thomas E. Wright, Chairman Ward Loyd, Commissioner

Corporation Commission

Sam Brownback, Governor

February 24, 2011

James D. Lorenz 543A 22000 Road Cherryvale, KS 67335-8515

RE:

Drilling Pit Application

Amershek II Lease Well No. 2C

NW/4 Sec. 19-30S-22E Crawford County, Kansas

Dear Sir or Madam:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit immediately after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Kathythen

Environmental Protection and Remediation Department

cc: File