Kansas Corporation Commission One Point Stabilized Open Flow or Deliverability Test

rype rest:	_				(56	e instructi	ons on	Reverse	e Side)						
	☐ Open Flow ☐ Deliverability ☐ Test Da			Test Date:	Date: 10/21/2010					API No. 15081216950000					
Company OXY USA Ir	10			······		Lease HALL		6-30-32	,				We	ll Number	
County Haskell	unty Location							TWP 30S			RNG (E/W)		Acres Attributed 640		
ield	370	TIVE OF I	1000 1 11	 	eservoir		303		<u> </u>		s Gathering	Connection	n	040	
HASKELL TOWNSHIF					Morrow						IEOK				
Completion D 12/08/2007	ate			. PI	ug Back 5,7 9	Total Dept 08'	th			Pac	cker Set at				
Casing Size	ze Weight 15.5#				Internal Diameter 4.950"			Set at 5,728 '			Perforations 4,732'		To 5,310 '		
ubing Size					Internal Diameter 1.995"			Set at 5,708'			Perforations		То		
Type Completion (Describe) SINGLE - GAS				Ту	/pe Fluid				Pump Unit or Travelii			eling Plunger? Yes / No Yes - Beam Pump			
Producing Thru (Annulus / Tubing) Annulus						Carbon Did 0.236%	oxide			% Nitrogen 14.380%			Gas Gravity - Gg 0.735		
Vertical Depth (H) 5,021'					Pressure Ta Flange			os					(Meter Run) (Prover) Size 2.067"		
Pressure Buil	dup:	Shut in _	10/2	0 2	o 10	at 9:00			Taken		10/21	20 10	at 9:	00	
Vell on Line:		Shut in _			o <u>.</u>	at	_	,	Taken			20	at		
•						OBSERV	/ED SU	JRFACE	DATA			uration of	Shut-in	24 Hours	
Static / Dynamic	Orifice Size	ifice <i>Meter</i> Differe		Pressure Differential in					d Pressure			Pressure	Duration	Liquid Produce	
Property			Inches H ₂ C			psig ps		psia		psig	psia	(Hours)	(Barrels)		
Shut-In				I	1	i i		232.3	246	.7	0.0	0.0	24		
Flow					1	51 014 63	TDEAN	ATTOU	DUTES		1	•	L		
	T			· ·		FLOW S1		TATIRE	BUIES	_					
Plate Coefficient (F _b) (F _p) Mcfd	1 1	Meter or Ex over Pressure		ess nsion , x h	Gravity Factor F _g	Temp Fa	owing perature actor F _{it}	Deviation Factor F _{pv}		Metered Flow R (Mcfd)		(Cubic	GOR : Feet/Barrel)	Flowing Fluid Gravity G _m	
	 				*			1			· · · · · · · · · · · · · · · · · · ·				
P _c) ² = 60	.9 :	(P _w) ²	?= 0.0	•	OPEN FL	OW) (DEL	-IVERA		CALC! 4.4) + 1			:	(Pa	$)^2 = 0.207$ $)^2 = 0$	
$(P_c)^2 - (P_n)^2$ or $(P_c)^2 - (P_d)^2$	$P_{e}^{2} - (P_{s})^{2}$ Choose Formula 1 ($P_{e}^{2} - P_{s}^{2}$ or $(P_{e})^{2} - (P_{w})^{2}$ 2 $P_{s}^{2} = P_{s}^{2}$		P _a ²	2: LOG of formula 1. or 2. P_e^2 -		Backpressure Curve Slope = "n" - P _w ² - Assigned Standard Slope		Curve	nxLOG _,			Antilog	Open Flow Deliverability Equals R x Antilog (Mcfd)		
Open Flow	pen Flow 0 Mcfd @ 14.65 p			5 psia Deliverability				Mcfd @ 14.65 psia							
he facts stated th		The undersig	ned authority	y, on behalf o	f the Compa	ny, states tha	it he is du	ily authorize	ed to make	the a	above report and	that he has k	nowledge of	2010	
			Mtness				•			1	BOO	For Compa	XY USA In	O RECEIV	

OCT 2 7 2010

I declare under penalty of perjury under the laws of the state of Kansas that I K.A.R. 82-3-304 on behalf of the operator OXY USA Inc. and 9	am authorized to request exempt status under Rule that the foregoing pressure information and statements
contained on this application form are true and correct to the best of my knowledge	.
and lease records of equipment installation and/or upon type of completion or upon	
I hereby request a one-year exemption from open flow HALL 9-6 said well:	for the gas well on the grounds that
Salu Well.	
(Check one)	÷ .
is a coalbed methane producer	
is cycled on plunger lift due to water	•
is a source of natural gas for injection into an oil reservoir undergoing EF	· · · · · · · · · · · · · · · · · · ·
is on a vacuum at the present time; KCC approval Docket No.	•
is not capable of producing at a daily rate in excess of 250 mcf/D	
I further agree to supply to the best of my ability any and all supporting documer corroborate this claim for exemption from testing.	nts deemed by Commission staff as necessary to
	•
Date: October 25, 2010	
	Ribert Giles Signature: OXY USA Inc
·	Title: Gas Flow Analyst

Instructions: If a gas well meets one of the eligibility criteria set out in the KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31st of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

OCT 2 7 2010
KCC WICHITA



P. O. Box 27570 Houston, Texas 77227-7570

Phone 713.366.5599 713.350.4873

Riochi Giles Mid-Continent Business Unit

October 25, 2010

Jim Hemmen Finney State Office Building 130 South Market Street, Room 2078 Wichita, Kansas 67202-3802

RE:

HALL 9-C16-30-32

15-081-21695-0000

Section 16, Township 30 South, Range 32 West

Haskell County, Kansas

Dear Mr. Hemmen:

Enclosed you will find the 2010 Form G-2 for the above listed gas well. OXY is requesting an exemption from annual open flow testing due to this well is not capable of producing at a daily rate in excess of 250 million cubic feet per day.

If you have any questions, need additional information or would like to discuss this matter, please feel free to contact me.

Regards, ochi Miles

Riochi Giles

Gas Flow Analyst

Mid-Continent Business Unit

Oxy USA Inc.

Enclosures:

2010 Form G-2

Cc:

Well Test File