KCC WICHITA

## KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

| Type Tes  | t:           |                                       |  |   | (                      | See Instruct  | tions on Re             | everse Side              | )                                      |                                       |  |                           |  |
|---|--------------|---------------------------------------|--|---|------------------------|---|-------------------------|--------------------------|--|---------------------------------------|--|---------------------------|--|
| Op  | oen Flo      | w                                     |  |   | Test Date              | •   |                         |                          | ADI N                                  | lo 15 -/5                             | 5-19 0                                 | 03-000 D                  |  |
| De  | eliveral     | bilty                                 |  |   | lesi Dali              | <b>3.</b>   |                         | 1                        | VELL                                   | ري ا د. 10. ان                        | 5 -11, 0                               |                           |  |
| Company   | y R          | 4 1                                   | 3011   | + Gas   | $T_{n}$                | •   | Lease Q                 | eece                     | ······································ |                                       |  | Well Number               |  |
| County Location                                       |              |                                       |  | Section   | <u> </u>               | TWP 265   |                         | RNG (E/W)                |  | Acres Attributed                      |  |                           |  |
| Field   | ,            | <u>′</u>                              |  |   | Reservoi               | · .   |                         |                          |  | ering Connec                          | ction                                  |                           |  |
|   |              | ad                                    | 0  | · · · · · · · · · · · · · · · · · · ·                       |                        | 155   |                         |                          |  | · · · · · · · · · · · · · · · · · · · |  | <u> </u>                  |  |
| Completi  |              |                                       | 57   |   | Plug Bac               | k Total Dept<br>39/8                                      | th                      |                          | Packer Se                              | s Lei                                 | rado Sy                                | stem                      |  |
| Casing S  | Size         | t!                                    | Weig   | 9,5#  | Internal [             | Diameter  | Set a 39                | at<br>50                 | Perfora                                | tions                                 | rado Sy<br>3856 -                      | 3868                      |  |
| Tubing S  | 3/8          | , //                                  | Weig   | 1.7 #   | Internal [             | Diameter  | Set a                   | at                       | Perfora                                | tions                                 | То                                     | ·<br>·                    |  |
| Type Con  | poletio      | n (D                                  | escribe)   |   | Type Flui              | d Production  | )                       |                          | Pump Unit                              | or Traveling                          | Plunger? (es)                          | / No                      |  |
|   | CIO          | 1_/                                   | Frac   |   |                        | Nate  | <u> </u>                |                          | 9/ Nitrogon                            | PU                                    | Con Cr                                 | avity - G                 |  |
| Producing   | g Inru       |                                       | nulus / Tubii  |   | % C                    | arbon Dioxid  | ae                      |                          | % Nitroger                             | 1                                     | . <i>17</i>                            | 190 RTU                   |  |
| Vertical D  | Depth(l      |                                       | noulu.   | <u> </u>  |                        | Press   | sure Taps               |                          |  |                                       | (Meter I                               | Run) (Prover) Size        |  |
| •   |              |                                       |  |   |                        |   |                         |                          |  |                                       |  |                           |  |
| Pressure  | Buildu       | ıp:                                   | Shut in  | 9-23 2  | 0 10 at_               |   | (AM) (PM)               | Taken                    | ·                                      | 20 _                                  | at                                     | (AM) (PM)                 |  |
| Well on L   | ine:         |                                       | Started  | 9-24 20   | 2 <u>/ / /</u> at      | <u> </u>  | (AM) (PM)               | Taken                    |  | 20 _                                  | at                                     | (AM) (PM)                 |  |
|   |              |                                       | -  |   |                        | OBSERVE   | D SURFACI               | <del></del>              |  | 1                                     | Ouration of Shut-                      | in Hours                  |  |
| Static /  | Orif         |                                       | Circle one:<br>Meter   | Pressure<br>Differential                                    | Flowing                | Well Head   | Cas<br>Wellhead         |                          |  | oing<br>Pressure                      | Duration                               | Liquid Produced           |  |
| -,  |              | Size<br>ches) Prover Pres<br>psig (Pm |  | s <i>ure</i> in   | Temperature<br>t       | Temperature<br>t  | (P <sub>w</sub> ) or (P | psla                     | (P <sub>w</sub> ) or (F                | P,) or (P <sub>c</sub> )              | (Hours)                                | (Barrels)                 |  |
| Shut-In   | ut-in        |                                       |  |   | ·                      | 30  |                         |                          | ·                                      |                                       |  |                           |  |
| Flow  |              |                                       |  |   | *                      |   |                         |                          |  |                                       | •                                      |                           |  |
| L1  | L            |                                       |  |   |                        | FLOW STR  | EAM ATTR                | IBUTES                   |  | ,                                     |  |                           |  |
| Plate   |              |                                       | Circle one:  | Press   |                        |   | Flowing                 |                          | -41                                    | Material Flow                         | GOR                                    | Flowing                   |  |
| Coeffictient (F <sub>b</sub> ) (F <sub>p</sub> ) Mcfd |              | Meter or<br>Prover Pressure<br>psia   |  | Extension   | Gravity<br>Factor      |   | Temperature             |                          | viation Metered Flow<br>factor R       |                                       | (Cubic Fe                              | / Fluid<br>Gravity        |  |
|   |              |                                       |  | √ P <sub>m</sub> x <sub>i</sub> h                           | . F                    |   | F <sub>it</sub>         | · F                      | F <sub>pv</sub> (N                     |                                       | Barrel)                                | G <sub>m</sub>            |  |
| 4 - 10  |              |                                       |  |   | 3=                     |   |                         |                          |  |                                       |  |                           |  |
|   | • -          |                                       | , .  |   |                        | OW) (DELIVE   |                         |                          |  |                                       |  | ?= 0.207                  |  |
| (P <sub>c</sub> ) <sup>2</sup> =                      | <del>'</del> | <u>-:</u>                             | (P <sub>w</sub> ) <sup>2</sup> :                             | Choose formula 1 or 2:                                      | P <sub>d</sub> =       |   |                         | P <sub>c</sub> - 14.4) + | 14.4 =                                 |                                       | (P <sub>d</sub> ) <sup>2</sup>         |                           |  |
| (P <sub>c</sub> )²-(F                                 | ⊃ຸ)²         | (P                                    | <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup> | 1. P <sub>c</sub> <sup>2</sup> -P <sub>a</sub> <sup>2</sup> | LOG of formula         |   |                         | ssure Curve<br>pe = "n"  | n x LO                                 | G .                                   | A-40                                   | Open Flow Deliverability  |  |
| or<br>(P <sub>c</sub> )² - (F                         | - )²         |                                       |  | 2. P <sub>c</sub> <sup>2</sup> -P <sub>d</sub> <sup>2</sup> | 1. or 2.<br>and divide | P <sub>c</sub> <sup>2</sup> - P <sub>w</sub> <sup>2</sup> |                         | or<br>signed             |  |                                       | Antilog .                              | Equals R x Antilog (Mcfd) |  |
|   | -            |                                       |  | divided by: Pc Pw   | by:                    |   | Standa                  | ard Slope                | 1.                                     |                                       |  | (Mora)                    |  |
| -   |              |                                       |  |   |                        |   |                         |                          |  |                                       | ************************************** |                           |  |
|   |              |                                       |  |   | ·                      | · .   |                         |                          |  |                                       | ·                                      |                           |  |
| Open Flow   | N            |                                       |  | Mcfd @ 14.6   | 35 psia                |   | Deliverab               | ility                    |  | . M                                   | cfd @ 14.65 psi                        | a .                       |  |
|   |              |                                       |  | on behalf of the  |                        |   |                         | thorized to              | make the                               | 11                                    |  |                           |  |
| the facts st  | tated ti     | hereii                                | n, and that s  | aid report is true  | and correct            | . Executed  | this the                | ر                        | lay of                                 | 700                                   | <u> </u>                               | , 20 /0                   |  |
|   |              |                                       |  |   |                        |   | RECE                    | IVETS                    | inde                                   | The                                   | day                                    | DEAPN IEE                 |  |
| Witness (if any)                                      |              |                                       |  |   |                        |   |                         |                          | For Cor                                | mpany \                               | RECEIVED                               |                           |  |
|   |              |                                       | For Comi   | mission   |                        | -   | DEC 0                   | 8 2010                   | •                                      | Checke                                | ed by                                  | NOV 1 5 2010              |  |
|   |              |                                       |  |   |                        | K   | CC W                    | CHIT                     | Д                                      |                                       |  | KCC WICHIT                |  |

| I declare under penalty of perjury under the laws of the state of Kansas that I am authorized to request exempt status under Rule K.A.R. 82-3-304 on behalf of the operator   |
|---|
| and that the foregoing pressure information and statements contained on this application form are true and correct to the best of my knowledge and belief based upon available production summaries and lease records of equipment installation and/or upon type of completion or upon use being made of the gas well herein named.  I hereby request a one-year exemption from open flow testing for the |
| gas well on the grounds that said well:  (Check-one)  |
| is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No.  is not capable of producing at a daily rate in excess of 250 mcf/D   |
| I further agree to supply to the best of my ability any and all supporting documents deemed by Commission staff as necessary to corroborate this claim for exemption from testing.  |
| Date: 11-8-2010   |
|   |
| Title: Ves  |
|   |

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

RECEIVED

DEC 08 2010

NOV 1 5 2010

KCC WICHITA

KCC WICHITA