

CONFIDENTIAL

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Form ACO-1
September 1999
Form Must Be Typed

12/11/10

Operator: License # 32825
Name: Pioneer Exploration, LLC
Address: 15603 Kuykendahl Suite 200
City/State/Zip: Houston, Texas 77090
Purchaser: Warren Drilling, LLC
Operator Contact Person: Cynthia B. Gray
Phone: (281) 893-9400 x.259
Contractor: Name: Warren Drilling LLC
License: 33724
Wellsite Geologist: Patrick Deenihan

KCC
DEC 11 2010
CONFIDENTIAL

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SIOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____

08/21/08	08/31/08	09/1/08
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 055-22011-00-00
County: Finney
SW SW NW Sec. 19 Twp. 22 S. R. 33 East West
2310 feet from S (N) (circle one) Line of Section
330 feet from E (W) (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE (NW) SW
Lease Name: Garden City "B" Well #: 15-19
Field Name: Damme

Producing Formation: _____
Elevation: Ground: 2911 Kelly Bushing: 2924
Total Depth: 5050 Plug Back Total Depth: 4961
Amount of Surface Pipe Set and Cemented at 345 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set 2690 Feet
If Alternate II completion, cement circulated from 5004 2690
feet depth to surface w/ 4125-120 sx cmt
AIF 2-Dlg - 2/3/09

Drilling Fluid Management Plan
(Data must be collected from the Reserve Pit)
Chloride content _____ ppm Fluid volume _____ bbls
Dewatering method used _____
Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Docket No.: _____


INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Cynthia B Gray
Title: Field Operations Date: 12/11/08

Subscribed and sworn to before me this 11th day of December, 2008.

Notary Public: Clark Ordas
Date Commission Expires: 12-13-2010



KCC Office Use ONLY
 Letter of Confidentiality Received
 If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution
RECEIVED
KANSAS CORPORATION COMMISSION
DEC 15 2008

Operator Name: Pioneer Exploration, LLC Lease Name: Garden City "B" Well #: 15-19
 Sec. 19 Twp. 22 S. R. 33 East West County: Finney

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i> List All E. Logs Run: CNL/CDL MEL, DIL, CBL	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum SEE ATTACHED
--	---

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12-1/4"	8-5/8"	24	345	Common	225	3% cc w/ 2% gel
Production	7-7/8"	4-1/2"	9.5	5004	C/C-lite/ASC	1125	10% salt, 2% gel, 5# gilsonite, 1/4# flo-seal

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
4	4823-25, 4848-49		4823-49
	Plan to set CIBP		
4	4823-49	Acidize 800 gal. 7 1/2 NEFE w/16 balls	4823-49

TUBING RECORD	Size	Set At	Packer At	Liner Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
---------------	------	--------	-----------	---


Date of First, Resumerd Production, SWD or Enhr. waiting on KCC approval	Producing Method <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)
---	---

Estimated Production Per 24 Hours	Oil Bbls. n/a	Gas Mcf n/a	Water Bbls. n/a	Gas-Oil Ratio n/a	Gravity
-----------------------------------	---------------	-------------	-----------------	-------------------	---------

Disposition of Gas Vented Sold Used on Lease *(If vented, Submit ACO-18.)*

METHOD OF COMPLETION Open Hole Perf. Dually Comp. Commingled Other (Specify)

Production Interval



Garden City "B" #15-19
Damme Field
Finney County
API. NO. 15-055-22011-00-00

Tops and base of formation penetrated

<u>Name</u>	<u>Top</u>	<u>Datum</u>
Herington	2530	(+394)
Krider	2559	(+365)
Winfield	2615	(+309)
Heeber Shale	3838	(-914)
Lansing	3890	(-966)
Base/Kansas City	4374	(-1450)
Cherokee Shale	4525	(-1600)
Morrow	4724	(-1800)
St. Louis	4811	(-1887)

KCC
DEC 11 2008
CONFIDENTIAL

RECEIVED
KANSAS CORPORATION COMMISSION

DEC 15 2008

CONSERVATION DIVISION
WICHITA, KS

ALLIED

CEMENTING CO., LLC
Cementing & Acidizing Services

24 S. Lincoln Street
P.O. Box 31
Russell, KS 67665-2906
Voice: (785) 483-3887
Fax: (785) 483-5566

RECEIVED
SEP 08

CONFIDENTIAL INVOICE

Invoice Number: 115860
Invoice Date: Sep 1, 2008
Page: 1

KCC
9/1/2008
CONFIDENTIAL

Bill To:
Pioneer Exploration, LTD
P O Box 38
Spivey, KS 67142-0038

Customer ID	Well Name / Customer	Payment Terms	
PioExp	Garden City B #15-19	Net 30 Days	
Job Location	Well Location	Service Date	Due Date
KS1	Oakley	Sep 1, 2008	10/1/08

Quantity	Item	Description	Unit Price	Amount
4.00	MAT	Gel	20.80	83.20
200.00	MAT	ASC Class A	18.60	3,720.00
200.00	MAT	Lightweight Class A	14.05	2,810.00
1,000.00	MAT	Gilsonite	0.89	890.00
19.00	MAT	Salt	23.95	455.05
50.00	MAT	Flo Seal	2.50	125.00
460.00	SER	Handling	2.40	1,104.00
73.00	SER	Mileage 460 sx @ .10 per sk per mi	46.00	3,358.00
1.00	SER	Production String - Bottom Stage	2,185.00	2,185.00
73.00	SER	Mileage Pump Truck	7.00	511.00
1.00	SER	Manifold Head	113.00	113.00
1.00	EQP	AFU Float Shoe	434.00	434.00
10.00	EQP	Centralizers	51.00	510.00
3.00	EQP	Basket	169.00	507.00
1.00	EQP	Latch Down Assembly	405.00	405.00
1.00	EQP	D V Tool	4,219.00	4,219.00

DESCRIPTION Cementing
Svc.
ACCOUNT # 115860-15
WELL NAME Garden City B #15-19 KS15915
AFE# 07080042
DATE 9-8-08 APPROVED _____

Subtotal	21,429.25
Sales Tax	877.81
Total Invoice Amount	22,307.06
Payment/Credit Applied	
TOTAL	22,307.06

ALL PRICES ARE NET, PAYABLE 30 DAYS FOLLOWING DATE OF INVOICE. 1 1/2% CHARGED THEREAFTER. IF ACCOUNT IS CURRENT, TAKE DISCOUNT OF

\$

ONLY IF PAID ON OR BEFORE

Oct 1, 2008

RECEIVED
KANSAS CORPORATION COMMISSION

DEC 15 2008

CONSERVATION DIVISION
WICHITA, KS

ALLIED CEMENTING CO., LLC. 31596

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: Ogala, Ks

DATE <u>9/1/08</u>	SEC <u>19</u>	TWP <u>22</u>	RANGE <u>33</u>	CALLED OUT	ON LOCATION <u>1030 Am</u>	JOB START <u>6:00</u>	JOB FINISH <u>2:00</u>
LEASE <u>Garden City B</u>	WELL # <u>15-19</u>		LOCATION <u>Big Lower & Barlow Rd W 1/2</u>	COUNTY <u>Finney</u>		STATE <u>Ks</u>	
OLD OR <u>NEW</u> (Circle one)				<u>S. 1/2 W into</u>			

CONTRACTOR Warren 18

TYPE OF JOB Production Bottom Stage

HOLE SIZE 2 1/8 T.D. 4999 3/4

CASING SIZE 4 1/2 DEPTH

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL DV DEPTH 2690

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT 42 1/4

CEMENT LEFT IN CSG. 42 1/4

PERFS.

DISPLACEMENT 3600 L water 45 ADL mud

OWNER Same

CEMENT

AMOUNT ORDERED 200 SKs LITE 1/4 lb Flo Seal
200 SK ASC 10 70 Salt, 5 lb gilsonite, 2 1/2 gal

COMMON	@		
POZMIX	@		
GEL	<u>4</u>	@	<u>20.00</u> <u>83.20</u>
CHLORIDE	@		
ASC	<u>200 SKs</u>	@	<u>18.00</u> <u>3720.00</u>
	@		
<u>200 SKs LITE</u>	@	<u>14.05</u>	<u>2810.00</u>
	@		
<u>Gilsonite 1000</u>	@	<u>.89</u>	<u>890.00</u>
	@		
<u>Salt 19 SKs</u>	@	<u>23.95</u>	<u>455.05</u>
	@		
<u>Flo Seal 50 lb</u>	@	<u>2.90</u>	<u>125.00</u>
HANDLING <u>460 SKs</u>	@	<u>2.40</u>	<u>1104.00</u>
MILEAGE <u>109 SK/mile</u>			<u>3358.00</u>
			<u>TOTAL 12545.25</u>

EQUIPMENT

PUMP TRUCK CEMENTER Alan - Terry

422 HELPER Wayne

BULK TRUCK

373 DRIVER Jerry

BULK TRUCK 399

386 DRIVER Lorraine

REMARKS:

Mix 200 SKs LITE Tailor / 200 SKs ASC Wash Tr. & R. Line
Displace Plug w/ 26 1/2" water 45 ADL mud
Drop 1100 lb LITE and Plug 2100 lb
Float held. Release DV. opening
Tool, open DV tool. Circulate 2 hrs.

Thank You
Alan, Terry, Wayne, Lorraine, Lorraine
Jerry

CHARGE TO: Pioneer Exploration

STREET _____

CITY _____ STATE _____ ZIP _____

SERVICE

DEPTH OF JOB 4999 3/4'

PUMP TRUCK CHARGE 2185.00

EXTRA FOOTAGE @ _____

MILEAGE 73 @ 7.00 511.00

MANIFOLD Head @ 113.00

@ _____

@ _____

TOTAL 2809.00

4 1/2" PLUG & FLOAT EQUIPMENT

AFU Float shoe - 1 434.00

Centralizers - 10 @ 51.00 510.00

Baskets - 3 @ 169.00 507.00

Latch Down Ass. - 1 @ _____ 405.00

D.V. Tool - 1 @ _____ 4219.00

@ _____

TOTAL 6075.00

To Allied Cementing Co., LLC.
You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME Larry Pritch

SIGNATURE Larry Pritch

SALES TAX (If Any) _____

TOTAL CHARGES _____

RECEIVED
KANSAS CORPORATION COMMISSION

DISCOUNT _____ IF PAID IN 30 DAYS

DEC 15 2008

CONSERVATION DIVISION
WICHITA, KS

ACC
 DEC 11 2008
 CONFIDENTIAL

ALLIED

CEMENTING CO., LLC
Cementing & Acidizing Services

24 S. Lincoln Street
P.O. Box 31
Russell, KS 67665-2906

Voice: (785) 483-3887
Fax: (785) 483-5566

RECEIVED
SEP 08

PRIORITY INVOICE

Invoice Number: 115861
Invoice Date: Sep 1, 2008
Page: 1

KCC
11 2008
CONFIDENTIAL

Bill To:
Pioneer Exploration, LTD
P O Box 38
Spivey, KS 67142-0038

Customer ID	Well Name / Location / P#	Payment Terms
PioExp	Garden City B #15-19	Net 30 Days
Job Location	Camp Location	Service Date
KS1	Oakley	Sep 1, 2008
		10/1/08

Quantity	Item	Description	Unit Price	Amount
150.00	MAT	Class C Premium Plus	19.25	2,887.50
600.00	MAT	Lightweight Class A	14.05	8,430.00
3,000.00	MAT	Gilsonite	0.89	2,670.00
125.00	MAT	Flo Seal	2.50	312.50
915.00	SER	Handling	2.40	2,196.00
73.00	SER	Mileage 915 sx @ .10 per sk per mi	91.50	6,679.50
1.00	SER	Production Stage - Top Stage	1,185.00	1,185.00

RECEIVED
KANSAS CORPORATION COMMISSION
DEC 15 2008
CONSERVATION DIVISION
WICHITA, KS

DESCRIPTION Cementing
SVC.
ACCOUNT # 11600-15
WELL NAME Garden City B-15 KS 15915
AFE# 0903D042
DATE 9-8-08 APPROVED _____

ALL PRICES ARE NET, PAYABLE 30 DAYS FOLLOWING DATE OF INVOICE. 1 1/2% CHARGED THEREAFTER. IF ACCOUNT IS CURRENT, TAKE DISCOUNT OF

ONLY IF PAID ON OR BEFORE

Oct 1, 2008

Subtotal	24,360.50
Sales Tax	886.60
Total Invoice Amount	25,247.10
Payment/Credit Applied	
TOTAL	25,247.10

ALLIED CEMENTING CO., LLC. 31597

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: Dakley, Ks

DATE <u>9/1/08</u>	SEC. <u>19</u>	TWP. <u>22</u>	RANGE <u>33</u>	CALLED OUT	ON LOCATION	JOB START <u>9:30 AM</u>	JOB FINISH <u>10:30 AM</u>
LEASE <u>Carthage City 6"</u>	WELL # <u>15-19</u>		LOCATION <u>Biglowe & Burbuld</u>		COUNTY <u>Finney</u>	STATE <u>Ks</u>	
OLD OR NEW (Circle one)							

CONTRACTOR Warren 18
 TYPE OF JOB Production Top Stage
 HOLE SIZE 7 1/2" T.D.
 CASING SIZE 4 1/2 - 9 1/2" DEPTH 4999'
 TUBING SIZE DEPTH
 DRILL PIPE DEPTH
 TOOL A.V. DEPTH 2690'
 PRES. MAX MINIMUM
 MEAS. LINE SHOE JOINT
 CEMENT LEFT IN CSG.
 PERFS.
 DISPLACEMENT

OWNER Same
 CEMENT
 AMOUNT ORDERED 150 SKs Class "C"
650 SKs Lite 5" Gilsonite, 1/4 lb Flo Seal

EQUIPMENT

PUMP TRUCK CEMENTER Alan Terry
 # 422 HELPER Wayne
 BULK TRUCK
 # 388 DRIVER Darrin
 BULK TRUCK
 # 394 DRIVER Lonnie

COMMON	@		
POZMIX	@		
GEL	@		
CHLORIDE	@		
ASC	@		
Class "C" 150 SKs	@	<u>19.25</u>	<u>2887.50</u>
Lite 600 SKs	@	<u>14.05</u>	<u>8430.00</u>
Gilsonite 3000#	@	<u>.89</u>	<u>2670.00</u>
Flo Seal 125#	@	<u>2.20</u>	<u>312.00</u>
HANDLING 915 SKs	@	<u>2.40</u>	<u>2196.00</u>
MILEAGE 10.4 SK/mile	@		<u>6679.00</u>
TOTAL			<u>23175.00</u>

REMARKS:
MIX 155 SKs Ret Hole, 10 SKs Manoe Hole, 10 SKs
575 SKs Lite 5" Gilsonite 1/4 lb Flo Seal Down 4 1/2" Tail w/ 150 SKs class "C" SERVICE
Wash Truck & Lines Displace Plug w/ 80L.
@ 1200 lb lift load Plug @ 2400 lb, tool
Held. Cement did Circulate.
 Thank You
Alan Terry Wayne female Darrin

CHARGE TO: Pioneer Exploration
 STREET _____
 CITY _____ STATE _____ ZIP _____

DEPTH OF JOB	<u>4999'</u>		
PUMP TRUCK CHARGE			<u>1185.00</u>
EXTRA FOOTAGE	@		
MILEAGE	@	<u>73</u>	<u>N/C</u>
MANIFOLD <u>Head</u>	@		<u>N/C</u>
TOTAL			<u>1185.00</u>

To Allied Cementing Co., LLC.
 You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME Larry Priest
 SIGNATURE Larry Priest

PLUG & FLOAT EQUIPMENT

RECEIVED
 KANSAS CORPORATION COMMISSION
 DEC 15 2008
 CONSERVATION DIVISION
 WICHITA, KS

SALES TAX (If Any) _____
 TOTAL CHARGES _____
 DISCOUNT _____ IF PAID IN 30 DAYS

KCC
 DEC 11 2008
 CONFIDENTIAL



24 S. Lincoln Street
P.O. Box 31
Russell, KS 67665-2906

Voice: (785) 483-3887
Fax: (785) 483-5566

RECEIVED
AUG 29

PRIORITY INVOICE

Invoice Number: 115688

Invoice Date: Aug 22, 2008

Page: 1

Bill To:
Pioneer Exploration, LTD
P O Box 38
Spivey, KS 67142-0038

Customer ID	Garden City B #15-19	Net 30 Days
ProjExp		
Job Location	Oakley	
KS1		Aug 22, 2008 9/21/08

Quantity	Item			
225.00	MAT	Class A Common	15.45	3,478.25
4.00	MAT	Gel	20.80	83.20
8.00	MAT	Chloride	58.20	465.60
238.00	SER	Handling	2.40	571.20
55.00	SER	Mileage 238 sx @ .10 per sk per mi	23.80	1,309.00
1.00	SER	Surface	1,018.00	1,018.00
45.00	SER	Extra Footage	0.85	38.25
55.00	SER	Mileage Pump Truck	7.00	385.00
1.00	SER	Manifold Head Rental	113.00	113.00
1.00	EQP	Surface Plug	68.00	68.00

DESCRIPTION Cementing Service
ACCOUNT # 1600-15
WELL NAME Garden City B #15 KS 15915
AFE# 08081042 J
DATE 8-29-08 APPROVED _____

KCC
DEC 11 2008
CONFIDENTIAL

ALL PRICES ARE NET, PAYABLE 30 DAYS FOLLOWING DATE OF INVOICE. 1 1/2% CHARGED THEREAFTER. IF ACCOUNT IS CURRENT, TAKE DISCOUNT OF

ONLY IF PAID ON OR BEFORE

Sep 21 2008

Subtotal	7,527.50
Sales Tax	253.77
Total Invoice Amount	7,781.27
Payment/Credit Applied	

DEC 15 2008
KANSAS CORPORATION
CONSERVATION DIVISION
WICHITA, KS

ALLIED CEMENTING CO., LLC. 31797

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Oakley

DATE <u>8-22-08</u>	SEC <u>19</u>	TWP <u>22s</u>	RANGE <u>33w</u>	CALLED OUT	ON LOCATION <u>1:45 AM</u>	JOB START <u>1:45</u>	JOB FINISH <u>2:15 AM</u>
LEASE <u>Gardner City B</u>		WELL # <u>15-19</u>	LOCATION <u>Hokomb 9N 1/2 E</u>		COUNTY <u>FINNEY</u>	STATE <u>KS</u>	
OLD OR <input checked="" type="radio"/> NEW (Circle one)			<u>1/2 S 1/2 W 1 into</u>				

CONTRACTOR Warren Drilling Rig 18 OWNER same

TYPE OF JOB Surface

HOLE SIZE 12 1/4 T.D. 345'

CASING SIZE 8 5/8 DEPTH 345.66'

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG. 15'

PERFS.

DISPLACEMENT 21.06 DBL

EQUIPMENT

PUMP TRUCK # 423-281 CEMENTER Andrew
HELPER ALVIN

BULK TRUCK # 218 DRIVER Lonnie

BULK TRUCK # DRIVER

REMARKS:

Cement did circulate
Thank you,

CHARGE TO: Pioneer Exploration

STREET _____

CITY _____ STATE _____ ZIP _____

To Allied Cementing Co., LLC.
You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME _____

SIGNATURE [Signature]

CEMENT AMOUNT ORDERED 225 sbs com
30 cc 20 gal

COMMON	<u>225 sbs</u>	@	<u>15.45</u>	<u>3476.25</u>
POZMIX		@		
GEL	<u>4 sbs</u>	@	<u>20.80</u>	<u>83.20</u>
CHLORIDE	<u>8 sbs</u>	@	<u>58.20</u>	<u>465.60</u>
ASC		@		

HANDLING	<u>238 sbs</u>	@	<u>2.40</u>	<u>571.20</u>
MILEAGE	<u>104 sbs/mile</u>			<u>1309.00</u>
TOTAL				<u>5905.25</u>

SERVICE

DEPTH OF JOB	<u>345.66</u>		
PUMP TRUCK CHARGE			<u>1018.00</u>
EXTRA FOOTAGE	<u>45'</u>	@	<u>.85</u> <u>38.25</u>
MILEAGE	<u>55 miles</u>	@	<u>7.00</u> <u>385.00</u>
MANIFOLD	<u>head rental</u>	@	<u>113.00</u>

TOTAL 1554.25

PLUG & FLOAT EQUIPMENT

<u>8 5/8</u>			
<u>1 surface plug</u>	@		<u>68.00</u>
	@		
	@		
	@		

TOTAL 68.00

SALES TAX (If Any) _____

TOTAL CHARGES _____

DISCOUNT _____ RECEIVED IF PAID IN 30 DAYS
KANSAS CORPORATION COMMISSION

DEC 15 2008

CONSERVATION DIVISION
WICHITA, KS

KCC
DEC 11 2008
CONFIDENTIAL