## **Kansas Corporation Commission** One Point Stabilized Open Flow or Deliverability Test

Type Test:	:							(Se	e Instru	ıctions	on Re	erse/	e Side)								
= '	en Flow liverabili					Test Da	te:		1	1/15/	2010				API No.			15129	10326	0000	
Company OXY USA	A Inc			•					Lea SIC	se DES A	. 2								Well 1	Number	
County Morton	:	2000	FNL 8	cation <b>% 19</b> 9		/L		ction 0		TV 3	VP 5 <b>S</b>				IG (E/W) <b>41W</b>			,		Attributed 640	
Field WILBUR	TON		<u>-</u>		:	,		servoir <b>orrow</b>							s Gathering neok	Cor	nectio	on		,	
Completion 12/21/196							Plu	g Back T <b>5,48</b>		epth			-	Pa	cker Set at						
Casing Siz 5 1/2"	ze			eight .0#		,		rnal Dia	meter		Set at <b>5,857</b>				Perforation 5,462'	s		To <b>5</b> ,4	482'		
Tubing Siz	:e		We <b>4.</b> 7	eight 7#				ernal Diai	meter		Set at <b>5,450</b>				Perforation	s	······································	То		,	
Type Com	•	(Des	cribe)					e Fluid f	Product	ion				Pui	mp Unit or 1	rave	ling P	_		Yes / No	
Producing	Thru (/		lus / Tu	bing)					arbon [ 0.327		e				Nitrogen 3.585%			Gas G	ravity - <b>).737</b>	Gg	
Vertical De 5,47		)								ssure lang								(Meter	Run) (	Prover) Size	
Pressure E	Buildup	: ;	Shut in		11/1	4	20	10 a	at 9:0	0			Taken	)	11/15	-	20 10	at	9:00		
Well on Lir	ne:		Shut in				20	<del></del>	at								20			<del>-</del>	
									OBSER	RVED	SURFA	ACE	DATA		·	Dura	tion of	Shut-in	24	Hours	
Static / Dynamic	Orifi Siz	e	Prove	rcie one Meter er Press	ure	Pressu Differen	ıtial	Flowing Temperatu		l Head perature		llhead	sing Pressure Pt) or (Pc)		Tut Welihead (P <sub>w</sub> ) or (i	Press		Dur	ation	Liquid Produced	
Property Shut-In	(inch	es)	ps	sig (Pm)		Inches I	I₂O	. t		1	110		125	_	psig 0.0		osia ).0	<del> </del>	urs)	(Barrels)	
Flow		Ī									1			_				<del>                                     </del>			
	<u> </u>	1							FLOW:	STRE	AM AT	TRIB	UTES							<u> </u>	
Plate	-	Cim	cle one:	<del>-</del> T	Pre	98		,	<del></del>	Flowing	— <u>`</u>			Т	,	Т			<u> </u>	Flowing	
Coefficien (F <sub>b</sub> ) (F <sub>p</sub> ) Mcfd	t	Me Prove	eter or r Pressure psia	9	Exter P <sub>m</sub>	nsion		Gravity Factor F <sub>g</sub>		mperatu Factor F <sub>fi</sub>		Devi Fac F	ctor		Metered Flow R (Mcfd)		(Cubic	GOR Feet/Baπ	el)	Fluid Gravity G <sub>m</sub>	
																耳					
(P <sub>c</sub> ) <sup>2</sup> =	15.7		(P	) <sup>2</sup> =	0.0		•	PEN FLO Pd =	W) (DE	ELIVE %		,	CALCI (.4) + 1						$(P_a)^2 = (P_d)^2 = (P_d$		
	7	<u>-</u> -	(· w		. ,.	ia 1 or 2:		OG of		=_	Backpres			7.4		<del>-</del>			(1 0)		
$(P_c)^2 - (P_a)^2$ or $(P_c)^2 - (P_d)^2$		(P <sub>c</sub> ) <sup>2</sup> -	P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>		1. P <sub>c</sub> <sup>2</sup> - P <sub>a</sub> <sup>2</sup> 2. P <sub>c</sub> <sup>2</sup> - P <sub>d</sub> <sup>2</sup> ad by: P <sub>c</sub> <sup>2</sup> - P <sub>w</sub> <sup>2</sup>		and	rmula . or 2. I divide by:	P <sub>c</sub> <sup>2</sup> - P <sub>w</sub> <sup>2</sup>	,	Slope = "n"or Assigned Standard Slope			nxLOG			Antilog		E	Open Flow Deliverability Equals R x Antilog (Mcfd)	
										+						4			-		
Open Flow					Mefe	   @ 14.6	5 nei	ia.		Dali	iverability						Acfd @	14.65.00			
орон г юн																		14.65 ps			
the facts stated	therein,						of the		, states th uted this t		duly auth	orized day		the at	Dece			owledge o	of ,	2010	
				Witness	•										C		USA				
				**********											Iom A	1	Compa	tel	nc.		
	···		For	Commi	ssion	-			— R	REC	EIVE	<u></u>									

JAN 07 2011 KCC WICHITA

		penalty of perjury u ehalf of the operator			d to request exempt status under Rule oing pressure information and statements
					sed upon available production summaries
	e records of	equipment installatio	on and/or upon type of comple	tion or upon use being ma	de of the gas well herein named.
said well	•	uest a one-year exe	mption from open flow	SIDES A 2	for the gas well on the grounds that
salu well	•				
(Check	one)				
· 🖂	is a coalb	ed methane produce	·r		
	is cycled o	on plunger lift due to	water		
$\bar{\Box}$	-	· ·	njection into an oil reservoir ui	ndergoing ER	
		1	time; KCC approval Docket N		
<u> </u>			• •		
ك	is not cap	able of producing at	a daily rate in excess of 250 r	ncf/D	
٧	is not cap	able of producing at	a daily rate in excess of 250 r	ncf/D	
l furti	ner agree to		my ability any and all support		y Commission staff as necessary to
l furti	ner agree to	supply to the best of	my ability any and all support		y Commission staff as necessary to
l furti	ner agree to ate this claim	supply to the best of for exemption from	my ability any and all support		y Commission staff as necessary to
I furti	ner agree to ate this claim	supply to the best of	my ability any and all support		y Commission staff as necessary to
I furti	ner agree to ate this claim	supply to the best of for exemption from	my ability any and all support		y Commission staff as necessary to
I furti	ner agree to ate this claim	supply to the best of for exemption from	my ability any and all support		y Commission staff as necessary to
I furti	ner agree to ate this claim	supply to the best of for exemption from	my ability any and all support		y Commission staff as necessary to
I furti	ner agree to ate this claim	supply to the best of for exemption from	my ability any and all support		y Commission staff as necessary to
I furti	ner agree to ate this claim	supply to the best of for exemption from	my ability any and all support		y Commission staff as necessary to
I furti	ner agree to ate this claim	supply to the best of for exemption from	my ability any and all support	ing documents deemed by	* Tom Acton
I furti	ner agree to ate this claim	supply to the best of for exemption from	my ability any and all support		* Tom Acton
I furti	ner agree to ate this claim	supply to the best of for exemption from	my ability any and all support	ing documents deemed by	* Tom Acton

**Instructions:** If a gas well meets one of the eligibility criteria set out in the KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31st of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

RECEIVED

JAN 0 7 2011

KCC WICHITA





P. O. Box 27570 Houston, Texas 77227-7570

Tom Acton Mid-Continent Business Unit Phone 713.215.7623 Fax 713.350.4873

December 29, 2010

Jim Hemmen Finney State Office Building 130 South Market Street, Room 2078 Wichita, Kansas 67202-3802

RE: Sides A-2

15-129-10326-0000

Section 10, Township 35 South, Range 41 West

Morton County, Kansas

Dear Mr. Hemmen:

Enclosed you will find the 2010 Form G-2 for the above listed gas well. OXY is requesting an exemption from annual open flow testing due to this well is not capable of producing at a daily rate in excess of 250 million cubic feet per day.

If you have any questions, need additional information or would like to discuss this matter, please feel free to contact me.

Regards,

Tom Acton

To loc

Gas Flow Coordinator

Mid-Continent Business Unit

Oxy USA Inc.

Enclosures: 2010 Form G-2

Cc:

Well Test File

KCC WICHITA