## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

CRIGINAL

Form ACO-1
June 2009
Form Must Be Typed
Form must be Signed
All blanks must be Filled

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #_ 33937	API No. 15 - 051-19294-00-02
Name: Meridian Energy, Inc.	Spot Description:
Address 1: 1475 N. Ward Cr.	<u>SW_SW_NE_</u> Sec. <u>17 Twp. 11 S. R. 17 </u> East  West
Address 2:	2,421 Feet from Morth / South Line of Section
City: Franktown State: CO Zip: 80116 +	
Contact Person: Neal LaFon	Footages Calculated from Nearest Outside Section Corner:
Phone: ( 303 ) 688-4022 RECEIVED	☑ne □nw □se □sw
33868	County: Ellis
Name: Renegade Well Service	Lease Name: Mock Well #: 1
Wellsite Geologist: KCC WICHITA	Field Name: Bemis-Shutts
Purchaser:	Producing Formation: Arbuckle
Designate Type of Completion:	Elevation: Ground: 1815 Kelly Bushing:
☐ New Well	Total Depth: 3380 Plug Back Total Depth:
☑ oil □ wsw □ swd □ slow	Amount of Surface Pipe Set and Cemented at: Feet
☐ Gas ☐ D&A ☐ ENHR ☐ SIGW	Multiple Stage Cementing Collar Used?
☐ OG ☐ GSW ☐ Temp. Abd.	If yes, show depth set: Feet
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from:
Cathodic Other (Core, Expl., etc.):	feet depth to:sx cmt.
If Workover/Re-entry: Old Well Info as follows:	
Operator: Champlin Refining co.	Drilling Fluid Management Plan
Well Name: #1 Mock	(Data must be collected from the Reservo Pit)
Original Comp. Date: 6/21/41 Original Total Depth: 3359	Chloride content:ppm Fluid volume:bbls
✓ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD	Dewatering method used:
Conv. to GSW	Location of fluid disposal if hauled offsite:
Plug Back: Plug Back Total Depth	Location of field disposal in fiduled offsite.
Commingled Permit #:  Dual Completion Permit #:	Operator Name:
SWD Permit #:	Lease Name: License #:
ENHR Permit #:	QuarterSecTwpS. R East West
GSW Permit #:	County: Permit #:
5/24/10 6/15/10 8/20/10	
Spud Date or Date Reached TD Completion Date or Recompletion Date	
INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workover or co of side two of this form will be held confidential for a period of 12 months if requirality in excess of 12 months). One copy of all wireline logs and geologist well BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 for	onversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information uested in writing and submitted with the form (see rule 82-3-107 for confiden- II report shall be attached with this form. ALL CEMENTING TICKETS MUST
AFFIDAVIT	KCC Office Use ONLY
I am the affiant and I hereby certify that all requirements of the statutes, rules and re	
lations promulgated to regulate the oil and gas industry have been fully complied and the statements herein are complete and correct to the best of my knowledge	e. Date:
11.101 G	Confidential Release Date:
Signature: Ylldth, luton	│
0 1 +	Tug Diseitantes
Title: / Pesicul Date: //0/1	ALT WILL III Approved by The Date: [20][]

## Side Two

Operator Name: Meridian Energy, Inc.			Lease	Lease Name: Mock Well #: 1						
Sec. <u>17</u> Twp. <u>1</u>	17 Twp.11 S. R.17 ☐ East ✓ West County:			ı: <u>Ellis</u>						
time tool open and o recovery, and flow ra	show important tops and closed, flowing and sho ates if gas to surface to Attach final geologica	ut-in pressures, wheti est, along with final cl	her shut-in pres	sure read	ched static level	l, hydrostatic pres	sures, bottom h	nole tem	perature, fluid	
Drill Stem Tests Taken Yes  (Attach Additional Sheets)		☐ Yes 📝 N	0	□L4	og Formatio	on (Top), Depth ar	oth and Datum		Sample	
Samples Sent to Geological Survey		Yes 🗸 N	Yes 🗸 No		е		Тор		Datum	
Cores Taken Electric Log Run Electric Log Submitt (If no, Submit Cop	•	☐ Yes	0							
ist All E. Logs Run:										
<u> </u>		CAS	ING RECORD	Ne	w Used					
	Size Hole		set-conductor, su			· · · · · · · · · · · · · · · · · · ·	#0-1	·		
	Drilled	Size Casing Set (In O.D.)	Weig Lbs./		Setting Depth	Type of Cement	# Sacks Used		and Percent Additives	
		10 3/4			1050					
		7			3351					
		5 1/2 4 1/2		325	3284 6 <b>–</b> 3383	smd	250 50		<del></del> -	
	···	ADDITIO	NAL CEMENTIN	IG / SQU	EEZE RECORD					
Purpose: Depth Top Bottom Perforate Top Bottom Protect Casing Plug Back TD Plug Off Zone		Type of Cement	# Sacks	Used		Type and P	Percent Additives			
Shots Per Foot	PERFORATI	ON RECORD - Bridge	Plugs Set/Type		Acid, Fra	cture, Shot, Cement	Squeeze Record	<u> </u>		
6	Specify Footage of Each Interval Perforated  3348 - 3368				(Amount and Kind of Material Used)  Depth  Acidized - 3,000 gal 28% NE-DSFE w/3% Musol 3348- 3368					
							<del></del>	RE	CEIVE	
								JAN	1_1_8_20	
UBING RECORD:	Size: 2 7/8	Set At: 3333	Packer At: 3175	:	Liner Run:	✓ Yes		(CC	₩ICHI	
ate of First, Resumed 8/20/10	Production, SWD or EN	HR. Producing i	_		Gas Lift 🔲 C	ther (Explain)			AAICHI	
Stimated Production Per 24 Hours	Oil 1	Bbls. Gas	Mcf	Wate	т ві <b>25</b>	bls. G	as-Oil Ratio		Gravity	
				_	APLETION: PRODUCTION INTERVAL:					
Vented Solo	d Used on Lease	✓ Open Hole  ☐ Other (Specify		_ Dually € (Submit A€		mit ACO-4)	48 - 3368		· · · · · · · · · · · · · · · · · · ·	