# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

# **ORIGINAL**

Form ACO-1 September 1999 Form Must Be Typed

# WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 33019	API No. 15 - 023-21257-0000
Name: Rosewood Resources, Inc.	County: Cheyenne
Address: 2101 Cedar Springs Rd, Suite 1500	NE_SW_SE_NW_Sec. 19 Twp. 3 S. R. 40 East West
City/State/Zip: Dallas, TX 75201	2251 feet from S N circle one) Line of Section
Purchaser:	1743 feet from E (W) (circle one) Line of Section
Operator Contact Person: Tom Roelfs	Footages Calculated from Nearest Outside Section Corner:
Phone: ( 970 ) 324-1686	(circle one) NE SE NW SW
Contractor: Name: Advanced Drilling Technologies LLC	Lease Name: Zweygardt Well #: 22-19
License: 33532	Field Name: Cherry Creek
Wellsite Geologist: Steven VonFeldt	Producing Formation: Niobrara
Designate Type of Completion:	Elevation: Ground: 3472' Kelly Bushing: 3484'
✓ New Well Re-Entry Workover	Total Depth: 1525' Plug Back Total Depth: 1475'
Oil SWD SIOW Temp. Abd.	Amount of Surface Pipe Set and Cemented at 293 csg @ 305 Feet
✓ Gas ENHR SIGW	Multiple Stage Cementing Collar Used? Yes ✓ No
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth set
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from
Operator:	feet depth to
Well Name:	Bullion Florid Management Plan
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Deepening Re-perfConv. to Enhr./SWD	Chloride content 5000 ppm Fluid volume 200 bbls
Plug Back Plug Back Total Depth	Dewatering method used Evaporation
Commingled Docket No.	Location of fluid disposal if hauled offsite:
Dual Completion Docket No.	·
Other (SWD or Enhr.?) Docket No.	Operator Name:
9/22/10 9/25/10 9/25/10	Lease Name: License No.:
Spud Date or Date Reached TD Completion Date or	Quarter Sec. Twp. S. R. East West
Recompletion Date Recompletion Date	County: Docket No.:
INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas 67202, within 120 days of the spud date, recompletion, workover Information of side two of this form will be held confidential for a period of 12 107 for confidentiality in excess of 12 months). One copy of all wireline logs a TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells.	or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. months if requested in writing and submitted with the form (see rule 82-3- nd geologist well report shall be attached with this form. ALL CEMENTING
All requirements of the statutes, rules and regulations promulgated to regulate herein are complete and correct to the best of my knowledge.	the oil and gas industry have been fully complied with and the statements
Signature: Oaunell Gervi	KCC Office Use ONLY
Tille Production ASS. Date: 11-30-10	N
2 DICA no l-	Letter of Confidentiality Received
Subscribed and sworn to before me this	If Denied, Yes ; Date:  Wireline Log Received (ANSAS CORPORATION
2010 1/2 1	Wireline Log Received (ANSAS CORPORATION COMMISSION Geologist Report Received
Notary Public HULL TOULD	All UC Distribution 12011 JAN 26 2011
Date Commission Expires: 1/0-3-2013	[11 - 1/16 - 1/26]]
Date Commission Expires:	KATHY BOELFS WICHITA KS
	My Appt. Exp. 6-3-13

 $\wedge$ 

Operator Name: Rose	wood Resource	s, Inc.	Lease Name:	Zweygardt		Well #: 22-19		
Sec. <sup>19</sup> Twp. <sup>3</sup>	S. R. <sup>40</sup>	[ ] East	County: Cheye	nne				
tested, time tool open a temperature, fluid reco	and closed, flowing very, and flow rate	and base of formations p g and shut-in pressures, s if gas to surface test, a inal geological well site i	whether shut-in pro long with final char	essure reached	static level, hydro	static pressures,	bottom hole	
Drill Stem Tests Taken (Attach Additional SI	heets)	Yes  ✓ No	<u>(v</u> ) L	og Formati	ion (Top), Depth a	and Datum	Sample	
Samples Sent to Geolo	ogical Survey	_ Yes ✓ No	Nam	16		Тор	Datum	
Cores Taken Electric Log Run (Submit Copy)		Yes ✓ No Yes ✓ No	Niob	rara		1292'	КВ	
List All E. Logs Run:			•					
CBL, TRIPLE (		<b>;</b>	:					
		CASING Report all strings set-c	RECORD [ ] No		etion etc			
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives	
Surface	9 7/8" 7" 11		17#	305'	Neat	72		
Production	6 1/4"	4 1/2"	10.5#	1513'	Neat	70	•	
	· 	ADDITIONAL	. CEMENTING / SQI	L JEEZE RECORI	o D	,		
Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone	Depth Top Bottom	Type of Cement	#Sacks Used		Type and F	Percent Additives		
Shots Per Foot		ON RECORD - Bridge Pluç Footage of Each Interval Per			acture, Shot, Cement mount and Kind of Ma		Depth	
2 1	296' - 1326'			Frac w/48,58	4 gals MavFoam	70 & 100,040#		
· · ·				16/30 Daniel	Sand scf N2			
+								
+					<del></del>		•	
TUBING RECORD non-	Size	Set At	Packer At	Liner Run	Yes ✓ No		1	
Date of First, Resumerd I	Production, SWD or E	nhr. Producing Met	hod √ Flowin	g Pumpi	ing ˈGas Lit	ft   Other	Explain)	
Estimated Production Per 24 Hours	Oil none	Bbls. Gas	Mcf Wat	er E	Bbls. C	Gas-Oil Ratio	Gravity	
Disposition of Gas	METHOD OF C			Production Inte	rval	KANSAS COR	ECEIVED	
Vented Sold	Used on Lease mit ACO-18.)	Open Hole		Dually Comp.	Commingled		PORATION COMMISSION  26 2011	



A DIVISION OF ADVANCED DRILLING TECHNOLOGIES, LLC.

## LONGHORN CEMENTING CO.

P.O. BOX 203 YUMA, COLORADO 80759 Phone: 970-848-0799 Fax: 970-848-0798

		94	ų.							DAT	E 9/2	5//	O_TIC	KET N	IO. 2094	4
DATE OF CY	/25/10 DISTRICT					N	W E	OLD [	PROD	] in	, <u> </u>	WDW	CUSTOME ORDER NO	.:P λ.:		
CUSTOMER	2050 WOOD					LEAS	E Z	we	YGAR	DT	22	-/4	MELT NO	,		
ADDRESS						COUNTY STATE										
CITY		STATE					SERV	ICE CREW	VI	9~	······································	·····	· · · · · · · · · · · · · · · · · · ·	<del>~~~</del>		
AUTHORIZED BY	1							EQUI	PMENT	109	///	>	****	<del> </del>	<del></del>	
TYPE JOB: L/9		DEP	र्गभ हा.	CEMENT C		rk 🗀	_	AND DA	همجلان وسيميم بسميط		TRUCK CALL	<u></u> .ED		****	DATE AM PM	TIME
BIZE HOLE:	, / /	DEP		SACK8	BRAND	I TYPE	9%	GEL	ADMI GBD/UA		ABBIVED AT	JOB			AM PM	10, 0, 10 m at
SIZE & WT. CASTING		DEP		20	1	I-17	1_		CAH	ille	START OPER	AM PM				
TOP PLUGS		PE: C		WEIGHT OF	SLURBY: /	2.0	/BI	5.456AL	LBS. /	GAL	FINISH OPERATION					
				VOLUME OF	SLURRY	76/1	5		<i>-</i>		RELEASED AM PM					
	GAÇKŞ CEMENT TREATED WITH MAX DEPTH / 5 / 6 FT. MAX PRESSURE / /					H	_% OF /~2 P.S.I.		MILES FROM	STATIO	N TO WELL	-				
products, and/c	ou is authol or supplies i	includes a	keoute this cont ill of and only th all become a pa	rese terma :	end conditi	ions appear	ring c	on the f sent or	ront end be	ack of this	document. Ned Drilling Toc	additor hnologie	nal or subs s, LLC,	lituto to	rms and/or con	ditions
ITEM / PRICE						2 1 10	ED		WELL OWNER, OPERATOR, CONTRACTOR OR AGE UNIT QUANTITY UNIT PRICE \$ AN					\$ AMOL	<del></del>	
REF. NUMBER	<u> </u>	****								DIVIT	GOANTI	<del>'</del>	יואוז דרוו	<u> </u>	& AIVIOL	1181.
DOIL	De		C 191	9K44	1011	110A	<u> 24</u>	~~	<u>, 111</u>	Ţ		-		1	<del> </del>	+-
300-7	4/	2 11	Flan	2 /	64	00					1-7	-		-		-
300-4	43	7	PLV	a +	1319	EFL	7	7			1					
300-6	44	71	cont	RAL	<u> </u>	12					フ				,	
300-9	4/2	,//	5112	A41	He	12/					'4					<u> </u>
<u> 300-17</u>	12	<u> </u>	t pn7	120	4/-	7/7								<u> </u>		
400-7	K	<u> </u>					•				7.50	19-	<u> </u>	1		
8	5.	201	un	5, z	10	19 /	4			ļ	150	12-6	, <del>}</del>	ļ	<u> </u>	┿
	<del>                                     </del>				MARA						· · · · · ·	┪		-	<u> </u>	+
		******		***************************************										.598	CUVED .	
	10	BBC	5 W	my	912								VANSAS	CORP(	RATION COMM	alesios
	36	3136	5 10	40	@	17.5	1	PP	<u> </u>		•			1	ŧ	
	110	BBC	5 TA.	<u>i</u>	@ 1	4.8	نم	حر د	6					AMA	<b>26</b> 2011	
	72.9	8 F 13	(5 D	15P	1=C	1 /	بعمام	7 7	C/7				CON	SERV	ATION LINES	
	Bila	لاً حمره	OP	72 U	16	(D) Z	0	00		5 1			,	WIC	HITA, KS	שוכחי
ACID DATA;	····	***************************************			T	_							SUB TO	TAL		
	LLONS	96	ADDITIVE	ES	†	٦	SEP	VICE	& EQUIP	MENIT	0.0	TAX O	N \$			<del> </del>
HCL		-			1			ERIA		1411-141		TAX O				+
HCL	+				1	نـــا	- 11-11					./~\ \		TAL		+
	······································	<del></del>		* *	-									10-15m	ļ	1

SERVICE
REPRESENTATIVE VIII 2011

THE ABOVE MATERIAL AND SERVICE
ORDERED BY CUSTOMER AND RECEIVED BY:

(WELL OWNER, OPERATOR, CONTRACTOR OR AGENT)

## SCHAAL DRILLING, CO. PO BOX 416 BURLINGTON, CO. 80807 719-346-8032

### FIELD REPORT

## SURFACE CASING, DRILLING AND CEMENTING

WELL NAME & LEASE # Zweygardt 22-19
MOVE IN, RIG UP, DIG PITS ETC. DATE 9-21-10 TIME 1:30 ☐AM ☑ PM
SPUD TIME 7:40 AM PM SHALE DEPTH 115 TIME 9:00 AM PM
HOLE DIA. 9 7/8 FROM <b>0</b> TO 308 TD TIME 11:30 ⊠AM ☐ PM
CIRCULATE, T.O.O.H., MEASURED 292.85 FT CASING 304.85 KB FT SET DEPTH
7 JOINTS 7 0D #/FT 🖂 17 🗀 20 🗀 23
PUMP 72 SACKS CEMENT 476 GALLONS DISP. CIRC. 4 BBL TO PIT
PLUG DOWN TIME 1:00
CEMENT LEFT IN CSG. 20 FT CENTRALIZER 1 ELEVATION 3472 +12KB 3484  TYPE: PORTLAND CEMENT I/II ASTM C 150 CEMENT COST \$ 1392.74
PIPE TALLY  1. 41.95  2. 41.50  3. 41.95  4. 41.90  5. 42.00  6. 41.70  7. 41.85  8.  9.  10.  11.  12.  13.  14.  TOTAL 292.85

RECEIVED

KANSAS CORPORATION COMMISSION

JAN 26 2011

CONSERVATION DIVISION WICHITA, KS