

CONFIDENTIAL

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

ORIGINAL

1/28/11

Form ACO-1
October 2008
Form Must Be Typed

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 33397
Name: Running Foxes Petroleum
Address 1: 7060 S TUCSON WAY Suite B
Address 2: _____
City: CENTENNIAL State: CO Zip: 80112 + _____
Contact Person: Kent Keppel
Phone: (303) 617-7242
CONTRACTOR: License # 31280
Name: Birk Petroleum JAN 28 2009
Wellsite Geologist: Greg Bratton
Purchaser: _____

Designate Type of Completion:
____ New Well ____ Re-Entry ____ Workover
 Oil ____ SWD ____ SLOW
____ Gas ____ ENHR ____ SIGW
____ CM (Coal Bed Methane) ____ Temp. Abd.
____ Dry ____ Other
(Core, WSW, Expl., Cathodic, etc.)

If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
____ Deepening ____ Re-perf. ____ Conv. to Enhr. ____ Conv. to SWD
____ Plug Back: _____ Plug Back Total Depth _____
____ Commingled Docket No.: _____
____ Dual Completion Docket No.: _____
____ Other (SWD or Enhr.?) Docket No.: _____
10/8/2008 10/13/2008 10/17/2008
Spud Date or Date Reached TD Completion Date or
Recompletion Date Recompletion Date

API No. 15 - 15-011-23449-00-00
Spot Description: _____
SE NE SW SE Sec. 36 Twp. 24 S. R. 23 East West
665 Feet from North / South Line of Section
1370 Feet from East / West Line of Section
Footages Calculated from Nearest Outside Section Corner:
 NE NW SE SW
County: Bourbon
Lease Name: Vogel Well #: 15-36A-4
Field Name: Wildcat
Producing Formation: Bartlesville
Elevation: Ground: 852' Kelly Bushing: _____
Total Depth: 515' Plug Back Total Depth: 515'
Amount of Surface Pipe Set and Cemented at: 20 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set: _____ Feet
If Alternate II completion, cement circulated from: _____
feet depth to: _____ w/ _____ sx cmt.

Drilling Fluid Management Plan AH II JS4-7305
(Data must be collected from the Reserve Pit)
Chloride content: _____ ppm Fluid volume: _____ bbls
Dewatering method used: _____
Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Fred Fygel
Title: Landman Date: 1-28-2009
Subscribed and sworn to before me this 28th day of January,
20 09.
Notary Public: Karla Peterson

Date Commission Expires
Nov. 9, 2011

KARLA PETERSON
NOTARY PUBLIC
STATE OF COLORADO
My Commission Expires November 9, 2011

KCC Office Use ONLY
 Letter of Confidentiality Received
 If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution
RECEIVED
KANSAS CORPORATION COMMISSION
JAN 29 2009

CONSERVATION DIVISION
WICHITA, KS

Operator Name: Running Foxes Petroleum

Lease Name: Vogel

JAN 23 2009

Well #: 15-36A-4

Sec. 36 Twp. 24 S. R. 23 East West

County: Bourbon

~~CONFIDENTIAL~~

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <i>(Attach Additional Sheets)</i>	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Log	Formation (Top), Depth and Datum	<input type="checkbox"/> Sample
Samples Sent to Geological Survey	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Name	Top	Datum
Cores Taken	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Excello	130'	722'
Electric Log Run <i>(Submit Copy)</i>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Upper Bartlesville	349'	503'
List All E. Logs Run:		Mississippian	484'	368'

Density Neutron, Dual Induction, Gamma Ray

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12.25"	8.625	24lbs.	21'	Quickset	15	KolSeal
Production	6.75"	4.5"	6.5lbs.	483'	Quickset	60	KolSeal Gel

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input checked="" type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth

RECEIVED
 KANSAS CORPORATION COMMISSION
JAN 29 2009
 CONSERVATION DIVISION
 WICHITA, KS

TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run:	<input type="checkbox"/> Yes <input type="checkbox"/> No
Date of First, Resumed Production, SWD or Enhr.	Producing Method: <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)				
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <input type="checkbox"/> Other (Specify) _____	PRODUCTION INTERVAL: _____ _____
---	--	--

MC ID # 165290
 Shop # 620 437-2661
 Cellular # 620 437-7582
 Office # 316 685-5908
 Office Fax # 316-685-5926
 Shop Address: 3613A Y Road
 Madison, KS 66860

Hurricane Services, Inc.
 P.O. Box 782228
 Wichita, KS 67278-2228

Cement, Acid or Tools
 Service Ticket
 02810

DATE 10-17-08

COUNTY BOUCO CITY _____

CHARGE TO Running Foxes RCC

ADDRESS _____ CITY _____ ST _____ ZIP JAN 23 2009

LEASE & WELL NO. VOGEL 15-36A-4 CONTRACTOR Birkwell Serv **CONFIDENTIAL**

KIND OF JOB Longstring SEC. _____ TWP. _____ RNG. _____

DIR. TO LOC. _____ OLD NEW

Quantity	MATERIAL USED	Serv. Charge	
			700.00
60 SKS	QuickSet cement		864.00
240 lbs	KOL-SEAL 4" P/SK		72.00
100 lb	Gel Flush		20.00
2 Hrs	Water Truck #88		160.00
2 1/2 Hrs	Water Truck #193		200.00
90	mileage on Trk #107		135.00
3.47 Tons	BULK TRK. MILES		343.53
90	PUMP TRK. MILES		270.00
	Wireline Rental		50.00
1	PLUGS 4 1/2" Top Rubber		35.00
		6.37% SALES TAX	62.43
		TOTAL	2911.96

RECEIVED
 KANSAS CORPORATION COMMISSION

JAN 29 2009

CONSERVATION DIVISION
 WICHITA, KS

T.D. _____

SIZE HOLE 6 3/4"

MAX. PRESS. _____

PLUG DEPTH _____

PLUG USED _____

CSG. SET AT 483' VOLUME 7.6 Bbls

TBG SET AT _____ VOLUME _____

SIZE PIPE 4 1/2"

PKER DEPTH _____

TIME FINISHED _____

REMARKS: Rig up to 4 1/2" casing, Break circulation w/ 10 Bbl water, 5 Bbl Gel Flush, followed with 15 Bbl water, Mixed 60 SKS QuickSet cement w/ 4" P/SK of KOL-SEAL, shut down washout Pump + Lines Release Plug - Displace Plug with 7 1/2 Bbls water, Final Pumping at 300 PST - Bumped Plug To 700 PST Release Pressure - Float Held - close casing in w/ 0 PST.

Good cement returns with 3 Bbl slurry

"Thank you"

EQUIPMENT USED

NAME Kelly Kimberlin UNIT NO. 185

NAME Jerry Roedger #186, Arden #88, Clayton #193

Brad Butler
 HSI REP.

called by Rick
 OWNER'S REP.