

CONFIDENTIAL

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION  
WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

1/07/11

Form ACO-1  
September 1999  
Form Must Be Typed

Operator: License # 32825  
Name: Pioneer Exploration, LLC  
Address: 15603 Kuykendahl Suite 200  
City/State/Zip: Houston, Texas 77090  
Purchaser: NCRA  
Operator Contact Person: Cynthia B. Gray  
Phone: (281) 893-9400 x.259  
Contractor: Name: Warren Drilling LLC  
License: 33724  
Wellsite Geologist: Patrick Deenihan

CONFIDENTIAL

JAN 07-2009

REGS

Designate Type of Completion:  
 New Well  Re-Entry  Workover  
 Oil  SWD  SLOW  Temp. Abd.  
 Gas  ENHR  SIGW  
 Dry  Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:  
Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_  
Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening  Re-perf.  Conv. to Enhr./SWD  
 Plug Back  Plug Back Total Depth  
 Commingled  Docket No. \_\_\_\_\_  
 Dual Completion  Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?)  Docket No. \_\_\_\_\_

09/17/08 09/27/08 10/01/08  
Spud Date or Date Reached TD Completion Date or  
Recompletion Date Recompletion Date

API No. 15 - 055-22022-00-00  
County: Finney  
SW NE NW Sec. 19 Twp. 22 S. R. 33  East  West  
990 feet from S (N) (circle one) Line of Section  
3630 feet from (E) W (circle one) Line of Section  
Footages Calculated from Nearest Outside Section Corner:  
(circle one) (NE) SE NW SW  
Lease Name: Garden City "B" Well #: 17-19  
Field Name: Damme  
Producing Formation: Morrow  
Elevation: Ground: 2909 Kelly Bushing: 2917  
Total Depth: 4970 Plug Back Total Depth: 4917  
Amount of Surface Pipe Set and Cemented at 331 Feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set 2695 Feet  
If Alternate II completion, cement circulated from 4964  
feet depth to surface w/ 1185 sx cmt.

Drilling Fluid Management Plan *ANKA NJ 3309*  
(Data must be collected from the Reserve Pit)  
Chloride content \_\_\_\_\_ ppm Fluid volume \_\_\_\_\_ bbls  
Dewatering method used \_\_\_\_\_  
Location of fluid disposal if hauled offsite:  
Operator Name: \_\_\_\_\_  
Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_  
Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West  
County: \_\_\_\_\_ Docket No.: \_\_\_\_\_


**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: *Cynthia B. Gray*  
Title: Field Operations Date: 12/24/2008

Subscribed and sworn to before me this 24th day of December, 2008.

Notary Public: *Clark Ordas*  
Date Commission Expires: 12-13-2010



KCC Office Use ONLY  
 Letter of Confidentiality Received  
If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
IC Distribution

KANSAS CORPORATION COMMISSION

JAN 09 2009

RECEIVED

Operator Name: Pioneer Exploration, LLC Lease Name: Garden City "B" Well #: 17-19  
 Sec. 19 Twp. 22 S. R. 33  East  West County: Finney

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <i>(Attach Additional Sheets)</i>	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum	<input type="checkbox"/> Sample
Samples Sent to Geological Survey	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Name	Top Datum
Cores Taken	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	SEE ATTACHED	
Electric Log Run <i>(Submit Copy)</i>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
List All E. Logs Run:	CNL/CDL MEL, DIL, CBL		

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12-1/4"	8-5/8"	24	331	Common	225	3% cc w/ 2% gel
Production	7-7/8"	4-1/2"	9.5	4964	C/C-lite/ASC	1185	10% salt, 2% gel, 5# gilsonite; 1/4# flo-seal

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	
			Depth
4	4745-4747	Acidize w/ 350 gals 7.5% NeFe	4745-47
		Frac'd with 430 bbls and 12,000# sand	4745-47

TUBING RECORD	Size	Set At	Packer At	Liner Run
	2 3/8	4769		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

Date of First, Resumerd Production, SWD or Enhr. 12/5/08	Producing Method
	<input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
	10	0	30		29

Disposition of Gas	METHOD OF COMPLETION	Production Interval
<input type="checkbox"/> Vented <input type="checkbox"/> Sold <input checked="" type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	<input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <input type="checkbox"/> Other (Specify) _____	_____

KANSAS CORPORATION COMMISSION

JAN 09 2009  
RECEIVED

Garden City "B" #-17-19  
Damme  
Finney County  
API. NO. 15-055-22022-00-00

Tops and base of formation penetrated

<u>Name</u>	<u>Top</u>	<u>Datum</u>
Herrington	2519	(+398)
Krider	2539	(+379)
Winfield	2597	(+320)
Heebner Shale	3822	(-905)
Lansing	3871	(-953)
Base/Kansas City	4355	(-1438)
Cherokee Shale	4501	(-1584)
Morrow Shale	4695	(-1771)
St Louis	4790	(-1873)

KANSAS CORPORATION COMMISSION


JAN 09 2009

RECEIVED



24 S. Lincoln Street  
P.O. Box 31  
Russell, KS 67665-2906

Voice: (785) 483-3887  
Fax: (785) 483-5566



# PRIORITY INVOICE

Invoice Number: 116271  
Invoice Date: Sep 28, 2008  
Page: 1

Pioneer Exploration, LTD  
P O Box 38  
Spivey, KS 67142-0038

PioExp	Garden City B #17-19	Net 30 Days	
KS1	Oakley	Sep 28, 2008	10/28/08

QTY	UNIT	DESCRIPTION	UNIT PRICE	TOTAL
4.00	MAT	Gel	20.80	83.20
200.00	MAT	ASC Class A	18.60	3,720.00
200.00	MAT	Lightweight Class A	14.05	2,810.00
19.00	MAT	Salt	23.95	455.05
1,000.00	MAT	Gilsonite	0.89	890.00
50.00	MAT	Flo Seal	2.50	125.00
460.00	SER	Handling	2.40	1,104.00
73.00	SER	Mileage 460 sx @ .10 per sk per mi	46.00	3,358.00
1.00	SER	Production String - Bottom Stage	2,185.00	2,185.00
73.00	SER	Mileage Pump Truck	7.00	511.00
1.00	SER	Manifold & Head Rental	113.00	113.00
1.00	EQP	Latch Down Assembly	405.00	405.00
1.00	EQP	AFU Float Shoe	434.00	434.00
3.00	EQP	Baskets	169.00	507.00
10.00	EQP	Centralizers	51.00	510.00
1.00	EQP	D V Tool	4,219.00	4,219.00

DESCRIPTION Cementing  
SVC.

ACCOUNT # 1600-15  
WELL NAME Garden City B-17-19 15917  
AFE# 08080051


DATE 10-1-08 APPROVED \_\_\_\_\_

Subtotal	21,429.25
Sales Tax	877.81
Total Invoice Amount	22,307.06
Payment/Credit Applied	
	22,307.06

ALL PRICES ARE NET, PAYABLE 30 DAYS FOLLOWING DATE OF INVOICE. 1 1/2% CHARGED THEREAFTER. IF ACCOUNT IS CURRENT, TAKE DISCOUNT OF



ONLY IF PAID ON OR BEFORE



KANSAS CORPORATION COMMISSION

JAN 09 2009

RECEIVED

# ALLIED CEMENTING CO., LLC. 32020

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
Darhams

9-28-08	SEC. 19	TWP. 22	RANGE 33W	CALLED OUT	ON LOCATION 2:00pm	JOB START 11:30am	JOB FINISH 12:30am
Garden City LEASE	B	WELL# 17-19	LOCATION Biglowe + Barlow Rd			COUNTY Finney	STATE KS
OLD OR <input checked="" type="radio"/> NEW (Circle one)			1 1/2" 5" 0				

CONTRACTOR Warren #20  
 TYPE OF JOB Production String (Bottom)  
 HOLE SIZE 7 1/8 T.D. 4976'  
 CASING SIZE 4 1/2 9.5 DEPTH 4964'  
 TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_  
 PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_  
 MEAS. LINE \_\_\_\_\_ SHOE JOINT 4285  
 CEMENT LEFT IN CSG. 4282  
 PERFS. \_\_\_\_\_  
 DISPLACEMENT 43.9 mud  
 EQUIPMENT 36.25 water

OWNER same  
 CEMENT  
 AMOUNT ORDERED 200 ASC 10925 salt  
5\* G-lsonite 2900  
200 SKS Lite 1140 Cb-sal  
 COMMON \_\_\_\_\_ @ \_\_\_\_\_  
 POZMIX \_\_\_\_\_ @ \_\_\_\_\_  
 GEL \_\_\_\_\_ 4 @ 2080 8320  
 CHLORIDE \_\_\_\_\_ @ \_\_\_\_\_  
 ASC \_\_\_\_\_ 200 @ 1860 3720.00  
 \_\_\_\_\_ @ \_\_\_\_\_  
 Lite \_\_\_\_\_ 200 @ 1402 2810.00  
 \_\_\_\_\_ @ \_\_\_\_\_  
 salt \_\_\_\_\_ 19 @ 2395 455.05  
 \_\_\_\_\_ @ \_\_\_\_\_  
 G-lsonite 1000\* @ .89 890.00  
 \_\_\_\_\_ @ \_\_\_\_\_  
 Cb-sal 50 @ 250 125.00  
 HANDLING 460 @ 250 1104.00  
 MILEAGE .0945k x mile \_\_\_\_\_ 3358.00  
 TOTAL 12545.25

PUMP TRUCK CEMENTER Fuzz4  
 # 431 HELPER Kelly  
 BULK TRUCK  
 # 373 DRIVER honnie  
 BULK TRUCK  
 # \_\_\_\_\_ DRIVER \_\_\_\_\_

**REMARKS:**

Mix 200 SKS Lite 1140 Cb-sal Tail  
with 200 SKS ASC 2900, 10925 salt  
5\* G-l/K wash out pump lines  
Displace plug to hatchdown with  
36.25 water + 43.9 mud. Hit press  
200\* hand press 1400\* Cb-sal  
Drop DU Bomb with 15 min operation  
@ 1300\* Cb-sal 2 hrs. Plus down  
@ 1:30 am thanks Fuzz4 +  
crew

CHARGE TO: Pioneer Exploration LLC  
 STREET \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

**SERVICE**

DEPTH OF JOB \_\_\_\_\_ 4964'  
 PUMP TRUCK CHARGE \_\_\_\_\_ 2185.00  
 EXTRA FOOTAGE \_\_\_\_\_ @ \_\_\_\_\_  
 MILEAGE 73 @ 7.00 511.00  
 MANIFOLD + lead \_\_\_\_\_ @ \_\_\_\_\_ 113.00  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 TOTAL 2809.00

**PLUG & FLOAT EQUIPMENT**

4 1/2 {  
 1- Hatchdown Assy \_\_\_\_\_ 405.00  
 1- AFU Float shoe @ \_\_\_\_\_ 434.00  
 3- Buckets @ 169.00 507.00  
 10- Centralizers @ 51.00 510.00  
 1- DU Tool (h) @ \_\_\_\_\_ 4219.00  
 \_\_\_\_\_ @ \_\_\_\_\_  
 TOTAL 6075.00

To Allied Cementing Co., LLC.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME Larry Fink  
 SIGNATURE Larry Fink

SALES TAX (If Any) \_\_\_\_\_  
 TOTAL CHARGES \_\_\_\_\_  
 DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS


KANSAS CORPORATION COMMISSION

JAN 09 2008

RECEIVED



24 S. Lincoln Street  
P.O. Box 31  
Russell, KS 67665-2906  
Voice: (785) 483-3887  
Fax: (785) 483-5566



# PRIORITY INVOICE

Invoice Number: 116272  
Invoice Date: Sep 28, 2008  
Page: 1

**Bill To:**  
Pioneer Exploration, LTD  
P O Box 38  
Spivey, KS 67142-0038

Customer ID	Well Name	Payment Terms
PioExp	Garden City B #17-19	Net 30 Days
KS1	Oakely	Sep 28, 2008
		10/28/08

Quantity	Item	Description	Unit Price	Amount
150.00	MAT	Class C Premium Plus	19.25	2,887.50
650.00	MAT	Lightweight Class A	14.05	9,132.50
3,250.00	MAT	Gilsonite	0.89	2,892.50
163.00	MAT	Flo Seal	2.50	407.50
915.00	SER	Handling	2.40	2,196.00
73.00	SER	Mileage 915 sx @ .10 per sk per mi	91.50	6,679.50
1.00	SER	Production String - Top Stage	1,185.00	1,185.00

DESCRIPTION Cementing  
SVC  
ACCOUNT # 1600-15  
WELL NAME Garden City B-17 KS 15917  
AFE# 03080051  
DATE 10-1-08 APPROVED \_\_\_\_\_

ALL PRICES ARE NET, PAYABLE  
30 DAYS FOLLOWING DATE OF  
INVOICE. 1 1/2% CHARGED  
THEREAFTER. IF ACCOUNT IS  
CURRENT, TAKE DISCOUNT OF

Subtotal	25,380.50
Sales Tax	949.84
Total Invoice Amount	26,330.34
Payment/Credit Applied	
	26,330.34

KANSAS CORPORATION COMMISSION  
JAN 09 2009  
RECEIVED

# ALLIED CEMENTING CO., LLC. 32021

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT: OAKLEY

DATE	SEC.	TWP.	RANGE	CALLED OUT	ON LOCATION	JOB START	JOB FINISH
9-28-08	19	22S	33W		2:00pm	4:30am	5:30am
LEASE <u>Garden City B</u>				WELL# <u>17-19</u>		LOCATION <u>Bissham + Danlow Rd</u>	
COUNTY <u>Lincoln</u>				STATE <u>KS</u>			
OLD OR <u>NEW</u> (Circle one)				112w 50			

CONTRACTOR Warren #20  
 TYPE OF JOB 2-stage (Top)  
 HOLE SIZE 7 7/8 T.D.  
 CASING SIZE 4 1/2 9.5 DEPTH 2697'  
 TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_  
 PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_  
 MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_  
 CEMENT LEFT IN CSG. \_\_\_\_\_  
 PERFS. \_\_\_\_\_  
 DISPLACEMENT 43.96 Bbls

**EQUIPMENT**

PUMP TRUCK CEMENTER Fuzzie  
 # 431 HELPER Kelly  
 BULK TRUCK  
 # 394 DRIVER Larry  
 BULK TRUCK  
 # 386 DRIVER Ray

**REMARKS:**

Plug RH with 15% mix 655  
2 1/2 hrs 5\* 1/2 1/2 1/2 1/2 1/2 1/2  
with 150 class 'C' wash  
out pump + lines, Displace plus  
with 43.96 Bbls water, 800\*  
hit 1500\* land press. float  
held plus down @ 5:15 am  
cement did circulate approx  
48 Bbls. THANKS Fuzzie &  
crew

CHARGE TO: Pioneer Exploration LLC  
 STREET \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

To Allied Cementing Co., LLC.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME Larry Priest  
 SIGNATURE [Signature]

OWNER same  
 CEMENT  
 AMOUNT ORDERED 150 class 'C'  
650 hite 5\* 1/2 1/2 1/2 1/2 1/2  
class 'C'  
 COMMON 150 @ 19.25 2887.50  
 POZMIX @ \_\_\_\_\_  
 GEL @ \_\_\_\_\_  
 CHLORIDE @ \_\_\_\_\_  
 ASC @ \_\_\_\_\_  
hite 650 @ 14.25 9132.50  
Gilsonite 3250 @ .89 2892.50  
Cl-seal 163\* @ 2.50 407.50  
 HANDLING 915 @ 2.50 2196.00  
 MILEAGE 110+5kmile 6679.50  
 TOTAL 24195.50

**SERVICE**

DEPTH OF JOB 2697'  
 PUMP TRUCK CHARGE 1185.00  
 EXTRA FOOTAGE @ \_\_\_\_\_  
 MILEAGE @ WK  
 MANIFOLD @ \_\_\_\_\_  
 TOTAL 1185.00

**PLUG & FLOAT EQUIPMENT**

\_\_\_\_\_  
 @ \_\_\_\_\_  
 @ \_\_\_\_\_  
 @ \_\_\_\_\_  
 @ \_\_\_\_\_  
 @ \_\_\_\_\_  
 TOTAL \_\_\_\_\_

SALES TAX (If Any) \_\_\_\_\_  
 TOTAL CHARGES \_\_\_\_\_  
 DISCOUNT \_\_\_\_\_

IF PAID IN 30 DAYS  
 KANSAS CORPORATION COMMISSION

JAN 09 2009

RECEIVED



24 S. Lincoln Street  
P.O. Box 31  
Russell, KS 67665-2906

Voice: (785) 483-3887  
Fax: (785) 483-5566

**RECEIVED**  
SEP 22

**PRIORITY INVOICE**

Invoice Number: 116110  
Invoice Date: Sep 18, 2008  
Page: 1

**Bill to:**  
Pioneer Exploration, LTD  
P O Box 38  
Spivey, KS 67142-0038

<b>Customer ID</b>	<b>Well Name or Operation No</b>	<b>Payment Terms</b>	
PioExp	Garden City B #17-19	Net 30 Days	
<b>Job Location</b>	<b>Camp Location</b>	<b>Service Date</b>	<b>Due Date</b>
KS1	Oakley	Sep 18, 2008	10/18/08

Quantity	Item	Description	Unit Price	Amount
225.00	MAT	Class A Common	15.45	3,476.25
4.00	MAT	Gel	20.80	83.20
8.00	MAT	Chloride	58.20	465.60
237.00	SER	Handling	2.40	568.80
73.00	SER	Mileage 237 sx @ .10 per sk per mi	23.70	1,730.10
1.00	SER	Surface	1,018.00	1,018.00
31.00	SER	Extra Footage	0.85	26.35
73.00	SER	Mileage Pump Truck	7.00	511.00
1.00	SER	Manifold & Head Rental	113.00	113.00
1.00	EQP	Plug	68.00	68.00

DESCRIPTION Cementing  
SVC  
ACCOUNT # 1600-15  
WELL NAME Garden City B #17 KS 15917  
AFE# \_\_\_\_\_  
DATE 9-22-08 APPROVED \_\_\_\_\_

ALL PRICES ARE NET, PAYABLE  
30 DAYS FOLLOWING DATE OF  
INVOICE. 1 1/2% CHARGED  
THEREAFTER. IF ACCOUNT IS  
CURRENT, TAKE DISCOUNT OF

\$ 166.02

ONLY IF PAID ON OR BEFORE

09-18-2008

Subtotal	8,060.30
Sales Tax	253.77
Total Invoice Amount	8,314.07
Payment/Credit Applied	
<b>TOTAL</b>	<b>8,314.07</b>

KANSAS CORPORATION COMMISSION  
JAN 09 2009  
RECEIVED



# ALLIED CEMENTING CO., LLC. 32010

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:

9-17-08 Oakley KS

DATE 9-18-08	SEC. 19	TWP. 22	RANGE 33	CALLED OUT	ON LOCATION 4:30pm	JOB START 9:00am	JOB FINISH 9:30am
LEASE Garden City		WELL# 17-19		LOCATION Big house + Barber Rds		COUNTY Finney	STATE KS
OLD OR <u>NEW</u> (Circle one)				112 W - 5441 W			

CONTRACTOR Warren #20

TYPE OF JOB Surface

HOLE SIZE 12 1/4 T.D. 336'

CASING SIZE 8 5/8 DEPTH 331'

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_

CEMENT LEFT IN CSG. 15'

PERFS. \_\_\_\_\_

DISPLACEMENT 20.1

OWNER \_\_\_\_\_

CEMENT

AMOUNT ORDERED 225 con 390 cc

2 bags

COMMON	<u>22.5</u>	@	<u>15.45</u>	<u>3476.25</u>
POZMIX		@		
GEL	<u>4</u>	@	<u>20.80</u>	<u>83.20</u>
CHLORIDE	<u>8</u>	@	<u>58.30</u>	<u>466.40</u>
ASC		@		
		@		
		@		
		@		
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>237</u>	@	<u>40</u>	<u>568.00</u>
MILEAGE	<u>10.25</u>	@	<u>17.00</u>	<u>173.12</u>
TOTAL				<u>6323.75</u>

**EQUIPMENT**

PUMP TRUCK CEMENTER Fuzzy

# 431 HELPER Kelly

BULK TRUCK

# 377 DRIVER Darwin

BULK TRUCK

# \_\_\_\_\_ DRIVER \_\_\_\_\_

**REMARKS:**

Cement did circulate

Plug down @ 9:15am

Thanks Fuzzy + crew

CHARGE TO: Pioneer Exploration

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

To Allied Cementing Co., LLC.  
You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME \_\_\_\_\_

SIGNATURE [Signature]

**SERVICE**

DEPTH OF JOB 331'

PUMP TRUCK CHARGE 1018.00

EXTRA FOOTAGE 31 @ .85 26.35

MILEAGE 73 @ 7.00 511.00

MANIFOLD thead @ 11.00

TOTAL 1668.35

**PLUG & FLOAT EQUIPMENT**

1.8 5/8 plug @ 36.00

TOTAL 68.00

SALES TAX (If Any) \_\_\_\_\_

TOTAL CHARGES \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

KANSAS CORPORATION COMMISSION

JAN 09 2009

RECEIVED