ÓNFIDENTIAL

KANSAS CORPORATION COMMISSION JAN 0 7 2009 OIL & GAS CONSERVATION DIVISION

CONSERVATION DIVISION WICHITA, KS

September 1999 Form Must Be Typed

WELL COMPLETION FORM

WELL HISTORY - DESCRIPTION OF WELL & LEASE

WELL HISTORY - DESCR	ORIGINAL
Operator: License # 30606	API No. 15 - 039-21073-00-00 UNIGINAL
Name: Murfin Drilling Company, Inc.	County: Decatur
Address: 250 N. Water, Suite 300	N2 _S2 _SW_ NE _Sec. 36 _Twp. 05 _S. R. 30 _ ☐ East ▼ West
City/State/Zip: Wichita, Kansas 67202	2100 FNL feet from S (N)(circle one) Line of Section
Purchaser: None	1980 FEL feet from E / W (circle one) Line of Section
Operator Contact Person: Leon RodalCONFIDENTIAL	Footages Calculated from Nearest Outside Section Corner:
Phone: (316) 267-3241 JAN 0 6 2009	(circle one) NE SE NW SW
Contractor: Name: Murfin Drilling Company, Inc.	Lease Name: Doris Well #: 1-36
License: 30606 KCC	Field Name: Wildcat
Wellsite Geologist: Jeff Christian	Producing Formation: None
Designate Type of Completion:	Elevation: Ground: 2839 Kelly Bushing: 2844
New Well Re-Entry Workover	Total Depth: 4220 Plug Back Total Depth: None
OilSWDSIOWTemp. Abd.	Amount of Surface Pipe Set and Cemented at 260 Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used?
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from
Operator:	feet depth tosx cmt.
Well Name:	
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan A D D D D D D D D D D D D D D D D D D
Deepening Re-perf Conv. to Enhr./SWD	Chloride contentppm Fluid volumebbls
Plug Back — Plug Back Total Depth	
Commingled Docket No.	Dewatering method used
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No	Operator Name:
	Lease Name: License No.:
09/29/08 10/06/08 10/06/08 Spud Date or Date Reached TD Completion Date or	Quarter Sec Twp S. R East West
Recompletion Date Recompletion Date	County: Docket No.:
Kansas 67202, within 120 days of the spud date, recompletion, workown information of side two of this form will be held confidential for a period of 107 for confidentiality in excess of 12 months). One copy of all wireline logs TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. All requirements of the statutes, rules and regulations promulgated to regulations.	th the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, were or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 12 months if requested in writing and submitted with the form (see rule 82-3-3 and geologist well report shall be attached with this form. ALL CEMENTING 5. Submit CP-111 form with all temporarily abandoned wells.
herein are complete and correct to the best of my knowledge.	
Signature:	KCC Office Use ONLY
Title: Leon Rodak, VP Production Date: 01/06/03	Letter of Confidentiality Received
Subscribed and sworn to before me this day of the same	If Denied, Yes Date:
2000	Wireline Log Received
	Geologist Report Received
Notary Public	UIC Distribution
Date Commission Expires 4/11/3011	KAN

Side Two

Opérator Name: Murfin	Drilling Comp	any, Inc.		Lease	Name:_	9: Doris Well #: 1-36			6
Sec. <u>.36</u> Twp. <u>05</u>	S. R. <u>30</u>	☐ East	✓ West	County	y: Decat	ur			
NSTRUCTIONS: Show ested, time tool open a emperature, fluid recov Electric Wireline Logs s	nd closed, flowing ery, and flow rate	g and shut s if gas to	in pressures, surface test, a	whether sh long with f	hut-in pre	ssure reached	static level, hydro	ostatic pressur	res, bottom hole
Drill Stem Tests Taken (Attach Additional Shi	eats)	✓ Ye	es No		⊘ L	og Forma	tion (Top), Depth	and Datum	Sample
Samples Sent to Geolog	•	 ✓ Y€	s No		Nam	е		Тор	Datum
Cores Taken Electric Log Run (Submit Copy)	\	Ye	es 🔽 No			SEE AT	TACHED LIST	KANSAS C	RECEIVED ORPORATION COMMIS
List All E. Logs Run:						- -		J	AN 0 7 2009
Dual Induction, Microresistivity	Compensa	ted Por	osity,					_	NSERVATION DIVISION WICHITA, KS
4 11 11 11		Pana		RECORD	Ne	w Used ermediate, produ	ction etc		
Purpose of String	Size Hole	Siz	e Casing	Wei Lbs.	ight	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	Drilled	8 5/8	(In O.D.)	23#	7 - 1.	260	Common	175 sx	3% cc, 2% gel
Purpose:. — Perforate — Protect Casing — Plug Back TD — Plug Off Zone	Depth Top Bottom	Туре	ADDITIONAL of Cement	1	ING / SQI s Used	JEEZE RECOP		Percent Additive	s
Shots Per Foot			RD - Bridge Plu Each Interval Pe)		racture, Shot, Ceme Amount and Kind of N		ord Depth

TUBING RECORD	Size	Set At		Packer	At	Liner Run	☐ Yes 📝 N	· COME	DEK MAL
Date of First, Resumerd F	Production, SWD or	Enhr.	Producing Me	thod	Flowin	g Pum			her Explain)
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wat	er	Bbls.	Gas-Oil Ratio	Gravity
Disposition of Gas	METHOD OF	COMPLETION	NC			Production Int	erval		*********
Vented Sold	Used on Lease		Open Hole		rf. 🗌	Dually Comp.	Commingled		

		Cities Ser C NE Sec. 25-5 2841'	SE 5S-30W					
Formation	Sample top	Datum	Ref	Log tops	Datum	Ref	Log tops	Datum
Anhydrite	2566	+278	+14	2566	+278	+14	2577	+264
B/Anhydrite	2600	+244	+15	2601	+243	+14	2612	+229
Topeka	3703	-859	-4	3699	+855	+2	3694	+853
Heebner	3874	-1030	-5	3874	-1030	-5	3866	-1025
Toronto	3904	-1060	-3	3905	-1061	-5	3897	-1056
Lansing	3921	-1077	-4	3920	-1076	-3	3914	-1073
Stark	4073	-1229	-5	4077	-1233	-9	4065	-1224
BKC	4121	-1277	-5	4124	-1280	-3	4113	-1272
RTD	4220							
LTD				4222	-1378		4527	

RECEIVED KANSAS CORPORATION COMMISSION

JAN 0 7 2009

CONSERVATION DIVISION WICHITA, KS

TAN 0 @ 5009 COMEDENETAR



24 S. Lincoln Street

P.O. Box 31

Russell, KS 67665-2906

Murfin Drlg. Co., Inc. 250 N. Water STE #300

Wichita, KS 67202

Voice:

(785) 483-3887

Fax: e

(785) 483-5566

BIII To:

RECEIVED KANSAS CORPORATION COMMISSION

JAN 07 2009

CONSERVATION DIVISION WICHITA, KS

INVOIC

Invoice Number: 116316

Invoice Date: Sep 29, 2008

Page:

1

PROD COPY

Customer ID	Well Name# or Customer P.O.	Paymen	t Terms
Murfin	Doris #1-36	Net 30	Days
Job Location 4	CampiLocation:	Service Date	Due Date
KS1	Oakley	Sep 29, 2008	10/29/08

🚛 Quantity		Description	Unit Price	Amount
175.00	MAT	Class A Common	15.45	2,703.75
3.00	MAT	Gel	20.80	62.40
6.00	MAT	Chloride	58.20	349.20
184.00	SER	handlign	2.40	441.60
40.00	SER	Mileage 184 sx @.10 per sk per mi	18.40	736.00
1.00	SER	Surface	1,018.00	1,018.00
40.00	SER	Mileage Pump Truck	7.00	280.00
1.00	SER	Manifold Surface Head	113.00	113.00
1.00	EQP	Wooden Surface Plug	68.00	68.00
	Acc	ount Rig L No. Ame	ount Description	
		22	Description	
		600 008 UT 3304 50	72 58 / 1200 1	1 Ca
		12	TAIL OF THE S.	[39
			77.19)	

ALL PRICES ARE NET, PAYABLE 30 DAYS FOLLOWING DATE OF INVOICE. 11/2% CHARGED THEREAFTER. IF ACCOUNT IS CURRENT, TAKE DISCOUNT OF

ONLY IF PAID ON OR BEFORE

Oct 29, 2008

	!
Subtotal	5,771.95
Sales Tax	200.55
Total Invoice Amount	5,972.50
Payment/Credit Applied	
TOTAL	5,972.50

JAN 0 6 2009

KCC

5,972.50

ALLIED CEMENTING CO., LLC. 32029

REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665			SER	VICE POINT:	Dalle K	
SEC. TWP. RANG	E 3 C)	CALLED OUT	ONLOCATION	JOB START	LIOB PINISH	
DATE 9/29/08/36/5	30		on Location	COUNTY	JOB PINISH	n Dearwen
LEASE NELL# 1-36 LOCAT	TION RELIEC	DETO RULICI	V5 BE	Delater	STATE /	RECTIVED KANSAS CORPORATION COMMISSION
OLD OR NEW Circle one)		Sixto				_
CONTRACTOR MUTEN #8		OWNER .	ame			JAN 0 7 2009
TYPE OF JOB Sur- Face	· · · · · ·		<u> </u>			CONSERVATION DIVISION
HOLE SIZE 12/1/2 T.D. CASING SIZE 18/18 DEPTH	360°	_ CEMENT	DEPEND 10	ر کے میں میں ک	D3 C1	WICHITA, KS
TUBING SIZE DEPTH	260	AMOUNT O	KDERED 1 1	2000 6	100	
DRILL PIPE DEPTH						
TOOL DEPTH PRES. MAX MINIMUM	<u></u>	— COMMON	17)5 ski	@ 1545	220375	
PRES. MAX MINIMUM MEAS. LINE SHOE JOIN		COMMON_ POZMIX _	· /.) ///		<u> </u>	
CEMENT LEFT IN CSG.	15'	GEL _	3	@ <u>70</u> 86	62 40	
PERFS. DISPLACEMENT ISIL ROLL		_ CHLORIDE	<u> </u>	_@ <u>.582</u> ==	349 -	
DISPLACEMENT 15112 KBL EQUIPMENT		ASC		@ <i></i>		
PUMP TRUCK CEMENTER Was n.				@		
# 423 HELPER /				@ @		
BULKTRŮCK	. *					
# 37 DRIVER FOCE	∕			_ @		
# DRIVER		HANDLING	184	$-^{@}_{@}{2}\frac{4v}{}$	44160	
		MILEAGE 4		_ ~ _ ~	53650	
REMARKS:			/	TOTAL	4292	i
Coment Did Circu	foite					
		_	SERV	ICE		
		DEPTH OF J	ОВ	260'		
		PUMP TRUC	CK CHARGE		1018-	
T1 1/4 V.		<pre>_ EXTRA FOO _ MILEAGE _</pre>)TAGE 40	-@ 	2487, 60	
Havillan	a Decci	_ MILEAGE _ → MANIFOLD		_@ <u>_>==</u> _	118	
	*/0"			_@		
M C . M			·-·	@		
CHARGE TO: Mur Lin Andrew		_		TOTAL	1411	
STREET	-	_		IOIAL	1-111	
CITYSTATE	ZIP	_	PLUG & FLOA	T EALIDMEN	r r	•
			I LOG & FLOA	I EQUITATEN	11	
•		878 Week	in Surface Plu	z. @	68	
				<u> </u>		•
To Allied Cementing Co., LLC.				@		
You are hereby requested to rent cementing and furnish cementer and helper(s) to assist				@		
contractor to do work as is listed. The abov					<i>(C)</i>	
done to satisfaction and supervision of owner				TOTAL	682	
contractor. I have gead and understand the	'GENERAI		(If Any)		•	
TERMS AND CONDITIONS" listed on the	reverse sid	. .			_	
1 Applitian	NER		RGES			
PRINTED NAME	NUC	_ DISCOUNT		IF PAII		- SIDEMINAL
SIGNATURE LA LA	101	7			CO/	ARITNEDINAL POOS 2009
SIGNATURE Januf Stell		<u></u>				IAN 0 6 2009
1						₹31-41 · =



RECEIVED KANSAS CORPORATION COMMISSION

JAN 0 7 2009

CONSERVATION DIVISION WICHITA, KS

INVOICE

Invoice Number: 116458
Invoice Date: Oct 6, 2008

Page: 1

24 S. Lincoln Street P.O. Box 31 Russell, KS 67665-2906

Voice: (785) 483-3887 Fax: (785) 483-5566

BIII.To:

Murfin Drlg. Co., Inc. 250 N. Water STE #300

Wichita, KS 67202

Customer/ID	Well Name# or Customer P.O.	Paymen	t Terms
Murfin	Doris #1-36	Net 30	Days
Job Location	Camp Location	Service Date	Due Date
KS1	Oakley	Oct 6, 2008	11/5/08

Quantity	🚧 🏅 Item 👑 🖫	Description ²	Unit Price 🦚	🧼 🦟 Amount
130.00	MAT	Class A Common	15.45	2,008.50
90.00	MAT	Pozmix	8.00	720.00
7.00	MAT	Gel	20.80	145.60
55.00	MAT	Flo Seal	2.50	137.50
229.00	SER	Handling	2.40	549.60
40.00	SER	Mileage 229 sx @.10 per sk per mi	22.90	916.00
1.00	SER	Plug to Abandon	1,185.00	1,185.00
40.00	SER	Mileage Pump Truck	7.00	280.00
1.00	EQP	Dry Hole Plug	40.00	40.00
		JAN CONFIL	DENTIAL 06 2009 RCC	
ALL PRICES AI	RE NET, PAYABL	E Subtotal		5,982.2

ALL PRICES ARE NET, PAYABLE 30 DAYS FOLLOWING DATE OF INVOICE. 11/2% CHARGED THEREAFTER. IF ACCOUNT IS CURRENT, TAKE DISCOUNT OF



ONLY IF PAID ON OR BEFORE

Nov.5, 2008

Subtotal	5,982.20
Sales Tax	376.88
Total Invoice Amount	6,359.08
Payment/Credit Applied	
TOTAL	6,359.08

ALLIED CEMENTING CO., LLC. 043829

REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665

SERVICE POINT: CALLED OUT JOB FINISH ON LOCATION **RANGE** JOB START , wp, DATE 10-6-08 36 5 3,30Pm RexFord STATE LEASE Doris -36s LOCATION WELL# OLD OR NEW Circle one) into **CONTRACTOR OWNER TYPE OF JOB CEMENT HOLE SIZE** T.D. AMOUNT ORDERED 220 Sts 60/10 496 Get **CASING SIZE** DEPTH flo-sect **TUBING SIZE DEPTH DRILL PIPE** 25331 **DEPTH** TOOL **DEPTH** @15,45 2008,50 COMMON 130 Sts <u>MINIMUM</u> PRES. MAX MEAS. LINE **SHOE JOINT** POZMIX 90 563 CEMENT LEFT IN CSG. @ 20-80 145,6 **CHLORIDE** PERFS. **DISPLACEMENT** ASC_ @ @ **EQUIPMENT** @2,50 137,50 CEMENTER ANTEW **PUMP TRUCK** #422 HELPER @ **BULK TRUCK** @ # 322 DRIVER @ **BULK TRUCK** @ RECEIVED HANDLING 229 Sts DRIVER KANSAS CORPORATION COMMETENGE 104 SKIMIL C TOTAL 4477,20 **REMARKS:** JAN 0 7 2009 533' 5K5 (C) CONSERVATION DIVISION **SERVICE** SKS Q WICHITA, KS 310 SK5 (C) 40 DEPTH OF JOB . 25:33 nouse hole 5/5 PUMP TRUCK CHARGE Rat Lole **EXTRA FOOTAGE @** MILEAGE 40 /2/2 = @ 7,00 @ MANIFOLD _ @ CONTRICTAN CHARGE TO: Murfin Drilling CO JAN 9 5 2009 TOTAL 1465-00 KCC STATE_ ZIP CITY To Allied Cementing Co., LLC. You are hereby requested to rent cementing equipment

and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

SES	AIEQ	UIPMEN	I
) Dry hole plug	@ _ @ _		40,00
	@_ @_		
		TOTAL	40,00
SALES TAX (If Any)			
TOTAL CHARGES			
DISCOUNT		_ IF PAI	D IN 30 DAYS