KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 31280	API No. 15 - 031-22762-00-00
Name: Birk Petroleum	Spot Description:
Address 1: 874 12th Rd SW	SE_NW_SW_NW Sec. 29 Twp. 22 S. R. 17 FEast West
Address 2:	3,465 Feet from North / South Line of Section
City: Burlington State: Ks Zip: 66839 +	
Contact Person: Brian L Birk	Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 364-1311	□ne □nw ☑se □sw
CONTRACTOR: License #	County: Coffey
Name: Birk Petroleum	Lease Name: Tastove Well #: 18
Wellsite Geologist: None	Field Name: Parmely
Purchaser: Coffeyville Resources	Producing Formation: Squirrel
Designate Type of Completion:	Elevation: Ground: 1048 est. Kelly Bushing:
✓ New Well	Total Depth: 995 Plug Back Total Depth: 995
	Amount of Surface Pipe Set and Cemented at: 40 Feet
✓ Oil WSW SWD SlOW	
☐ Gas ☐ D&A ☐ ENHR ☐ SIGW ☐ GSW ☐ Temp. Abd.	Multiple Stage Cementing Collar Used? Yes No If yes, show depth set: Feet
CM (Coal Bed Methane)	
Cathodic Other (Core, Expl., etc.):	If Alternate II completion, cement circulated from: 978
If Workover/Re-entry: Old Well Info as follows:	feet depth to: surface w/ 120 sx cmt.
Operator:	
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	· ·
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Chloride content: ppm Fluid volume: bbls
☐ Conv. to GSW	Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	Lease Name: License #:
SWD Permit #:	
☐ ENHR Permit #:	QuarterSecTwpS. R East West
GSW Permit #:	County: Permit #:
11/18/2010 12/01/2010 12/02/2010	
Spud Date or Date Reached TD Completion Date or Recompletion Date	
INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workover or copfiside two of this form will be held confidential for a period of 12 months if requiality in excess of 12 months). One copy of all wireline logs and geologist we BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 for	onversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information uested in writing and submitted with the form (see rule 82-3-107 for confidentil report shall be attached with this form. ALL CEMENTING TICKETS MUST m with all temporarily abandoned wells.
	egu- with e. Letter of Confidentiality Received Date: FEB0_32011 Confidential Release Date: Wireline Log Received Geologist Report Received KCC Office Use ONLY RECEIVED FEB0_32011 KCC WICHITA
AFFIDAVIT I am the affiant and I hereby certify that all requirements of the statutes, rules and re	RECEIVED
lations promulgated to regulate the oil and gas industry have been fully complied	with Letter of Confidentiality Received
and the statements herein are complete and correct to the best of my knowledg	e. Date: FEB 0 3 2011
	☐ Confidential Release Date: KCC 14/10
Signature: The Signature S	Geologist Report Received

UIC Distribution

ALT | | | | | | | | | | | Approved by:

Date: 02/02/2011

Title: Agent

Operator Name: Birk F	Petroleum			_ Lease	Name:	Tastove		Well #: <u>18</u>	3	
Sec. <u>29</u> Twp. <u>22</u>	_s. R. <u>17</u>	✓ East	West	Count	y: Coffe	У				
INSTRUCTIONS: Show time tool open and close recovery, and flow rates line Logs surveyed. Atta	d, flowing and shu if gas to surface te	t-in pressu st, along w	res, whether sh rith final chart(s	nut-in pre:	ssure read	ched static le	evel, hydrostatic p	ressures, bottom	hole temp	erature, fluid
Drill Stem Tests Taken (Attach Additional She	eets)	Ye	s 📝 No				ation (Top), Dept	_		Sample
Samples Sent to Geolog Cores Taken Electric Log Run Electric Log Submitted E (If no, Submit Copy)	•	☐ Ye ☐ Ye ☐ Ye ☐ Ye	s No		Squirre			Тор 981		Datum
List All E. Logs Run:										
	•	Repo	CASING	RECORD	_	_	duction, etc.			
Purpose of String	Size Hole Drilled	Siz	e Casing (In O.D.)	We	eight ./FL	Setting Depth	Type of Cemen			and Percent Additives
Surface	9 7/8"	7"		17#		40	Portland	15	Calciu	m
Long String	6 1/8"	2 7/8"		6.5#		978	Portland	120		
	<u> </u>		ADDITIONAL	CEMENT	ING / SQL	JEEZE RECO	DRD		<u>.</u>	
Purpose: —— Perforate —— Protect Casing	Depth Top Bottom	Туре	of Cement]	ks Used			and Percent Additive	es	
Plug Back TD Plug Off Zone								A TABLE STATE OF THE STATE OF T	_	
Shots Per Foot			D - Bridge Plug Each Interval Perl		•	Acid	, Fracture, Shot, Ce (Amount and Kind	ement Squeeze Reco	ord	Depth
None (Open hole compl	etion 978	-995'			Frac w/4	2 sx			978-995
							1.00		RE	CFIVED
TUBING RECORD:	Size:	Set At:		Packer	At:	Liner Run:	Yes [FEE	CEIVED 0 3 2011 WICHITA
Date of First, Resumed Pr	oduction, SWD or EN	IHR.	Producing Meth	nod:	ing [Gas Lift	Other (Explain)		KCC	WICHIT/
Estimated Production Per 24 Hours	Oil 1	Bbls.	Gas	Mcf	Wat	er 2	Bbls.	Gas-Oil Ratio		Gravity
DISPOSITION Vented Sold	OF GAS:			METHOD C	OF COMPLI		Commingled	PRODUCT	ION INTER	WAL:

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588



CONDITIONS

CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no, responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

Notice TO OWNER

Failure of this contract to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

SOLOTO. BB001

B & B COOPERATIVE VENTURES 900 S. FOURTH ST

> BURLINGTON KS CCA39

BI11/16

B & B COOP. VENTURES/BIR DIL 58 W TO WAYSIDE RD N 12MI TO

STHERD W. A. MI W. A. A. P. W. WELL # TASTOVE #18

LE DOV VE EEDST

		00003	28.57	LIL KUY	*va ppaa.		
TIME	FORMULA 🦠	LOAD SIZE	YARDS ORDERED	à.	DRIVEŘ/TRUCK		PLANT/TRANSACTION:
		3	•	~ * CAL	17/4	KAIR	1
02:01:27p	WELL	6.00 yd	12.00 yd	0.00	34	0.00	1 1
DATE	77	LOAD#	YARDS DÉL	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
	o Date	<u>.</u>	12.00 yd				
12-02-10	Today	, 5	12.00 yd	15204		4.00 in	28184

WARNING AND EYES
Contains Portland Coment: Wear Rubber Boots and Gloves, McCLONGED CONTACT MAY
CAUSE BURNES, Avoid Contact With Year and Prolonged Chiptact With Skin. In Case of
Contact With Skid on Eyes, Fluth Proroughly, With Water, If Wijatian, Persists, Get Medical
Against Near Chipten Way.

CONCRETE Is a PERISHABLE COMMODITY and BECOMES the PROPERTY OF the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION OF ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attotheys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks Excess Delay Time Charged @ \$50/HR CODE

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of this applion that the six end weight of his truck may possibly cause damage-to, the premises and/or edicent property if it places the projecting the property if it places the projecting the property of the projection of our wish to help to the control of t **Excessive Water is Detrimental to Concrete Performance** H₂0 Added By Request/Authorized By

UNIT PRICE

EXTENDED PRICE

31430

6.00

QUANTITY

WELL.

WELL (10 SACKS PER UNIT)

DESCRIPTION

12.00

456,00

abTotal * 456.00 Тах 🗴 6,300 28,73 484.73

RETURNED TO PLANT DELAY EXPLANATION/CYLINDER TEST TAKEN **LEFT JOB** FINISH UNLOADING TIME ALLOWED JOB NOT READY "8." TRUCK BROKE DOWN SLOW POUR OR PUMP TRUCK AHEAD ON JOB CONTRACTOR BROKE DOWN 7. ACCIDENT LEFT PLANT ARRIVED JOB 9. OTHER START UNLOADING TIME DUE 5. ADDED WATER $P_{\mathcal{A}}^{-1}$ der 🐛 1089.05 · } }.1 **ADDITIONAL CHARGE 1 TOTAL ROUND TRIP** TOTAL AT JOB UNLOADING TIME **DELAY TIME ADDITIONAL CHARGE 2** GRAND TOTAL

> RECEIVED FEB 03 2011 KCC WICHITA

802 N. Industrial Rd. P.O. Box 664 `Iola, Kansas 66749 Phone: (620) 365-5588



CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc. which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO OWNER

Fallure of this contract can result in the filling of a mechanic's lien on the property which is the subject of this contract.

SOLD TO:

BB001

B & B COOPERATIVE VENTURES 900 S. FOURTH ST.

BURLINGTON KS

56839

BI11/16

B & B COOP, VENTURES/BIRK OIL 58 W TO WAYSIDE RD N 1 MI TO

5TH RD W.1 MI N 1/ MI ----

WELL # TASTOVE #18

LE ROY, KS 66857

	The second secon	Company of the		****	,		
TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION #
		-		% CAL	Did	% AIR	
01:50:51p	WELL	6.00 yd	12.00 yd	ଡ. ଉଡ	34	0.20	
DATE		LOAD#	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
	o Date	Ĩ	6.00 yd	'			
12-02-10	Today	1.	6.00 yd	15203	•	4.00 in	59193

WARNING

IRRITATING TO THE SKIN AND EYES
Contains Porlland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY
CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of
Contact, With Skin. or, Eyes, Flush Thoroughly With Water, If Irritation, Persists, Get Medical
Attention. MEEP. CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum. Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.

Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)
Dear Customer-The driver of this truck in presenting this RELEASE to
you for your signature is of the opinion that the size and weight of his
truck may possibly cause damage to the premises end/or adjacent
properly if it places the material in this logd where you desire is, it is
our with to help you in every way that we can, but in order to do this
the driver is requesting that you sign this RELEASE relieving had not
this supplier from any responsibility from any damage that may occur
to the premises and/or adjacent property, buildings, sidewalks,
driveways, curbs, etc., by the delivery of this material, and that you
also agree to help him remove mud from the wheels of his vehicle so
that he will not litter the public steet. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver
of this truck and this supplier for any and all damage to the premises
and/or adjacent property which may be claimed by anyone to have
arisin out of delivery of this order.

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

WEIGHMASTER -

QUANTITY CODE DESCRIPTION

6.00

WELL

WELL (10 SACKS PER UNIT)

2,25

TRUCKING

TRUCKING CHARGE

5,00

76.00

UNIT PRICE

14.11 TC:

2, 25 50.00

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYL	INDER TEST TAKEN	TIME ALLOWED	SubTotal \$	568.5 0
	JOB NOT READY SLOW POUR OR PUMP TRUCK AHEAD ON JOB	6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION		т∌и % 6.300	35, 82 604, 38		
LEFT PLANT	ARRIVED JOB	START UNLOADING	CONTRACTOR BROKE DOWN ADDED WATER	9. OTHER	TIMEDIE	Order \$	604.32
2 1121	2143					ADDITIONAL CHARGE 1	(145,14,417
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME			DELAY TIME	ADDITIONAL CHARGE 2	
·						GRAND TOTAL	•

RECEIVED FEB n 3 2011 KCC WICHITA