Kansas Corporation Commission Oil & Gas Conservation Division

ORIGINAL

June 2009
Form Must Be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 32710	API No. 15 - 207-27741-00-00
Name: Laymon Oli II LLC	Spot Description:
Address 1:1998 Squirrel Rd	NE_SW_SE_SE_Sec. 27 Twp. 23 S. R. 16 East West
Address 2:	
City: Neosho Falls State: KS Zip: 66758 + 7124	825 Feet from ▼ East / West Line of Section
Contact Person: Michael Laymon RECEIVED	Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 963-2495	□ NE □ NW □ SE □ SW
CONTRACTOR: License # 32710 JAN 2 8 2011	County: Woodson
Name: Company Tools	Lease Name: D Gleue Well #: 7-10
Wellsite Geologist: none KCC WICHITA	Vornon
Purchaser:Coffeyville Resources	Producing Formation: Mississippi
	_
Designate Type of Completion:	Elevation: Ground: 1073 est Kelly Bushing:
✓ New Well	Total Depth: 1465 Plug Back Total Depth: 1460
☑ Oil	Amount of Surface Pipe Set and Cemented at: 40 Feet
Gas D&A ENHR SIGW	Multiple Stage Cementing Collar Used?
☐ OG ☐ GSW ☐ Temp. Abd.	If yes, show depth set: Feet
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from: 40
☐ Cathodic ☐ Other (Core, Expl., etc.):	feet depth to: surface w/ 10 sx cmt.
If Workover/Re-entry: Old Well Info as follows:	-
Operator:	Drilling Fluid Management Plan
Well Name:	(Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	Chloride content: ppm Fluid volume: bbls
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD	Dewatering method used:
Conv. to GSW	
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	Lease Name: License #:
SWD Permit #:	Quarter Sec Twp S. R
GSW Permit #:	County: Permit #:
12-08-2010 12-10-2010 12-14-2010	
Spud Date or Recompletion Date Date Reached TD Recompletion Date Completion Date	
INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workover or co of side two of this form will be held confidential for a period of 12 months if requitiality in excess of 12 months). One copy of all wireline logs and geologist well BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 for	enversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information uested in writing and submitted with the form (see rule 82-3-107 for confidentification) is report shall be attached with this form. ALL CEMENTING TICKETS MUST
AFFIDAVIT	KCC Office Use ONLY
I am the affiant and I hereby certify that all requirements of the statutes, rules and re- lations promulgated to regulate the oil and gas industry have been fully complied	Letter of Confidentiality Decelyed
and the statements herein are complete and correct to the best of my knowledge	e. Date:
MA -1 0 //	Confidential Release Date:
Signature: Will Comment of the Signature	₩ Wireline Log Received Geologist Report Received
Title: Owner Date: 1-2(-)(ALT IX III Approved by: Dis_ Date: 2 4/11

Side Two

Operator Name: Layı	mon OII II LLC		Lease N	lame: _	D Gleue		_Well #: 7-1	0	
Sec. 27 Twp. 23	s. R. <u>16</u>	✓ East	County:	Wood	dson			<u> </u>	
time tool open and clos	sed, flowing and shut s if gas to surface te	d base of formations pe t-in pressures, whether st, along with final chart well site report.	shut-in press	ure read	ched static level,	hydrostatic press	sures, bottom h	nole temp	erature, fluid
Drill Stem Tests Taken (Attach Additional S	heets)	☐ Yes 🗸 No		 ✓Lo	og Formation	n (Top), Depth an			Sample
Samples Sent to Geold	ogical Survey	☐ Yes ✓ No		Nam See at	e tached log		Тор	ı	Datum
Cores Taken Electric Log Run Electric Log Submitted (If no, Submit Copy)	•	Yes V No Yes No Yes No		000 0	idenied log				
List All E. Logs Run: Gamma Ray N	leutron								
			G RECORD	☐ Ne					
Purpose of String	Size Hole	Report all strings set Size Casing	Weig	ht	Setting	Type of	# Sacks		and Percent
Surface	Drilled 10 1/4"	Set (In O.D.) 8 5/8"	24#	Ft.	Depth 40	Cement	Used 10		Additives
Production	6 3/4"	4 1/2"	10#		1460	portland	240		
Tubing	0 0/4	2 3/8"	4.7#		1450	portiand	240		!
	<u> </u>			IG / SQL	EEZE RECORD	<u></u>	<u> </u>	L	
Purpose: —— Perforate —— Protect Casing —— Plug Back TD —— Plug Off Zone	Depth Top Bottom	Type of Cement	# Sacks			Type and F	Percent Additives		
Shots Per Foot		ON RECORD - Bridge Plu				sture, Shot, Cemen		d	Depth
2	1400-1417			:N/FF	400011				1400-1417
			RECE	218	011				
			YCC,	MIC	AITA		·		
			KCC	4410					
TUBING RECORD:	Size:	Set At:	Packer At:	:	Liner Run:	Yes No			
Date of First, Resumed F	Production, SWD or ENI	HR. Producing Me	thod: Pumping	, [Gas Lift 🔲 O	ther (Explain)			
Estimated Production Per 24 Hours	Oil E	Bbls. Gas	Mcf	Wate	er Bt	ols. (Gas-Oil Ratio		Gravity
DISPOSITIO Vented Sold (If vented, Subi	Used on Lease	Open Hole	METHOD OF	_	Comp. Con	nmingled nit ACO-4)	PRODUCTIO)N INTER	VAL:

Laymon Oil II LLC 1998 Squirrel Rd Neosho Falls, KS 66758

620-963-2495

fax 620-963-2921

Lease: D Gleue Well # 7-10
API: 15-207-27741-00-00
Spud date: 12-08-2010
Completion date: 12-10-2010
27-23-16 Woodson County

Formation	From	То	
Soil	0	19	
Shale	19	160	
Lime	160	255	
Shale	255	270	
Lime	270	475	
Shale	475	500	
Lime	500	518	
Shale	518	525	
Lime	525	660	
Shale	660	845	
Lime	845	855	
Shale	855	922	
Lime	922	945	
Shale	945	950	RECEIVED
Lime	950	980	2 0 2011
Shale	980	1007	JAN 2 8 2011
Upper Sand	1007	1014	MICHITA
Shale	1014	1044	KCC WICHITA
Lower Sand	1044	1055	
Shale	1055	1390	
Lime	1390	1465	
Total Depth		1465	

Set 40' of 8 5/8" surface, cemented w/ 10 sacks Ran 1460 of 4 $\frac{1}{2}$ " casing



CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at coverie's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, readways, drivoways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strongth test when water is added at customer's request.

NOTICE TO OWNER

Failure of this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

1,0005

LAYMON DIL, L.L.C. 1998 SQUIRREL RD.

1.887

LAYMON DIL

54 W TO WILLOW N TO 200TH RD W 6 MI TO SQUIRREL ANOTHER

TOYOUR N ST

NEGGIO FOLLS KS

	(41)	STREET, A CHEMISTER ASSESSED.		11.0 1.0			
		ZZ TEO		MEDGHG	ENTE		
TIME	FORMULA	LOAD SIZE	YARDS ORDERED	(40% (303) 1/2)	DRÍVER/TRUCK	ļ	PLANT/TRANSACTION #
				% CAL	Dist	% A18	
Marin Zo 1 Him	ILIEL I	£ 80 od	12.00 vd	n_nn		0 00	
DATE		LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
	n Date	1	6. (40 va				
12: 10: 10	Inday	1	1. 1000 21	15306		4.00 in	28254
	WADNING		PROPERTY DAMA	AGE RELEASE	Excessive Water	er is Detrimental to Con	crete Performance

WARNING

IRRITATING TO THE SKIN AND EYES
Contains Portland Cement, Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY
CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of
Contact With Skin or Eyes, Flush Thoroughly With Water, If Inflation Persists, Get Medical
Attention. KEEP CHILDREN AWAY.

CONCRETE Is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable atomeys' fees, incurred in collecting any sums owned.

All accounts not peid within 30 days of delivery will bear interest at the rate of 24% per annum Not Responsible for Reactive Aggregate or Color Quality, No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR.

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB UNE). Dear Customer-The driver of this truck in presenting this RELEASE to you for your signeture is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent properly if it places the material in this load where you desire it. It is our wish to help you the weety way that we can, but in order to do this dimer is requesting that you don'this RELEASE relieving that and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent properly, buildings, sidewalls, chrievenys, cutbs, etc., by the delivery of this material, and that you so great to help him remove must from the wheels of his verbic so that he will not from the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver in its truck and this supplier for any and at damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.

H₂0 Added By Request/Authorized By

WEIGHMASTER

NOTICE IN SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARRING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

LOAD RECEIVED BY:

	QUANTITY	CODE	DESCRIPTION			UNIT PRICE	EXTENDED PRICE
-	6., 00 7., 00	1461 (1491) (170)	TOWN FINE CH MEET ATO CA	HEREGEIVED JAN 2 8 2011	e., (h)i 27, vir)	76. ଉପ ୱନ, ଉପ	ኒኒኒኒኒኒኒኒኒኒኒኒኒኒኒኒኒኒኒኒኒኒኒኒኒኒኒኒኒኒኒኒኒኒኒኒኒ

X

KCC WICHITA

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST	TAKEN TIME ALLO	VED		
			JOB NOT READY G. TRUCK B SLOW POUR OR PUMP T. ACCIDES TRUCK AHEAD ON JOB GITATION			ubTotal 4 px % 7.300	556. ወው 40. 59
LEFT PLANT	ARRIVED JOB	START UNLOADING	4. CONTRACTOR BROKE DOWN 9. OTHER 5. ADDED WATER	TIME DU	E i	ીમાં ધ	1006.59
147					0	ADDITIONAL CHARGE 1	196. 59
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TI	ΛE	ADDITIONAL CHARGE 2	
						GRAND TOTAL	



CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck'e own power. Due to delivery at owners or intermediary's direction, seller assumes no responsibility for damages in any manner to siddowlks, neadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for hoding trucks longer. This concrete contains corrord water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO OWNER

Rolling of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's tien on the property which is the subject of this contract.

- คิดเดร

FAYMON DIL, L.L.C. 1998 SQUIRREL RD.

NEOSHO FALLS KS

1.A87 LAYMON OTI.

54 N TO WILLOW N TO 200TH RD N 6 MI TO SQUIRREL ANOTHER

SMYD W N SD

711.45		65758	<u> </u>	NEDSHO	FALLS.		
TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK	i	PLANT/TRANSACTION #
			1	% Col	[मर्च	# AIR	
March. Stp.	- WELL	С. Ий уд	12.00 va	13. 17(1)	34	מי. או	}
DATE	<u> </u>	LOAD#	YARDS DEĹ,	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
	o Date	.7	in no out				
13 14 16	- Luday	3	10 BM St	15.30?		4.00 111	28255

WARNING ...

IRRITATING TO THE SKIN AND EYES
Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY
CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of
Contact With Skin or Eyes. Flush Thoroughly With Water, If Intiation Persists, Get Medical
Attention. KEEP CHILDREN AWAY.

CONCRETE IS & PERISHABLE COMMONTY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of dollwary will bear interest at the rate of 24% per annum. Not Responsible for Reactive Apgregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50,HR.

PROPERTY DAMAGE RELEASE
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

(TO BE SIGNED # DELIVERY TO BE MADE INSIDE CURB LINE)
Dear Customer-The other of this tack is presenting his RELEASE to
you for your signature is of the opinion that the size and weight of his
truck may possibly cause damage to the premises and/or adjacent
properly # it places the meterial in this load where you desire it it is
our wish to help you in every way that we can, but in order to do this
the driver is responsiblely from any demage that may occur
the driver is responsiblely from any demage that may occur
to the premises and/or adjacent properly, buildings, sidemals,
chineways, curbs, etc., by the delivery of this material, and that you
also agree to help him remove much from the wheels of it is weblice so
that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemity and hold hamiless the driver
of this truck and this supplier for any and all damage to the premises
and/or adjacent properly which may
the claimed by anyone to have
astern out of delivery of this order.
SIGNED

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

GAL X

WEIGHMASTER

NOTICE MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

LOAD RECEIVED BY:

QUANTITY CODE DESCRIPTION UNIT PRICE **EXTENDED PRICE** 11. (4) 14[1] HELL (IN SACKS PER UNIT) 12.00 76.00 456, 00 RECEIVED

JAN 2 8 2011

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYL	INDER TEST TAKEN	ATIME ALLOWED	7	
			JOB NOT READY SLOW POUR OR PUMP TRUCK AHEAD ON JOB	TRUCK BROKE DOWN ACCIDENT CITATION	1	oblotal \$	456. WW
LEFT PLANT	ARRIVED JOB	START UNLOADING	CONTRACTOR BROKE DOWN ADDED WATER	9. OTHER	TIME DUE	otal 4	489. 29
W: 49	5173					ADDITIONAL CHARGE 1	เดลก. ยล
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME			DELAY TIME	ADDITIONAL CHARGE 2	
						GRAND TOTAL	

RETURNED TO PLANT

LEFT PLANT

TOTAL ROUND TRIP

UB

LEFT JOB

ARRIVED JOB

TOTAL AT JOB

FINISH UNLOADING

START UNLOADING

UNLOADING TIME



CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbory, otc., which are at customer insk. The maximum altotted time for unleading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strongth test when water is added at customer's roquest.

NOTICE TO CWNER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filling of a mechanic's lien on the property which is the subject of this contract.

1.4005 LAYMON DIL, L.L.C. 1998 SQUIRREL RD.

1.02/ LAYMON OIL

54 W TO WILLOW N TO 200TH RD H 6 MI TO SQUIRREL ANOTHER

TIME ALLOWED

TIME DUE

DELAY TIME

SubTotal t

T∳t=} \$

Otder 4

TA: % 7.300

ADDITIONAL CHARGE 1

ADDITIONAL CHARGE 2 GRAND TOTAL

556.00

40, 59

"14F, "19

16A2, 47

		,	MILL	HCC WIC	CHITA		
F., WW P., OM	HELL TPUTTING	MELL (10 S	ACKS PER UNIT	, RECEI	VEP _{8. 200}	76.00 50.00	456. 00 100. 00
MONTHI	CODE	DESCRIPTION		(#3 too -		UNIT PRICE	EXTENDED PRICE
A \$25 Service Charge and Excess Delay Time Charged QUANTITY			X		X		
LEARNO the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS. The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed. All accounts not paid within 30 days of delivory will bear interest at the rate of 24% per annum. Not Responsible for Reactive Aggregate or Cofor Quality. No Claim Allowed Unless Made at Time Meterial to Deliverad.			IN OF CHICANAL INSTRUCTIONS MUST be to use premises another adjacent property, buildings, sidewalks, chievens, cutties, etc., by the delivery of this material, and that you also agree to help him remove must from the wheate of his whice so that he will not liter the public street. Further, es additional consideration, the understyned agrees to indemnify and hold harmless the driver of this truck and this surreiting the service of the first whice the contractions of the service of t		NOTICE MY SIGNATURE BEL NOTICE AND SUPPLIER WIL WHEN DELIVERING INSIDE CL		READ THE HEALTH WARNING FOR ANY DAMAGE CAUSED
Attention, KEEP CHILD CONCRETE IS A PERISHAL	Contact With Sixth or Eyes, Flush Thoroughly With Water, if Irritation Persists, Get Medical Attention, KEEP CHILDREN AWAY. CONCRETE is a PERISHARI & COMMODITY and RECONSES is DECORPORED to The Persists.			to the premises and/or adjacent his load where you desire it. It is all we can, but in order to do this in this RELEASE relieving him and	GAL X WEIGHMASTER		
	WARNING ATING TO THE SKIN A lent. Wear Rubber Boots and Gloves.		PROPERTY DAM (TO BE SIGNED IF DELIVERY TO Dear Customer-The driver of this tru you for your stonature is of the color	AGE RELEASE BE MADE INSIDE CURB LINE) Charles The RELEASE to	Excessive Water H ₂ 0 Ac	l এ শের i r. is Detrimental to Cor ided By Request/Auth	ncrete Performance orized By
1.0 10 10	n hate		171, 1910 yd 18, 1910 yd	15300			TICKET NUMBER
DATE DATE	WELL.	E. BD yet	12 VIO VII YARDS DEL.	% በገብ <u>.</u> ለነ ወሰ BATCH#	ZR 35	% AIR Ø. ØØ SLUMP	TIOUSTANIA
TIME	FORMULA	LOAD SIZE	YARDS ORDERED	- AE DEFE	DRIVER/TRUCK		PLANT/TRANSACTION
	NE	OSHO FALLS K		50YD (I TO SQUIRREL W N SD	ANOTHER	

DELAY EXPLANATION/CYLINDER TEST TAKEN

JOB NOT READY

5. ADDED WATER

SLOW POUR OR PUMP TRUCK AHEAD ON JOB CONTRACTOR BROKE DOWN

6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION

9. OTHER



CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, sailer assumes no responsibility for damages in any manner to sidownike, roadways, driveways, buildings, trees, shrubbary, etc., which are at customer's fisk. The maximum ablotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated, We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO OWNER

Fallure of this contractor to pay those porsons supplying material or services to complete this contract can result in the filing of a mechanic's lion on the property which is the subject of this contract.

LAGOS

LAYMON DIL, L.L.C.

1998 SQUIRREL RD.

LARY

LAYMON DIL

54 W TO WILLOW N TO 200TH RD

H 6 MI TO SQUIRREL ANOTHER

SOYD W N SD

NEOSHO FALLS KS LOAD SIZE MEDSHO, FOLLS TIME FORMULA YARDS ORDERED DRIVER/TRUCK PLANT/TRANSACTION # * CAL 719 3 ALR Ø↓Øψ BATCH# 0.00 DATE LOAD # YARDS DEL. WATER TRIM SLUMP TICKET NUMBER n Date 24.00 vd MM in 28257

WÁRNING

IRRITATING TO THE SKIN AND EYES
Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY
CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of
Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Gel Medical
Attention. KEEP CHILDREN AWAY.

CONCRETE Is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Dolay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB UNE) bear Customer. The other of this nuck in presenting his RELEASE to you lov your signature is of the opinion that the size and weight of his nuck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can turt in order to do this he driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buddings, sidewalds, chiewayst, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his varictle so that he will not little the public store. Further, as additional consideration, the understyped agrees to indominity and hold harmless the driver of his nuck and this supplier for any and at damage to the premises and/or adjacent property which may be claimed by anyone to have exist out of delivery of this order.

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

GAL X

WEIGHMASTER

NOTICE AND SUPPLIER WILL NOT WHEN DELIVERING INSIDE CURB LINE

X

QUANTITY CODE DESCRIPTION E., (AD) WHIL HELL (IN SACKS DER UNIT)

P4.00

76.00

UNIT PRICE

456,00

EXTENDED PRICE

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAK	EN TIME ALLOWED	7
		5: 11	JOB NOT READY 6. TRUCK BROKE SLOW POUR OR PUMP 7. ACCIDENT TRUCK AHEAD ON JOB 8. CITATION	DOWN	Omblotal \$ 456.00 Dx % 7.300 37.29
LEFT PLANT	ARRIVED JOB	START UNLOADING	CONTRACTOR BROKE DOWN OTHER ADDED WATER	TIME DUÈ	180, 29
4:115	511	1: 1	;		ADDITIONAL CHARGE 1
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME	ADDITIONAL CHARGE 2
				١	ADDITIONAL CHANGE 2
			•		GRAND TOTAL

RECEIVED JAN 28 2011 KCC WICHITA