

STATE OF KANSAS
STATE CORPORATION COMMISSION
200 Colorado Derby Building
Wichita, Kansas 67202

WELL PLUGGING RECORD
K.A.R.-82-3-117

API NUMBER 15-015-40190-0000

LEASE NAME Robison

TYPE OR PRINT
NOTICE: Fill out completely
and return to Cons. Div.
office within 30 days.

WELL NUMBER 17
SE SE SE

330 Ft. from S Section Line

330 Ft. from E Section Line

SEC. 18 TWP. 25 RGE. 5 (E) or (W)

COUNTY Butler

LEASE OPERATOR Gear Petroleum Co., Inc.

ADDRESS 300 Sutton Place, Wichita, KS 67202

PHONE # (316) 265 3351 OPERATORS LICENSE NO. 5151

Character of Well Oil

(Oil, Gas, D&A, SWD, Input, Water Supply Well)

Date Well Completed 6/29/46

Plugging Commenced 12/5/84

Plugging Completed 12/5/84

Did you notify the KCC/KDHE Joint District Office prior to plugging this well? Yes

Which KCC/KDHE Joint Office did you notify? 2 - Don Thompson

Is ACO-1 filed? - - If not, is well log attached? Filed with plugging application

Producing Formation Mississippi Depth to Top 2508 Bottom 2587 T.D. 2587

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put in	Pulled out
Mississippi	Oil	2508	top	7	2508	none
		1435	top	5	1935	none
		2415	top	3	2415	266'

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet to feet each set.

Pull 266' of 3", perf 5' at 250', ran tbq to 250' and pump 300 sx 60/40 poz, 3% CC, 4% gel, 1/4# Floseal/sx, 2% hulls, pull tubing, top cement 31', run tbq and fill to top w/10 sx. Run tubing outside csg to 31' and fill to surface w/50 sx. Note: 4/19/71 Squeeze down 3" with 33 sx to 1000#.

(If additional description is necessary, use BACK of this form.)

Name of Plugging Contractor Gear Petroleum Co., Inc. License No. 5151

Address 300 Sutton Place, Wichita, Kansas 67202

STATE OF Kansas COUNTY OF Sedgwick

Jim Thatcher

(Employee of Operator) or (Operator) of

above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed that the same are true and correct, so help me God.

(Signature) [Signature]

(Address) 300 Sutton Place, Wichita, KS 67202

SUBSCRIBED AND SWORN TO before me this 13th day of December, 19 84

[Signature]
Notary Public

My Commission Expires: April 1, 1986



WELL LOG BUREAU KANSAS GEOLOGICAL SOCIETY
412 Union National Bk Bldg., Wichita, Kansas


COPY

Company E. H. ADAIR OIL CO., ET AL
Farm Robinson No. 17

SEC. 18 T. 25 R. 6 E
SE SW SE

Total Depth. 2552'
Comm. 5-30-46 Comp. 6-29-46
Shot or Treated. Shot
Contractor. R. J. Wixson
Issued. 8-17-46

County. Butler
KANSAS



CASING:

15 1/2" 175' 8 1/2" 2145'
12 1/2" 860' 7 1/2" 2505'
10" 1648' 5 1/2" 1935' W. Packer
4" 2415' W. BAKER-PACKET

Elevation. _____

Production. 50 B.

Source indicates Bottom of Formations.

cellar	8	lime	980
shale	40	shale	1040
water 30'		lime	1070
lime	45	shale	1075
shale	200	lime	1080
lime	215	shale	1085
shale	235	lime	1090
red bed	245	shale	1140
lime	255	lime	1180
shale	275	shale	1195
lime	285	lime	1220
shale	385	1/2 BW 1215	
red rock	390	shale	1235
shale	405	lime	1245
lime	440	shale	1255
shale	450	lime	1280
lime	455	shale	1290
shale	460	lime	1305
lime	475	shale	1320
shale	480	lime	1400
lime	495	4 BW 1340-45'	
shale	500	shale	1460
lime	515	lime	1515
shale	520	shale	1520
lime	530	lime	1530
shale	540	shale	1550
lime	545	lime	1565
shale	570	shale	1605
lime	575	sand	1640
shale	595	4 BT 1805-15'	
lime	600	shale	1675
shale	610	lime	1680
sand	620	shale	1715
show oil 610-15'		lime	1725
shale	625	shale	1780
lime & shale	635	lime	1925
lime	645	shale	2060
shale	655	lime	2185
lime	670	1 BW 2100-10'	
shale	675	shale drk	2190
lime	680	lime	2220
shale	715	shale	2350
lime sft	730	lime	2365
show oil 720-25'		shale	2375
shale	755	lime	2400
lime	760	shale	2415
shale	785	lime	2430
lime	790	shale	2480
shale	815	lime	2495
lime	825	shale	2505
shale	845	smell oil 2505'	
lime	865	chat LS	2513
shale	870	chat good sat.	2536
lime	920	chat	2552
shale	930	Total Depth.	
lime	935		
shale	970		

STATE CORPORATION COMMISSION

NOV 16 1984
11-16-84
CONSERVATION DIVISION
Wichita, Kansas