CORRECTED CARD NOTICE OF INTENTION TO DRILL

15.051.04301.00.00

C-1

O COMMENCEMENT OF WELL Robinowitz Oil Tompany Bldg., Tulsa, Oklahoma Address Operator_ DORZWEILER Ellis Lease name Well No. NE NW SW 20W Well Location... Township 330 Well to be drilled __ft. from nearest lease line. Drilling Contractor Sholom Drla. Co. Type of equipment: Rotary Z Cable Tool . Approx. date operation to begin Dec. 1962 7. Well to be drilled for Oil X Gas Z Disposal | Input | Estimated Total Depth of Well 3825 8. Depth of deepest fresh water well within one mile of location 530 ft. If none exists, write NONE. Ground elevation at location is approx. 30 ft. higher or ft. lower than ground elevation at water well. 10. Depth of the deepest municipal water well within three miles of location______ft. If none exists, write NONE NONE 11. Operator states that he will set surface pipe at least 25 ft. below all Tertiary or unconsolidated deposits and, taking into consideration differences in ground elevations, that the minimum depth necessary, to the best of his knowledge and belief, to protect all fresh water zones is 5/15 ft. and operator agrees to set surface pipe at this location to a depth of not less than 600 _ft. Alternate 1 🗀 Alternate 2 🏋 REMARKS:

Signature of Operator Ashieut Ol Company

1.62-25M

1.62-25M

Signature of Operator Ashieut Ol Company

1.62-25M





State Corporation Commission of Kansas Conservation Division 500 Insurance Building 212 North Market Wichita 2, Kansas

RECEIVED STATE CORPORATION COMMISSION

DEC 17 1962

CONSERVATION DIVISION Wichita, Kansas

(IF PREFERRED, MAIL IN ENVELOPE)

	<i>−</i> 15:051:04301:00:00
	TO BE FILED WITH THE STATE CORPORATION COMMISSION PRIOR TO COMMENCEMENT OF WELL
1.	Operator Robinowitz Oil Company Address 311 Shell Bldg., Tulsa, Oklahom
2.	Lease name DORZWEILER Well No. 1 County Ellis
3.	Well Location NW NW SW Sec. 2 Township 13S Range 20W
4.	Well to be drilled 330 ft. from nearest lease line.
	Drilling Contractor Sholom Drig. Co., Inc. Box 7027, Tulsa, Oklahoma
6.	Type of equipment: Rotary Z Cable Tool . Approx. date operation to begin Dec. 16 1962
	Well to be drilled for Oil 2 Gas Disposal Input Estimated Total Depth of Well 3825 ft.
	Depth of deepest fresh water well within one mile of location 100 ft. If none exists, write NONE
9.	Ground elevation at location is approx. 10 ft. higher or ft. lower than ground elevation at water well.
0.	Depth of the deepest municipal water well within three miles of locationft. If none exists, write NONE NONE
1.	Operator states that he will set surface pipe at least 25 ft. below all Tertiary or unconsolidated deposits and, taking into con-
	sideration differences in ground elevations, that the minimum depth necessary, to the best of his knowledge and belief, to pro-
	tect all fresh water zones is 150 ft. and operator agrees to set surface pipe at this location to a depth of not less than
E	MARKS:

Signature of Operator Kobinswitt Oil Co.

By I.H.

1.62-23M





State Corporation Commission of Kansas Conservation Division 500 Insurance Building 212 North Market Wichita 2, Kansas

MALE CONSUMATION CONTRACTOR

DEC 11 1962

CONSERVATION DIVISION Wichita, Kansas

(IF PREFERRED, MAIL IN ENVELOPE)