For KCC Use: Effective Date: District

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form KSONA-1, Certification of Compliance with the Kansas	Surface Owner Notification Act, MUST be submitted with this form.
Expected Spud Date: 3/10/2011	Spot Description:
month day year	
9292 V	(2/2/20) - SW - NW - SE Sec. 21 Twp. 17 S. R. 13 EXW
OPERATOR: License#	1,650 feet from N / X S Line of Section
Name: Scheck Oil Operations	—————————————————————————————————————
Address 1: 211 S. Front Street	Is SECTION: Regular irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: Russell State: KS Zip: 67665 +	County: Barton
Contact Person: Tim Scheck	Dala - 14 -
Phone: 785-483-1292	
CONTRACTOR: License# 34233	Field Name: Trapp
Name: Mayerick Drilling LLC	Is this a Prorated / Spaced Field?
Name: 7 144 of folk bit ting	Target Formation(s): Arbuckle
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 330'
⊠Oil ✓ □Enh Rec □Infield ☑ Mud Rotary	Ground Surface Elevation: Approx 1920 eat 1953 feet MSL
Gas Storage X Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ;# of Holes Other	Depth to bottom of fresh water: 226 180
Other:	Depth to bottom of usable water: 388-400
	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Surface Pipe by Alternate.
	Length of Surface Pipe Planned to be set: 440'
Operator:	Length of Conductor Pipe (if any): None
Well Name:	Projected Total Depth: 3500'
Original Completion Date: Original Total Depth:	Formation at Total Depth: Arbuckle
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes No	Well Farm Fond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	— — /
	Will Cores be taken?
	Will Cores be taken?
	If Yes, proposed zone:RECEIVED
	If Yes, proposed zone: RECEIVED
AFF The undersigned hereby affirms that the drilling, completion and eventual plug	If Yes, proposed zone: RECEIVED
	If Yes, proposed zone: RECEIVED IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. MAR 0 1 2011
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	If Yes, proposed zone: RECEIVED IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. MAR 0 1 2011
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	If Yes, proposed zone: RECEIVED RECEI
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	If Yes, proposed zone: RECEIVED RECEI
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> b through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone: RECEIVED RECEI
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on each 3. The minimum amount of surface pipe as specified below <i>shall</i> be set b through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri	If Yes, proposed zone: RECEIVED RECEI
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge	If Yes, proposed zone: RECEIVED IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. MAR 0 2011 KCC WICHITA Identifying rig; Identifying cement to the top; in all cases surface pipe shall be set Inappendix of this well will comply with K.S.A. 55 et. seq. Inappendix of this
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	If Yes, proposed zone: RECEIVED IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. MAR 0 2011 KCC WICHITA Identifying rig; Identifying cement to the top; in all cases surface pipe shall be set Identifying rig; Identifying rig; Identifying formation. Identifying formation. Identifying formation
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	If Yes, proposed zone: RECEIVED MAR 0 1 2011 KCC WICHITA drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3.891-C. which applies to the KCC District 3 area alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the same and the approved notice of intent to drill <i>shall be</i> posted on each of the same and the approved notice of intent to drill <i>shall be</i> posted on each of the same and the approved notice of intent to drill <i>shall be</i> posted on each of the same and the distriction of the same and the distriction of the same and the same an	If Yes, proposed zone: RECEIVED MAR 0 1 2011 KCC WICHITA drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	If Yes, proposed zone: RECEIVED MAR 0 1 2011 KCC WICHITA drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the same and the approved notice of intent to drill <i>shall be</i> posted on each of the same and the approved notice of intent to drill <i>shall be</i> posted on each of the same and the approved notice of intent to drill <i>shall be</i> posted on each of the same and to the best of my appropriate district of the same and to the best of my appropriate.	If Yes, proposed zone: RECEIVED MAR 0 1 2011 KCC WICHITA drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the same and the approved notice of intent to drill <i>shall be</i> posted on each of the same and the approved notice of intent to drill <i>shall be</i> posted on each of the same and the approved notice of intent to drill <i>shall be</i> posted on each of the same and the distriction of the same and the distriction of the same and the same an	If Yes, proposed zone: RECEIVED MAR 0 1 2011 KCC WICHITA drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the same and the approved notice of intent to drill <i>shall be</i> posted on each of the same and the approved notice of intent to drill <i>shall be</i> posted on each of the same and the approved notice of intent to drill <i>shall be</i> posted on each of the same and to the best of my appropriate district of the same and to the best of my appropriate.	If Yes, proposed zone: RECEIVED MAR 0 1 2011 KCC WICHITA drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Keewledge and belief. Title: Agent
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the state of the approved notice of intent to drill shall be posted on each of the state of the approved notice of intent to drill shall be posted on each of the state of the shall be set be state of the shall be set of the state of the shall be completed of the shall be completed within 30 days of the spud date or the well shall be placed of the state of the shall be placed of the state of the shall be placed of the state of the shall be placed of the shall be placed of the state of the shall be placed of the shall be placed of the state of the shall be placed of t	If Yes, proposed zone: RECEIVED MAR 0 1 2011 KCC WICHITA drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to:
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the state of the approved notice of intent to drill shall be posted on each of the state of the approved notice of intent to drill shall be posted on each of the state of the shall be set be state of the shall be set of the state of the shall be completed of the shall be completed within 30 days of the spud date or the well shall be placed of the state of the shall be placed of the state of the shall be placed of the state of the shall be placed of the shall be placed of the state of the shall be placed of the shall be placed of the state of the shall be placed of t	If Yes, proposed zone: RECEIVED IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. MAR 0 2011 KCC WICHITA Adrilling rig; Y circulating cement to the top; in all cases surface pipe shall be set underlying formation. Ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Knowledge and belief. Title: Agent Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Remember to:
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the district. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and to the best of my Date: 2/28/2011 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OO9 - 25524-0000	If Yes, proposed zone: RECEIVED MAR 0 1 2011 KCC WICHITA drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: Title: Agent Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the state of the approved notice of intent to drill shall be posted on each of the state of the approved notice of intent to drill shall be posted on each of the state of the shall be set be state of the shall be set of the state of the shall be completed of the shall be completed within 30 days of the spud date or the well shall be placed of the state of the shall be placed of the state of the shall be placed of the state of the shall be placed of the shall be placed of the state of the shall be placed of the shall be placed of the state of the shall be placed of t	If Yes, proposed zone: RECEIVED MAR 0 1 2011 KCC WICHITA drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It knowledge and belief. Title: Agent Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the district. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and to the best of my Date: 2/28/2011 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OO9 - 25524-0000	If Yes, proposed zone: RECEIVED IDAVIT Inging of this well will comply with K.S.A. 55 et. seq. MAR 0 2011 CCC WICHITA Complete to the top; in all cases surface pipe shall be set underlying formation. Confice on plug length and placement is necessary prior to plugging; Confice on plug length and placement is necessary prior to plugging; Confice on plug length and placement is necessary prior to plugging; Confice on plug length and placement is necessary prior to plugging; Complete to the KCC District of the temperature of the spirit of the
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a like the statements made herein are true and to the best of my Date: 2/28/2011 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OO9 - 25524-0000 Conductor pipe required feet Minimum surface pipe required feet per ALT.	IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. MAR 0 1 2011 KCC WICHITA Adrilling rig; In circulating cement to the top; in all cases surface pipe shall be set underlying formation. It office on plug length and placement is necessary prior to plugging; do r production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It knowledge and belief. Title: Agent Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and to the best of my Date: 2/28/2011 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OO9 - 25524-0000 Conductor pipe required	If Yes, proposed zone: RECEIVED MAR 0 1 2011 KCC WICHITA drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the approved notice of intent to drill shall be posted on each of the shall unconsolidated materials plus a minimum of 20 feet into the strough all unconsolidated materials plus a minimum of 20 feet into the shall be get be through all unconsolidated materials plus a minimum of 20 feet into the shall be good and the district office will be notified before well is either plugge for pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be good to be completed within 30 days of the spud date or the well shall be good to be completed within 30 days of the spud date or the best of my Date: 2/28/2011 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 009 - 25524-0000 Conductor pipe required	If Yes, proposed zone: RECEIVED MAR 0 1 2011 KCC WICHITA drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. I knowledge and belief. Title: Agent Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the approved notice of intent to drill shall be posted on each of the shall unconsolidated materials plus a minimum of 20 feet into the strough all unconsolidated materials plus a minimum of 20 feet into the strough all unconsolidated materials plus a minimum of 20 feet into the strough all unconsolidated materials plus a minimum of 20 feet into the strough all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugge for pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a likely certify that the statements made herein are true and to the best of my Date: 2/28/2011 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 009 - 2552 4-0000 Conductor pipe required	IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. MAR 0 1 2011 KCC WICHITA Arilling rig; In circulating cement to the top; in all cases surface pipe shall be set In current to the top; in all cases surface pipe shall be set In complete to the top; in all cases surface pipe shall be set In completion casing is cemented in; If the completion casing is cemented in; If the completion casing is cemented in; If the completion of the complete to the complete
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each an account of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong and the district office will be notified before well is either plugge for the appropriate district office will be notified before well is either plugge of ground to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and to the best of my Date: 2/28/2011 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OO9 - 25524-0000 Conductor pipe required	IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. MAR 0 1 2011 KCC WICHITA Arilling rig; Y circulating cement to the top; in all cases surface pipe shall be set underlying formation. Ict office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It is prior to any cementing. If it is prior to prior to prior to any cementing. If it is prior to p
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the approved notice of intent to drill shall be posted on each of the shall unconsolidated materials plus a minimum of 20 feet into the strough all unconsolidated materials plus a minimum of 20 feet into the strough all unconsolidated materials plus a minimum of 20 feet into the strough all unconsolidated materials plus a minimum of 20 feet into the strough all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugge for pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a likely certify that the statements made herein are true and to the best of my Date: 2/28/2011 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 009 - 2552 4-0000 Conductor pipe required	If Yes, proposed zone: RECEIVED MAR 0 2011 KCC WICHITA drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be in the production of the statements made herein are true and to the best of my Date: Date: 2/28/2011	IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. MAR 0 1 2011 KCC WICHITA drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. I knowledge and belief. Title: Agent Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each an account of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong and the district office will be notified before well is either plugge for the appropriate district office will be notified before well is either plugge of ground to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and to the best of my Date: 2/28/2011 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OO9 - 25524-0000 Conductor pipe required	If Yes, proposed zone: RECEIVED MAR 0 1 2011 KCC WICHITA drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.

For KCC Use ONLY
API # 15 - 009 - 25524-0000

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: Scheck Oil Operations Lease: Schneider	Location of Weil: County: Barton			
Well Number: 1 Field: Trapp				
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: SW _ NW _ SE	Is Section: Regular or Irregular			
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW			
PL Show location of the wall. Observed with	AT			

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.

					LEGEND O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location
		.1		2310	EXAMPLE
 			1650		 1980' FSL SEWARD CO. 3390' FEL

NOTE: In all cases locate the spot of the proposed drilling locaton.

RECEIVED

In plotting the proposed location of the well, you must show:

, MAR 0 1 2011

1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.

- KCC WICHITA
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent)	1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License # 9292 Name: Scheck Oil Operations	Well Location: SW_NW_SE_Sec. 21 Twp. 17 S. R. 13 Eas X West
Name: Scheck Oil Operations Address 1: 211 S. Front Street	County: Barton
Address 2:	Lease Name: Schneider Well #: 1
Address 2:	Well #:
Contact Person: Tim Scheck	 If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:
Phone: (785) 483-1292 Fax: (785) 483-4098	•
Email Address: scheckoil@ruraltel.net	•
Surface Owner Information: Name: Daryl and Mary Lynne Schneider Address 1: 520 North Cedar St. Address 2:	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.
are need war a placenowing the predicted locations of lease mans, fal	nodic Protection Borehole Intent), you must supply the surface owners and nk batteries, pipelines, and electrical lines. The locations shown on the plat on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
Owner(s) of the land upon which the subject well is of will be	Act (House Bill 2032), I have provided the following to the surface located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form to being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.
I have not provided this information to the surface owner(s). I KCC will be required to send this information to the surface of task, I acknowledge that I am being charged a \$30.00 handling.	acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this g fee, payable to the KCC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP	g fee with this form. If the fee is not received with this form, the KSONA-1
	RECEIVED
hereby certify that the statements made herein are true and correct t	9-the best of my knowledge and belief.
2/20/2014	7 2011
Date: 2/28/2011 Signature of Operator or Agent:	1922 Title: Agent KCC M//Cluz
	-SO MICHITA

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Scheck Oil Operations		License Number: 9292		
Operator Address: 211 S. Front Street			Russell KS 67665	
Contact Person: Tim Scheck		Phone Number: 785-483-1292		
Lease Name & Well No.: Schneider	1		Pit Location (QQQQ):	
Type of Pit:	Pit is:		<u>SWNW</u> SE	
Emergency Pit Burn Pit	X Proposed Existing		Sec. 21 Twp. 17 R. 13 East X West	
Settling Pit X Drilling Pit	If Existing, date constructed:		1,650 Feet from North / X South Line of Section	
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity: 4,000	(bbls)	2,310 Feet from X East / West Line of Section	
Is the pit located in a Sensitive Ground Water A	rea? Yes X		Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
is the bottom below ground level? X Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used? Bentonite and native clays in drilling mud	
Pit dimensions (all but working pits):	5 Length (fe	et) 75	Width (feet) N/A: Steel Pits	
Depth fro If the pit is lined give a brief description of the lin	m ground level to dea	epest point:	5 (feet) No Pit	
material, thickness and installation procedure.		liner integrity, in	ncluding any special monitoring.	
Distance to nearest water well within one-mile of pit: Depth to shallow Source of inform		west fresh water 197 feet.		
1.75		measured	well owner electric tog KDWR	
Emergency, Settling and Burn Pits ONLY: Drilling, Worko		over and Haul-Off Pits ONLY:		
Producing Formation: Type of material		l utilized in drilling/workover:Fresh water gel mud.		
i i		king pits to be utilized:		
Does the slope from the tank battery allow all spilled fluids to		and backfill as conditions allow.		
2/28/2011 Date		W.	MAR 0 1 2011 nature of Applicant or Agent KCC WICHITA	
KCC OFFICE-USE ONLY				
Date Received: 3-/-// Permit Number: Permit Date: 3-/-// Lease Inspection: Yes No				