For KCC Use: 3-9-2011 Effective Date: 3-9-2011 District

130 S. Market - Room 2078, Wichita, Kansas 67202

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
March 2010
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date:	March	8 2011	Spot Description:	
	month	day year	SE _ NE _ SE Sec. 5 Twp. 19	S. R. 9E XW
	32924			N / X S Line of Section
OPERATOR: License#				E / W Line of Section
Name: Gilbert-Stewart Op	perating LLC		Is SECTION: Regular Irregular?	ZE / WAS FINE OF SECTION
Address 1: Suite 450			is SECTION: Kegular Integular?	
Address 2: 1801 Broadway	y CO	Zip: _80202 +	(Note: Locate well on the Section Plat	on reverse side)
City: Denver Contact Person: Kent Gill		Zip: _ 80202 _ +	County.	
Phone: 303-534-1686	Dert		Lease Name: Lincoln	Well #: 13
	20050		Field Name: Chase Silica	
CONTRACTOR: Licenset	± 33350		Is this a Prorated / Spaced Field?	Yes No
Name: Southwind Drilling			- Target Formation(s): Arbuckle	.701
Well Drilled For:	Well Class:	Type Equipment:	Nearest Lease or unit boundary line (in footage): 3	170
Xoil Enh	Rec Infield	Mud Rotary	Ground Surface Elevation: 1700	feet MSL
Gas Stora			Water well within one-quarter mile:	Yes No.
Disp			Public water supply well within one mile:	☐Yes XNo
Seismic ;#	of Holes Other	_	Depth to bottom of fresh water: 150	
Other:			Depth to bottom of usable water: 240	
THE CHARACTER AND THE	II information as follow	we.	Surface Pipe by Alternate: XI	
			Length of Surface Pipe Planned to be set: 260-300	-
Operator:			Length of Conductor Pipe (if any): N/A	
Well Name:			Projected Total Depth: 3350	
Original Completion D)ate: O	original Total Depth:	Formation at Total Depth: Arbuckle	
Discotional Deviated or M	asizantal wallhara?	Yes No	Water Source for Drilling Operations:	
Directional, Deviated or He If Yes, true vertical depth:				
Bottom Hole Location:			DWR Permit #:(Note: Apply for Permit with D	WR C
KCC DKT #:			- Will Cores be taken?	Yes No
			If Yes, proposed zone:	
			11 163, proposed 20110.	RECEIVED
			FFIDAVIT	NEOFIAED
The undersigned hereby	. affirma that the deil	ling, completion and eventual r	olugging of this well will comply with K.S.A. 55 et. seq.	FEB 2 8 2011
The anacisigned hereb	y amin'ns mat the oni	g,		1 60 6 0 2011
It is agreed that the follo				
It is agreed that the follo	wing minimum requi	irements will be met:		
It is agreed that the folloo 1. Notify the appropriate A copy of the	wing minimum requiriate district office <i>pi</i> roved notice of inter	irements will be met: rior to spudding of well; nt to drill shall be posted on ea	ch drilling rig;	KCC WICHITA
It is agreed that the follo 1. Notify the appropriate A copy of the appropriate A. The minimum amount of the appropriate A. The	wing minimum requi riate district office pi roved notice of inter ount of surface pipe	irements will be met: rior to spudding of well; It to drill shall be posted on ea as specified below shall be se	et by circulating cement to the top; in all cases surface:	KCC WICHITA
It is agreed that the folloo 1. Notify the appropriate A copy of the app 3. The minimum amount of through all unconstants.	wing minimum requiriate district office pi roved notice of inter ount of surface pipe solidated materials;	irements will be met: rior to spudding of well; It to drill shall be posted on ea as specified below shall be se plus a minimum of 20 feet into t	et by circulating cement to the top; in all cases surface the underlying formation.	KCC WICHITA
It is agreed that the folloon. 1. Notify the appropriate A copy of th	wing minimum requiriate district office paroved notice of interount of surface pipe solidated materials pole, an agreement b	irements will be met: rior to spudding of well; It to drill shall be posted on ea as specified below shall be se plus a minimum of 20 feet into the between the operator and the d	ef by circulating cement to the top; in all cases surface the underlying formation. istrict office on plug length and placement is necessary	KCC WICHITA
It is agreed that the folloon. 1. Notify the appropriate appropri	wing minimum requiriate district office paroved notice of interount of surface pipe solidated materials pole, an agreement but istrict office will be referenced.	irements will be met: rior to spudding of well; It to drill shall be posted on ea as specified below shall be se plus a minimum of 20 feet into the between the operator and the de motified before well is either plus production pipe shall be cemen	et by circulating cement to the top; in all cases surface the underlying formation. istrict office on plug length and placement is necessary gged or production casing is cemented in; ited from below any usable water to surface within 120	KCC WICHITA pipe shall be set prior to plugging; DAYS of spud date.
It is agreed that the follo 1. Notify the appropi 2. A copy of the app 3. The minimum amounthrough all uncons 4. If the well is dry h 5. The appropriate of 6. If an ALTERNATE Or pursuant to Appropriate to Appropriat	wing minimum requiriate district office paroved notice of interount of surface pipe solidated materials pole, an agreement but office will be real COMPLETION, popendix "B" - Eastern	irements will be met: rior to spudding of well; It to drill shall be posted on ea as specified below shall be se plus a minimum of 20 feet into the petween the operator and the de production pipe shall be cement The Kansas surface casing orders	et by circulating cement to the top; in all cases surface the underlying formation. istrict office on plug length and placement is necessary gged or production casing is cemented in; ited from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area, a	KCC WICHITA pipe shall be set prior to plugging; DAYS of spud date. alternate II cementing
It is agreed that the folloon. 1. Notify the appropriate of the appro	riate district office paroved notice of inter- ount of surface pipe solidated materials pole, an agreement be district office will be re- Ell COMPLETION, popendix "B" - Easterned within 30 days of	irements will be met: rior to spudding of well; Int to drill shall be posted on ea as specified below shall be septions a minimum of 20 feet into the street ween the operator and the displayment of the spuddiction pipe shall be cement Kansas surface casing orders the spud date or the well shall.	et by circulating cement to the top; in all cases surface the underlying formation. istrict office on plug length and placement is necessary gged or production casing is cemented in; ited from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area, to be plugged. In all cases, NOTIFY district office prior	KCC WICHITA pipe shall be set prior to plugging; DAYS of spud date. alternate II cementing
It is agreed that the folloon. 1. Notify the appropriate of the appro	riate district office paroved notice of inter- ount of surface pipe solidated materials pole, an agreement be district office will be re- Ell COMPLETION, popendix "B" - Easterned within 30 days of	irements will be met: rior to spudding of well; It to drill shall be posted on ea as specified below shall be se plus a minimum of 20 feet into the petween the operator and the de production pipe shall be cement The Kansas surface casing orders	et by circulating cement to the top; in all cases surface the underlying formation. istrict office on plug length and placement is necessary gged or production casing is cemented in; ited from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area, to be plugged. In all cases, NOTIFY district office prior	KCC WICHITA pipe shall be set prior to plugging; DAYS of spud date. alternate II cementing
It is agreed that the follo 1. Notify the appropriate of the app of the appropriate of the appropr	riate district office paroved notice of inter ount of surface pipe solidated materials pole, an agreement bristrict office will be real COMPLETION, popendix "B" - Easterned within 30 days of statements made he	irements will be met: rior to spudding of well; nt to drill shall be posted on ea as specified below shall be se plus a minimum of 20 feet into the between the operator and the di- notified before well is either plus or oduction pipe shall be cemen at Kansas surface casing orders the spud date or the well shall berein are true and to the best or	et by circulating cement to the top; in all cases surface the underlying formation. istrict office on plug length and placement is necessary gged or production casing is cemented in; ited from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area, to be plugged. In all cases, NOTIFY district office prior from knowledge and belief.	KCC WICHITA pipe shall be set prior to plugging; DAYS of spud date. alternate II cementing to any cementing.
It is agreed that the follo 1. Notify the appropriate of the app of the appropriate of the appropr	riate district office paroved notice of inter ount of surface pipe solidated materials pole, an agreement bristrict office will be real COMPLETION, popendix "B" - Easterned within 30 days of statements made he	irements will be met: rior to spudding of well; Int to drill shall be posted on ea as specified below shall be septions a minimum of 20 feet into the street ween the operator and the displayment of the spuddiction pipe shall be cement Kansas surface casing orders the spud date or the well shall.	et by circulating cement to the top; in all cases surface the underlying formation. istrict office on plug length and placement is necessary gged or production casing is cemented in; ited from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area, to be plugged. In all cases, NOTIFY district office prior from knowledge and belief.	KCC WICHITA pipe shall be set prior to plugging; DAYS of spud date. alternate II cementing
It is agreed that the follo 1. Notify the appropriate of the app of the app of the app of the app of the appropriate of the ap	riate district office paroved notice of inter ount of surface pipe solidated materials pole, an agreement bristrict office will be real COMPLETION, popendix "B" - Easterned within 30 days of statements made he	irements will be met: rior to spudding of well; nt to drill shall be posted on ea as specified below shall be se plus a minimum of 20 feet into the between the operator and the di- notified before well is either plus or oduction pipe shall be cemen at Kansas surface casing orders the spud date or the well shall berein are true and to the best or	et by circulating cement to the top; in all cases surface the underlying formation. istrict office on plug length and placement is necessary gged or production casing is cemented in; ited from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area, to be plugged. In all cases, NOTIFY district office prior from knowledge and belief. Remember to:	KCC WICHITA pipe shall be set prior to plugging; DAYS of spud date. alternate II cementing to any cementing.
It is agreed that the follo 1. Notify the appropriate	riate district office paroved notice of intercount of surface pipe solidated materials pole, an agreement but instrict office will be result of the complete o	irements will be met: rior to spudding of well; Int to drill shall be posted on ea as specified below shall be se plus a minimum of 20 feet into to between the operator and the do notified before well is either plus or duction pipe shall be cemen a Kansas surface casing order the spud date or the well shall berein are true and to the best of	et by circulating cement to the top; in all cases surface the underlying formation. istrict office on plug length and placement is necessary gged or production casing is cemented in; ited from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area, to be plugged. In all cases, NOTIFY district office prior from knowledge and belief. Remember to: - File Certification of Compliance with the Kansas Surface.	KCC WICHITA pipe shall be set prior to plugging; DAYS of spud date. alternate II cementing to any cementing.
It is agreed that the follo 1. Notify the appropriate	riate district office paroved notice of interiount of surface pipe solidated materials pole, an agreement bitstrict office will be real COMPLETION, popendix "B" - Easterned within 30 days of statements made here	irements will be met: rior to spudding of well; Int to drill shall be posted on ea as specified below shall be se plus a minimum of 20 feet into the between the operator and the dinotified before well is either plus production pipe shall be cemen at Kansas surface casing order in the spud date or the well shall be prein are true and to the best of dependent.	et by circulating cement to the top; in all cases surface the underlying formation. istrict office on plug length and placement is necessary gged or production casing is cemented in; ited from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area, to be plugged. In all cases, NOTIFY district office prior from knowledge and belief. Remember to: - File Certification of Compliance with the Kansas Sunder (KSONA-1) with Intent to Drill;	KCC WICHITA pipe shall be set prior to plugging; DAYS of spud date. alternate II cementing to any cementing.
It is agreed that the follo 1. Notify the appropriate	riate district office paroved notice of interount of surface pipe solidated materials pole, an agreement bristrict office will be real COMPLETION, popendix "B" - Easterned within 30 days of statements made here	irements will be met: rior to spudding of well; nt to drill shall be posted on ea as specified below shall be se plus a minimum of 20 feet into the between the operator and the dinotified before well is either plus production pipe shall be cemen in Kansas surface casing orders the spud date or the well shall berein are true and to the best of Operator or Agent:	et by circulating cement to the top; in all cases surface the underlying formation. istrict office on plug length and placement is necessary gged or production casing is cemented in; ited from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area, to be plugged. In all cases, NOTIFY district office prior from knowledge and belief. Remember to: - File Certification of Compliance with the Kansas Sunda (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to	KCC WICHITA pipe shall be set prior to plugging; DAYS of spud date. alternate II cementing to any cementing. prior to plugging; DAYS of spud date. alternate II cementing to any cementing.
It is agreed that the folloon 1. Notify the appropriate 2. A copy of the appropriate 3. The minimum amount of the well is dry in the well is dry in the appropriate of 6. If an ALTERNATE Or pursuant to Appropriate to the experiment of the pursuant to the experiment of the experiment	riate district office paroved notice of interount of surface pipe solidated materials pole, an agreement be instrict office will be real COMPLETION, popendix "B" - Easterned within 30 days of statements made here	irements will be met: rior to spudding of well; nt to drill shall be posted on ea as specified below shall be se plus a minimum of 20 feet into the between the operator and the dinotified before well is either plus production pipe shall be cemen in Kansas surface casing orders the spud date or the well shall berein are true and to the best of Operator or Agent:	the underlying formation. istrict office on plug length and placement is necessary gged or production casing is cemented in; ited from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area, is be plugged. In all cases, NOTIFY district office prior from knowledge and belief. Remember to: - File Certification of Compliance with the Kansas Sunact (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of spin	KCC WICHITA pipe shall be set prior to plugging; DAYS of spud date. alternate II cementing to any cementing. prior control of the control of
It is agreed that the folloon 1. Notify the appropriate 2. A copy of the appropriate 3. The minimum amount of the well is dry in the well is dry in the appropriate of 6. If an ALTERNATE Or pursuant to Appropriate to the experiment of the pursuant to the experiment of the experiment	riate district office paroved notice of interount of surface pipe solidated materials pole, an agreement be instrict office will be real COMPLETION, popendix "B" - Easterned within 30 days of statements made here	irements will be met: rior to spudding of well; nt to drill shall be posted on ea as specified below shall be se plus a minimum of 20 feet into the between the operator and the dinotified before well is either plus production pipe shall be cemen in Kansas surface casing orders the spud date or the well shall berein are true and to the best of Operator or Agent:	the underlying formation. istrict office on plug length and placement is necessary gged or production casing is cemented in; ited from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area, is be plugged. In all cases, NOTIFY district office prior from knowledge and belief. File Certification of Compliance with the Kansas Sunact (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of spin File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to we	CC WICHITA pipe shall be set prior to plugging; DAYS of spud date. alternate II cementing to any cementing. Drill; addate; tion orders; prkover or re-entry;
It is agreed that the follo 1. Notify the appropriate of the app of the appropriate of the appr	riate district office paroved notice of interound of surface pipe solidated materials pole, an agreement be sufficient office will be resulted within 30 days of statements made here. Signature of 226400000000000000000000000000000000000	irements will be met: rior to spudding of well; nt to drill shall be posted on ea as specified below shall be se plus a minimum of 20 feet into the between the operator and the dinotified before well is either plus production pipe shall be cemen in Kansas surface casing orders the spud date or the well shall berein are true and to the best of Operator or Agent:	the underlying formation. istrict office on plug length and placement is necessary gged or production casing is cemented in; ited from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area, is be plugged. In all cases, NOTIFY district office prior from knowledge and belief. File Certification of Compliance with the Kansas Sunact (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of spin File acreage attribution plat according to field proration. Submit plugging report (CP-4) after plugging is continued.	CC WICHITA pipe shall be set prior to plugging; DAYS of spud date. alternate II cementing to any cementing. Drill; addate; tion orders; prkover or re-entry; appleted (within 60 days);
It is agreed that the follo 1. Notify the appropriate of the appropri	riate district office paroved notice of intercount of surface pipe solidated materials pole, an agreement be sufficient office will be resulted within 30 days of statements made here. Signature of 226400000000000000000000000000000000000	irements will be met: rior to spudding of well; Int to drill shall be posted on ea as specified below shall be se plus a minimum of 20 feet into the petween the operator and the dinotified before well is either plus production pipe shall be cemen in Kansas surface casing orders the spud date or the well shall be perein are true and to the best of the operator or Agent: Operator or Agent: feet feet feet per ALT.	the underlying formation. istrict office on plug length and placement is necessary gged or production casing is cemented in; ited from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area, is be plugged. In all cases, NOTIFY district office prior from knowledge and belief. File Certification of Compliance with the Kansas Sunact (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of spin File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to we submit plugging report (CP-4) after plugging is conduction.	CC WICHITA pipe shall be set prior to plugging; DAYS of spud date. alternate II cementing to any cementing. Drill; addate; tion orders; prkover or re-entry; peleted (within 60 days); g salt water.
It is agreed that the follo 1. Notify the appropriate of the appropri	riate district office paroved notice of intercount of surface pipe solidated materials pole, an agreement be sufficient office will be resulted within 30 days of statements made here. Signature of 226400000000000000000000000000000000000	irements will be met: rior to spudding of well; nt to drill shall be posted on ea as specified below shall be se plus a minimum of 20 feet into the between the operator and the dinotified before well is either plus production pipe shall be cemen in Kansas surface casing orders the spud date or the well shall berein are true and to the best of Operator or Agent:	et by circulating cement to the top; in all cases surface the underlying formation. istrict office on plug length and placement is necessary gged or production casing is cemented in; ited from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area, to be plugged. In all cases, NOTIFY district office prior from knowledge and belief. File Certification of Compliance with the Kansas Sunact (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of spin File acreage attribution plat according to field prorative Notify appropriate district office 48 hours prior to we Submit plugging report (CP-4) after plugging is controlled to the district office in plugging is controlled to the district office of the properties of the will not be drilled or permit has expired (See:	prior to plugging; DAYS of spud date. alternate II cementing to any cementing. Drill; ad date; tion orders; orkover or re-entry; npleted (within 60 days); g salt water. authorized expiration date)
It is agreed that the follo 1. Notify the appropriate of the appropri	riate district office paroved notice of intercount of surface pipe solidated materials pole, an agreement be sufficient office will be resulted within 30 days of statements made here. Signature of 226400000000000000000000000000000000000	irements will be met: rior to spudding of well; Int to drill shall be posted on ea as specified below shall be se plus a minimum of 20 feet into the petween the operator and the dinotified before well is either plus production pipe shall be cemen in Kansas surface casing orders the spud date or the well shall be perein are true and to the best of the operator or Agent: Operator or Agent: feet feet feet per ALT.	the underlying formation. istrict office on plug length and placement is necessary gged or production casing is cemented in; ited from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area, is be plugged. In all cases, NOTIFY district office prior from knowledge and belief. File Certification of Compliance with the Kansas Sunact (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of spin File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to we submit plugging report (CP-4) after plugging is conduction.	pipe shall be set prior to plugging; DAYS of spud date. alternate II cementing to any cementing. prior comparison of the prior to plugging; DAYS of spud date. alternate II cementing to any cementing. Prior comparison of the prior to plugging; prior comparison of the prior to plugging; prior comparison of the prior to plugging to plugging the prior to plugging to plugging to plugging the prior to plugging; prior to pluggi

For KCC Use ONLY
API # 15 - 159-22640-000

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: Gilbert-Stewart Operating LLC	Location of Well: County: Rice		
Lease: Lincoln	1,770	feet from N / S Line of Section	
Well Number: 13	370	_ feet from X E / W Line of Section	
Field: Chase Silica	Sec. 5 Twp. 19	S. R. ⁹	
Number of Acres attributable to well:	Is Section: Regular or	Irregular	
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW		

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1	(Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)		
OPERATOR: License # 32924 Name: Gilbert-Stewart Operating LLC	Well Location: SE_NE_SESec. 5 Twp. 19 S. R. 9 Eas West		
Address 1: Suite 450	County: Rice		
Address 1: 1801 Broadway			
Address 2: CO Zip: 80202 +	Lease Name: vvei #:		
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:		
Contact Person: 101 514-1686			
Contact Person: Kent Gilbert Phone: (303) 534-1686 Fax: () Email Address: kgoil@msn.com			
Surface Owner Information:	·		
Name: Lucas Maclaren & Vincent Orth	When filing a Form T.1 involving multiple curface owners, attach an additional		
Address 1: 875 Ave H	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface		
	owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.		
Address 2:			
City state Zip +			
Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax, I have not provided this information to the surface owner(s).	I acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this		
If choosing the second option, submit payment of the \$30.00 handlin form and the associated Form C-1, Form CB-1, Form T-1, or Form C			
I hereby certify that the statements made herein are true and correct	to the best of my knowledge and belief. RECEIVED FEB 2 8 2011 KCC WICHITA		
Date: 2-25-11 Signature of Operator or Agent:	Title: Manager FEB 2 8 2011		
·	KCC WICHITA		

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Gilbert-Stewart Opera	iting LLC	License Number: 32924				
Operator Address: Suite 450	•	Broadway Denver CO 80202				
Contact Person: Kent Gilbert			Phone Number: 303-534-1686			
Lease Name & Well No.: Lincoln 13			Pit Location (QQQQ):			
Type of Pit:	Pit is:		<u>SE NE SE </u>			
Emergency Pit Burn Pit	X Proposed Existing		Sec. 5 Twp. 19 R. 9 ☐ East ☒ West			
Settling Pit X Drilling Pit	If Existing, date constructed: Pit capacity: (bbls)					
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)						
Is the pit located in a Sensitive Ground Water Area? X Yes No			Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level? XYes No	Artificial Liner?	lo	How is the pit lined if a plastic liner is not used?			
Pit dimensions (all but working pits):	00 Length (fee	et)	Width (feet) N/A: Steel Pits			
Depth fro	om ground level to dee		4 (feet) No Pit			
material, thickness and installation procedure. Bentonite from the drilling mud visides and bottom	vill coat the	Bentonite f	rom the drilling mud will stay in place until queezed and closed			
Distance to nearest water well within one-mile	of pit:	Depth to shallowest fresh water 20 30 feet. Source of information:				
		X measured	well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:				
Producing Formation:		Type of material utilized in drilling/workover:				
Number of producing wells on lease:		Number of working pits to be utilized:3 Abandon part procedure: Haul off fluids after salts. Allow the pits				
Barrels of fluid produced daily:		Abandonment	to dry. Squeeze and backfill			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.				
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. FEB 2 8 201						
2-25-11		Lew	In Collect KCC WICHIT			
Date		ι 51	grature of Applicant of Agent			
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS						
Date Received: 2-28-11 Permit Num	nber:	Perm	nit Date: 3-4-11 Lease Inspection: 🗷 Yes 🗌 No			

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



phone: 316-337-6200 fax: 316-337-6211 http://kcc.ks.gov/

Thomas E. Wright, Chairman Ward Loyd, Commissioner

Corporation Commission

Sam Brownback, Governor

March 4, 2011

Gilbert-Stewart Operating LLC 1801 Broadway Ste 450 Denver, CO 80202

Re:

Drilling Pit Application Lincoln Lease Well No. 13 SE/4 Sec. 05-19S-09W Rice County, Kansas

Dear Sir or Madam:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 72ours after drilling operations have ceased. **Keep pits west of stake.**

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 630-4000 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely.

Kathy Havnes

Environmental Protection and Remediation Department

cc: File