For KCC Use:	3-12-2011
Effective Date:	2-12-2011
District #	<u> </u>
SCA2 Mar	X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date: 03/01/11	Spet_Description:	
month day year	SE NW NW Sec. 30 Twp. 25 S. R. 14 XE]w
DPERATOR: License#	(Q/Q/Q/Q) 1,190 feet from N / S Line of Se	ction
lame: Piqua Petro Inc.	1,975 feet from E / W Line of Se	ction
ddress 1: 1331 Xylan Rd	Is SECTION: Regular Inregular?	
ddress 2:	(Note: Locate well on the Section Plat on reverse side)	
State: KS Zip: 66761 +	County: Woodson	
contact Person: Greg Lair Phone: 620-433-0099	Lease Name: Nordmeyer Well #: 28-11	
none: 305 to 7	Field Name: Quincy	Manufact 1 com
CONTRACTOR: License# 30587 305 67 Name: Rig 6 Drilling Co. Inc.	Is this a Prorated / Spaced Field? Target Formation(s): Cattleman	[No
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 660	<u></u>
Noil Enh Rec Sinfield Mud Rotary	Ground Surface Elevation: N/A Es+983 feet	MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:	
Disposal Wildcat Cable	Public water supply well within one mile:	∑ INō
Seismic ; # of Holes Other	Depth to bottom of fresh water: 80' +	
Other:	Depth to bottom of usable water: 150'+	
The CARRIED and wall information on fallower	Surface Pipe by Alternate:	
f OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 46'	
Operator:	Length of Conductor Pipe (if any):	
Well Name:	Projected Total Depth: 1400'	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Cattleman	n, 400
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations: Well Farm Pond Other:	
Yes, true vertical depth:		
Bottom Hole Location:	DWR Permit #:(Note: Apply for Permit with DWR	
(CC DKT #	Will Cores be taken?	CINO
	If Yes, proposed zone:	<u> </u>
A P-1	DF	CFIVED
	FIDAVIT	CEIVED
he undersigned hereby affirms that the drilling, completion and eventual plu	FIDAVIT	
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:	FIDAVIT	CEIVED R 0 4 201
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the dist of the appropriate district office will be notified before well is either plugg for an ALTERNATE II COMPLETION, production pipe shall be cemente.	representation of the second s	R 0 4 201
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1	representation of the second state of the second state of the second sec	R 0 4 201
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1	principles of this well will comply with K.S.A. 55 et. seq. MAI In drilling rig; In by circulating cement to the top; in all cases surface pipe shall be set on the underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.	R 0 4 201
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the dist of the appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the statements made herein are true and to the set.	principles of this well will comply with K.S.A. 55 et. seq. MAI In drilling rig; In by circulating cement to the top; in all cases surface pipe shall be set on the underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.	R 0 4 201
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on each 3. The minimum amount of surface pipe as specified below <i>shall</i> be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of notate: 3/1/11 Signature of Operator or Agent:	representation of the second state of the second se	R 0 4 201
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of the control of the contro	properties and belief. RE MAI In drilling rig; In drill remember to surface pipe shall be set on the set of th	R 0 4 201
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the dist of the appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of the control of the spud date of the well shall be completed. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 207 - 277950000	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and form below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;	R 0 4 201
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of the control of the contro	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to e underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;	R 0 4 201 WICHI
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each at through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the dist of the appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemente or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the statements of the production of the plant of the desired productor pipe required feet feet Minimum surface pipe required feet per ALT.	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and form below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;	R 0 4 201
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each at through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the dist of the appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemente or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the statements of the production of the plant of the desired productor pipe required feet feet Minimum surface pipe required feet per ALT.	In drilling rig: In drilling rig: It by circulating cement to the top; in all cases surface pipe shall be set to enderlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. In which applies to the KCC District 3 area, alternate II cementing are plugged. In all cases, NOTIFY district office prior to any cementing. In the Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	R 0 4 201 WICHI
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of the content of the conte	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. In which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);	R 0 4 201 WICHI
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each at through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the dist of the appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemente or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the statements of the production of the plant of the desired productor pipe required feet feet Minimum surface pipe required feet per ALT.	In drilling rig: In drilling rig: It by circulating cement to the top; in all cases surface pipe shall be set to enderlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. In which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. In Kemember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.	8 0 4 201 WICHIT
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugs. 5. The appropriate district office will be notified before well is either plugs. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "8" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of the plugs. 5. The appropriate district office will be notified before well is either plugs. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "8" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of the plugs. 7. Post CC Use ONLY API # 15 - 207 - 27795 DOO Conductor pipe required feet per ALT. II Pli Approved by: Approved by: Approved by: Approved by: This authorization expires: 3 - 7 - 2012	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. In the Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If well will not be drilled or permit has expired (See: authorized expiration date)	8 0 4 201 WICHIT
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the described in the surface pipe as a proper and the district. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg. If an ALTERNATE II COMPLETION, production pipe shall be cemente. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of the conductor pipe required. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 207 - 27795 0000 Conductor pipe required	In drilling rig: In drilling rig: It by circulating cement to the top; in all cases surface pipe shall be set to enderlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. In which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. In Kemember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.	8 0 4 201 WICHIT

For KCC Use ONLY
API # 15 - 207-27795-0000

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Location of Well: County, Woodbox woodmayer 1,100	1,075 Sec. 30 Is Section: If Section con Section con T se or unit boured by the Kai	feet from E / W Line of Section Twp. 25 S. R. 14 E W Regular or Irregular is Irregular, locate well from nearest corner boundary. orner used: NE NW SE SW sundary line. Show the predicted locations of ansas Surface Owner Notice Act (House Bill 2032). desired. LEGEND O Well Location Tank Battery Location — Pipeline Location — Pipeline Location — Lease Road Location
Sec. 30 Twp. 25 S. R. 14 S. E. W. Line of Section	Sec. 30 Is Section: If Section is Section condition. AT se or unit boured by the Kai	Twp. 25 S. R. 14 SE W Regular or Irregular is Irregular, locate well from nearest comer boundary. orner used: NE NW SE SW Bundary line. Show the predicted locations of ansas Surface Owner Notice Act (House Bill 2032). Desired. LEGEND O Well Location Tank Battery Location Pipeline Location
of Acres attributable to well: Section Section Regular or Irregular	Is Section: If Section is Section con AT se or unit boured by the Kai	is Irregular, locate well from nearest comer boundary. orner used: NE NW SE SW bundary line. Show the predicted locations of lansas Surface Owner Notice Act (House Bill 2032). Desired. LEGEND Well Location Tank Battery Location Pipeline Location
If Section is Irregular, locate well from nearest comer boundary. Section corner used: NE NW SE SW	If Section is Section con AT se or unit bounded by the Kal	is Irregular, locate well from nearest comer boundary. branch used: NE NW SE SW branch SW branch Notice Act (House Bill 2032). desired. LEGEND O Well Location Tank Battery Location Pipeline Location
If Section is Irregular, locate well from nearest comer boundary. Section corner used: NE NW SE SW PLAT Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired. LEGEND O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location EXAMPLE	If Section is Section con AT se or unit bounded by the Kal	is Irregular, locate well from nearest comer boundary. branch used: NE NW SE SW branch SW branch Notice Act (House Bill 2032). desired. LEGEND O Well Location Tank Battery Location Pipeline Location
Section corner used: NE NW SE SW PLAT Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired. LEGEND O Well Location — Pipeline Location —— Electric Line Location —— Electric Line Location —— Lease Road Location —— EXAMPLE EXAMPLE	Section con T se or unit bou red by the Kai	orner used: NE NW SE SW nundary line. Show the predicted locations of ansas Surface Owner Notice Act (House Bill 2032). desired. LEGEND O Well Location Tank Battery Location ————————————————————————————————————
Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired. LEGEND Well Location Tank Battery Location Pipeline Location Lease Road Location EXAMPLE	se or unit bou red by the Kai	LEGEND O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location
Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired. LEGEND Well Location Tank Battery Location — Pipeline Location — Lease Road Location EXAMPLE 1980'FSL	se or unit bou red by the Kai	LEGEND O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location
lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired. LEGEND Well Location Tank Battery Location —— Pipeline Location —— Electric Line Location —— Lease Road Location —— Example	red by the Kai	LEGEND O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location
You may attach a separate plat if desired. LEGEND Well Location Tank Battery Location Pipeline Location Lease Road Location EXAMPLE 1980 FSL		LEGEND O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location
LEGEND O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location EXAMPLE		Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location
O Well Location Tank Battery Location — Pipeline Location — Electric Line Location — Lease Road Location EXAMPLE 1980' FSL		Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location
O Well Location Tank Battery Location — Pipeline Location — Electric Line Location — Lease Road Location EXAMPLE 1980 FSL		Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location
Tank Battery Location — Pipeline Location — Electric Line Location — Lease Road Location EXAMPLE 1980 FSL		Tank Battery Location Pipeline Location Electric Line Location Lease Road Location
Pipeline Location Electric Line Location Lease Road Location EXAMPLE 1980' FSL		Pipeline Location Electric Line Location Lease Road Location
EXAMPLE Sector Line Location Lease Road Location 1980' FSL		Electric Line Location Lease Road Location
EXAMPLE 1980' FSL		Lease Road Location
EXAMPLE 1980' FSL		
1980' FSL	····	FXAMPI F : :
1980' FSL		EXAMPLE :
1980' FSL		FXAMPLE
	;	
	:	
		: : :
REC	:	950 FSL
REC		
- ; ; ; REC		

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

MAR 0 4 201 KCC WICHI

15-207-27795-0000 KANSAS CORPORATION COMMISSION

OIL & GAS CONSERVATION DIVISION

Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

OPERATOR: License # 30345	Well Location: SW SE NW NW Sec. 30 Twp. 25 S. R. 14 Eas West
lame: Piqua Petro Inc.	SE NW NW Sec. 30 Twp. 25 S. R. 14 X Eas West
ddress 1: 1331 Xylan Rd	County: Woodson
ddress 2:	Lease Name: Nordmeyer Well #: 28-11
Piqua State: KS Zip: 66761 +	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:
620 433-0099 500 468-2204	
mail Address: n/a	
Surface Owner Information:	
lame: Wilma Berschauer	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface
ddress 1: 150 N Jackson Heights East	owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City: Wichita State: KS Zip: 67206 +	
Select one of the following:	on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
owner(s) of the land upon which the subject well is or will be	Act (House Bill 2032), I have provided the following to the surface located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.
owner(s) of the land upon which the subject well is or will be to CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax, a	located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address. acknowledge that, because I have not provided this information, the wner(s). To mitigate the additional cost of the KCC performing this
owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax, a I have not provided this information to the surface owner(s). I a KCC will be required to send this information to the surface of task, I acknowledge that I am being charged a \$30.00 handling of choosing the second option, submit payment of the \$30.00 handling.	located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address. acknowledge that, because I have not provided this information, the wner(s). To mitigate the additional cost of the KCC performing this gree, payable to the KCC, which is enclosed with this form.
owner(s) of the land upon which the subject well is or will be to CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax, at I have not provided this information to the surface owner(s). I at KCC will be required to send this information to the surface of task, I acknowledge that I am being charged a \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP I have by cortify that the statements made begin are true and correct forms.	located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address. acknowledge that, because I have not provided this information, the wner(s). To mitigate the additional cost of the KCC performing this gree, payable to the KCC, which is enclosed with this form. If fee with this form. If the fee is not received with this form, the KSONA-1 will be returned. The best of my knowledge and belief.
owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax, a I have not provided this information to the surface owner(s). I a KCC will be required to send this information to the surface of task, I acknowledge that I am being charged a \$30.00 handling	located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address. acknowledge that, because I have not provided this information, the wner(s). To mitigate the additional cost of the KCC performing this gifee, payable to the KCC, which is enclosed with this form. If the fee is not received with this form, the KSONA-1 is the best of my knowledge and belief

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Piqua Petro Inc.		License Number: 30345			
Operator Address: 1331 Xylan Rd			Piqua	KS 66761	
Contact Person: Greg Lair			Phone Number: 620-433-0099		
Lease Name & Well No.: Nordmeyer	28-	11	Pit Location (QQQQ):		
Type of Pit:	Pit is:		SE NW NW		
Emergency Pit Burn Pit	X Proposed	Existing	Sec. 30 Twp. 25 R. 14 X	East West	
Settling Pit X Drilling Pit	If Existing, date constructed:				
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		1,075 Feet from East / X West Line of Section		
		(bbls)	Woodson	County	
ls the pit located in a Sensitive Ground Water A	rea? Yes X N	lo	Chloride concentration: (For Emergency Pits and Settlin	mg/l ng Pits only)	
Is the bottom below ground level? X Yes No	Artificial Liner?		How is the pit lined if a plastic liner is not us clay soil	ed?	
Pit dimensions (all but working pits):	5 Length (feet) 8	Width (feet)	/A: Steel Pits	
Depth fro	m ground level to deep	est point:	(feet) N	lo Pit	
If the pit is lined give a brief description of the lin material, thickness and installation procedure.	ner	•	dures for periodic maintenance and determini		
		Watch that	clay soil is holding water		
· · · · · · · · · · · · · · · · · · ·		Depth to shallowest fresh water feet. Source of information:			
1000 feet Depth of water well 20 feet		measured	well owner electric log	KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:		
Producing Formation: Number of producing wells on lease:		Type of material utilized in drilling/workover:shale and limestone		estone	
		Number of working pits to be utilized:1			
Barrels of fluid produced daily:		Abandonment	procedure: back fill back	cin	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.		RECEI	
I hereby certify that the above statem	ents are true and corre	ect to the best of	my knowledge and belief.	MAR 0	
3/1/11 Pete		Novie	anature of Applicant or Agent	KCC W	
Date		(5)!	gracine of Applicant of Agent		
	ксс о	FFICE USE O	NLY Liner Steel Pit K	RFAC RFAS	
Date Received: 3-4-11 Permit Numl		Perm	it Date: 3-7-11 Lease Inspection:	Yes No	

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



phone: 316-337-6200 fax: 316-337-6211 http://kcc.ks.gov/

Thomas E. Wright, Chairman Ward Loyd. Commissioner

Corporation Commission

Sam Brownback, Governor

March 07, 2011

Piqua Petro Inc. 1331 Xylan Road Piqua, KS 66761

RE: Drilling Pit Application

Nordmeyer Lease Well No. 28-11

NW/4 Sec. 30-25S-14E Woodson County, Kansas

Dear Sir or Madam:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit immediately after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Environmental Protection and Remediation Department

cc: File