For KCC Use: Effective Date: District

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Form KS				s Surface Owner Notification Act, MUST be submitted v	vith this form.		
Expected Spud Date:	May	10th	2011	Spot Description: 100' North West			
	month	day	year	SESWNESec. 1 Two 1	1 s. R. 16 □E⊠w		
0DED470D 15#	33996				N / X S Line of Section		
OPERATOR: License# Name:V. Francis Weigel	Family Partnership, L	LC		1,720 feet from	E / W Line of Section		
Address 1: P.O. 219				Is SECTION: Regular Irregular?	71 III		
Address 2:							
City: Gorham	State: K	s. Zip: 67	640 + 0219	(Note: Locate well on the Section Plate County: Ellis	on reverse side)		
Contact Person: Cecil We	eigel	•					
Phone: 785-637-5383				Field Name: Bowlby North	vveii #:		
CONTRACTOR: Licenses	u 31548 🖊			- Is this a Prorated / Spaced Field?	Yes X No		
Name: Discovery Drilling C	io., inc			Target Formation(s): Arbuckle and Lansing/Kansas Cit			
				Nearest Lease or unit boundary line (in footage):			
Well Drilled For:	Well Class:	Туре	Equipment:	Ground Surface Elevation: Est 1945	feet MSL		
L iOil LEnh	Recinfield	<u></u>	Mud Rotary	Water well within one-quarter mile:	Yes No.		
Gas Stor		_	Air Rotary	Public water supply well within one mile:	Yes No		
Disp	—	ıt	Cable	Depth to bottom of fresh water: 180'			
	of HolesOther			Depth to bottom of usable water: 120 620			
Other:				Surface Pipe by Alternate:			
If OWWO: old we	Il information as folio	ws:		Length of Surface Pipe Planned to be set: 220			
0				Length of Conductor Pipe (if any): none			
Operator: Well Name:				Projected Total Depth: 3700'			
Original Completion D			Denth:	Formation at Total Depth: Arbuckle			
Original Completion D	vale.	Original lotal	Dopui	Water Source for Drilling Operations:			
Directional, Deviated or H	orizontal wellbore?		Yes No	Well X Farm Pond Other:			
If Yes, true vertical depth:				DWR Permit #:			
Bottom Hole Location:				(Note: Apply for Permit with D	WR 1		
KCC DKT#:				Will Cores be taken?	Yes X No		
				If Yes, proposed zone:			
			ΛΙ	FIDAVIT	Dron		
The undersigned hereby	affirms that the dr	illing, comple		olugging of this well will comply with K.S.A. 55 et. seq.	RECEIVED		
It is agreed that the follo				.,	MAR 2 2 2011		
Notify the appropr	•				"" Z Z 2011		
Noury the appropri A copy of the appropri	roved notice of inte	ent to drill sh	a <i>ii be</i> posted on ea	ch drilling rig:	′00 ·		
The minimum ame	ount of surface pip	e as specifie	d below shall be se	ch drilling rig; et by circulating cement to the top; in all cases surface	THE COMMANDED IT		
through all uncons	sondated materials	pius a minii	num of 20 feet into	the underlying formation.	* * * * *		
4. If the well is dry h	ole, an agreement	between the	operator and the d	istrict office on plug length and placement is necessary	prior to plugging;		
5. The appropriate of	IISTRICT ORICE WILLDE	production r	ire weir is eitrier plu ine shall be cemen	gged or production casing is cemented in; ted from below any usable water to surface within 120	DAYS of spud date.		
				#133,891-C, which applies to the KCC District 3 area,			
must be complete	d within 30 days of	f the spud da	te or the well shall	be plugged. In all cases, NOTIFY district office prior	to any cementing.		
I hereby certify that the	statements made h	erein are tru	e and to the best of	my knowledge and belief.			
	<i>;</i>		16/20	In Prail or Co	nsulfant		
Date: 3-2/-//	Signature o	f Operator o	r Agent:	ry W. Flesher Title: Co	"IISCETT ANT		
			·····	Remember to:			
For KCC Use ONLY	26/19-00	m2/		- File Certification of Compliance with the Kansas Su	urface Owner Notification		
API # 15 - U5 1-	26119-00			Act (KSONA-1) with Intent to Drill;			
Conductor pipe required None feet				- File Drill Pit Application (form CDP-1) with Intent to Drill;			
Minimum surface pipe required 200 feet per ALT. 1				- File Completion Form ACO-1 within 120 days of spud date;			
William San ace pipe required iost por / ion				 File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; 			
7-22 10/1				- Submit plugging report (CP-4) after plugging is completed (within 60 days);			
This authorization expire (This authorization void if	· · · · · · · · · · · · · · · · · · ·		of approval date 1	- Obtain written approval before disposing or injectin			
(1185 additionzation void if	unany not started wit	, mr 12 100111118	o. approvar date./	- If well will not be drilled or permit has expired (See:	-		
Spud date:	Agent:			please check the box below and return to the addre	ess below.		
Space date.				Well will not be drilled or Permit Expired			
hg_:1 4.	o: KCC - Conserv	ation Divisi	on.	Signature of Operator or Agent:	<u> </u>		

For KCC Use ONLY API#15. 051-26119-0000


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: V. Francis Weigel Family Partnership, LLC	Location of Well: County: Ellis		
Lease: Bowlby	3,040 feet from N / X S Line of Section		
Well Number: 7	feet from X E / W Line of Section		
Field: Bowlby Ext.	Sec. 1 Twp. 11 S. R. 16 E W		
Number of Acres attributable to well:	Is Section: Regular or Irregular		
QTR/QTR/QTR of acreage: SE SW NE			
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW		

PLAT


Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

LEGEND

0	Well Location
	Tank Battery Location
	Pipeline Location
	Electric Line Location
	Lease Road Location



In plotting the proposed location of the well, you must show:

- In plotting the proposed location of the well, you must snow:

 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding section.

 WICHITA
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

15-051-26119-0000

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

OPERATOR: License # 33996	Wall Location		
OPERATOR: License # 33996 Name: V. Francis Weigel Family Partnership, LLC	Well Location: SE_SW_NE_Sec. 1 Twp. 11 S. R. 16 EastX West		
Address 1: P.O. 219			
Address 2:	County: Ellis Lease Name: Bowlby Well #: 7		
City: Gorham State: Ks. Zip: 67640 + 0219 Contact Person: Cecil Weigel	If filing a Form T-1 for multiple wells on a lease, enter the legal description of		
Contact Person: Cecil Weigel	the lease below:		
Phone: (785) 637-5383 Fax: ()			
Email Address:			
Surface Owner Information:			
Name: MHW Enterprise	When filing a Form T-1 involving multiple surface owners, attach an additional		
Name: MHW Enterprise Address 1: 2924 Wiles Road	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 2:	county, and in the real estate property tax records of the county treasurer.		
Natoma Ke 67651			
	odic Protection Borehole Intent), you must supply the surface owners and		
If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathothe KCC with a plat showing the predicted locations of lease roads, tan are preliminary non-binding estimates. The locations may be entered or	odic Protection Borehole Intent), you must supply the surface owners and on the batteries, pipelines, and electrical lines. The locations shown on the plat on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathothe KCC with a plat showing the predicted locations of lease roads, tan	k batteries, pipelines, and electrical lines. The locations shown on the plat		
If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathothe KCC with a plat showing the predicted locations of lease roads, tan are preliminary non-binding estimates. The locations may be entered a Select one of the following:	Act (House Bill 2032), I have provided the following to the surface located: 1) a copy of the Form C-1, Form CB-1, the plat(s) required is a Form C-1 or Form CB-1, the plat(s) required is a Form C-1 or Form CB-1, the plat(s) required is and email address.		
If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathot the KCC with a plat showing the predicted locations of lease roads, tan are preliminary non-binding estimates. The locations may be entered of Select one of the following:	k batteries, pipelines, and electrical lines. The locations shown on the plat on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. Act (House Bill 2032), I have provided the following to the surface		
If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathothe KCC with a plat showing the predicted locations of lease roads, tan are preliminary non-binding estimates. The locations may be entered of Select one of the following:	Act (House Bill 2032), I have provided the following to the surface located: 1) a copy of the Form C-1, Form CB-1, the plat(s) required plat address. Acknowledge that, because I have not provided this information, the 2011 wher (s). To mitigate the additional cost of the KCK performing this gree, payable to the KCC, which is enclosed with this form. If the fee is not received with this form, the KSONA-1		
If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathothe KCC with a plat showing the predicted locations of lease roads, tan are preliminary non-binding estimates. The locations may be entered a Select one of the following:	Act (House Bill 2032), I have provided the following to the surface located: 1) a copy of the Form C-1, Form CB-1, the plat(s) requires pressure and email address. Acknowledge that, because I have not provided this information, the 2011 where(s). To mitigate the additional cost of the KOK performing this gree, payable to the KCC, which is enclosed with this form. If the fee is not received with this form, the KSONA-1 will be returned.		

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: V. Francis Weigel Fa	mily Partnership	License Number: 33996			
Operator Address: P.O. 219		Gorham Ks. 67640			
Contact Person: Cecil Weigel		Phone Number: 785-637-5383			
Lease Name & Well No.: Bowlby	7		Pit Location (QQQQ):		
Type of Pit:	Pit is:		100' NW _ SE _ SW _ NE		
Emergency Pit Burn Pit	X Proposed Existing		Sec. 1 Twp. 11 R. 16 East 🗶 West		
Settling Pit X Drilling Pit	If Existing, date constructed:		3,040 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity: 2,500 (bbls)				
Is the pit located in a Sensitive Ground Water A	rea? Yes 🔀		Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? X Yes No	Artificial Liner? Yes X	No	How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits): 25	50 Length (fe	et)250	Width (feet) N/A: Steel Pits		
 	om ground level to de	i `	(feet) No Pit		
If the pit is lined give a brief description of the li material, thickness and installation procedure.	ner		dures for periodic maintenance and determining cluding any special monitoring.		
		:	RECEIVED		
			RECEIVED MAR 2 2 2011		
Distance to nearest water well within one-mile of	of pit:	Depth to shallor Source of inform	west fresh water 25 feet. KCC WCLITA		
feet Depth of water well	60 feet	measured	well owner 🔀 electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover: Native and fresh water mud			
Number of producing wells on lease:		Number of working pits to be utilized: 3			
Barrels of fluid produced daily:		Abandonment p	procedure: Evaporate and Backfill		
Does the slope from the tank battery allow all slifted flow into the pit?	pilled fluids to	Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
3-21-11 Date Jerry W. Piesker Signature of Applicant or Agent					
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS					
Date Received: 3/22/// Permit Numl	ber:	Permi	_ ,		