4-071002 8-12

1	4	9
R	ر	,

	API number: 15-051-21,363-000 SE SW SE
Operator license#_4694_	Lease_G.E. Riedel well # 13
Operator: Brock Oil & Gas Corporation	County Ellis
Address: 25th & Vine Dean Ellner Building Hays, Kansas 67601	Well total depth <u>3882</u> feet Conductor Pipe: <u>0</u> inch @ <u>0</u> feet Surface pipe 8 5/8 Inch @ <u>1496</u> feet
Aband. oil well <u>X</u> , Gas well <u></u> , Inpu	ut well, SWD, D & A
Plugging contractor: <u>Halliburton Serv.</u>	- Rapid Well Serv. License# -
Address: <u>Hays, Kansas - Russell, Kans</u>	Bas
Company to plug at: Hour: A.M. Day:	12 Month: August Year: 92
Plugging proposal received from: Ted Lu	lebbers
Company: Brock Oil & Gas Corporation	Phone: 913-628-1909
Were: 8 5/8" - 1496' S.P. cwc. w/600 @ 3878' w/200 sx. cement. Perf's @ 38 65/35 pozmix - 8% gel. and 5 sx. hulls. Load 5 1/2" casing from bottom to top wunder pressure. Also squeeze 5 1/2" x pressure.	378' - 3882'. Proposal 300 sx. Spot and displace with tubing. With cement. Squeeze and shut in
Plugging Proposal Received by: Gib Sc Plugging operations attended by agent? Completed: Hour: 3:15P.M., Day: 12, Mor	All[X], Part[], None[]
Actual plugging report: 8% qel 5 sx. hulls. Spotted and dis 1) 2 7/8" tubing @ 3800' w/155 sx. ceme 2) 2 7/8" tubing @ 1500' w/100 sx. ceme circulated out of 5 1/2" casing. 3) Squeezed 5 1/2" x 8 5/8" annulus w/1 700 P.S.I. Shut in @ 700 P.S.I.	splaced cement through tubing. ent w/3 sx. hulls mixed in. ent w/2 sx. hulls. Cement
Condition of casing (in hole):GOOD X BA Bottom plug(in place):YES X ,CALC Plugged through TUBING X , CASING I did[X] / did not[] observe the pl	, NO Dakota plug: YES_X_, NO 4 1992 Elevation:
WY, NO. 36087	Form CP-2/3