

STATE OF KANSAS  
STATE CORPORATION COMMISSION  
200 Colorado Derby Building  
Wichita, Kansas 67202

WELL PLUGGING RECORD  
K.A.R.-82-3-117

15-051-19388-0008

Well was completed on:

API NUMBER 5-7-39

LEASE NAME McCord A

WELL NUMBER 2

4190 Ft. from S Section Line

1040 Ft. from E Section Line

SEC. 26 TWP. 11S RGE. 17 (E18X17W)

COUNTY Ellis

Date Well Completed 5-7-39

Plugging Commenced 6-5-91

Plugging Completed 6-5-91

TYPE OR PRINT  
NOTICE: Fill out completely  
and return to Cons. Div.  
office within 30 days.

LEASE OPERATOR OXY USA Inc.

ADDRESS P. O. Box 26100, Oklahoma City, OK 73126-0100

PHONE#(405) 749-2471 OPERATORS LICENSE NO. 5447

Character of Well Oil

(Oil, Gas, D&A, SWD, Input, Water Supply Well)

The plugging proposal was approved on May 3, 1991 (date)

by Mr. Herb Deines of Dist #4 (KCC District Agent's Name).

Well was completed on:  
Is ACO-1 filed? 5-7-39 If not, is well log attached? Yes

Producing Formation Shawnee & Toronto Depth to Top 3018 Bottom 3258 T.O. 3591

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

RECEIVED  
STATE CORPORATION COMMISSION

Formation	Content	From	To	Size	Put In	Pulled out
Shawnee-Toronto	Oil	3018	3258	8 5/8"	1111	0
				5 1/2"	3535	0

07-08-91  
MAY 08 1991

CONSERVATION DIVISION  
Wichita, Kansas

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet to feet each set.

Mixed and Pumped 250 sx 65/35 plus 8% gel, plus 4 sx hulls. Max pressure 200 psi; shut-in pressure 50 psi. State Witness: Mr. Herb Deines

(If additional description is necessary, use BACK of this form.)

Name of Plugging Contractor Allied-Cementing Company License No.

Address Wichita, Kansas

NAME OF PARTY RESPONSIBLE FOR PLUGGING FEES: OXY USA Inc.

STATE OF Oklahoma COUNTY OF Oklahoma, ss.

Bryan Humphries (Employee of Operator) or (Operator) of above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed that the same are true and correct, so help me God.

(Signature) Bryan Humphries

(Address) P. O. Box 26100, OKC, OK 73126-0100

SUBSCRIBED AND SWORN TO before me this 26th day of June, 19 91


Kay Ann Kilmer  
Notary Public

Commission Expires: 4-16-94



WELL RECORD

15-051-19388-0000



Company Cities Service Oil Co. No. 2 Farm McCord  
 Location 1040' E., 1090' S., N/4 Cor. Sec. 26 T. 11 R. 17-W  
 Elevation 2066 County Ellis State Kansas  
 Drig. Comm: Apr. 15, 1939  
 Date Completed May 7, 1939 Initial Production 710 oil, 4% water  
 Contractor: J. E. Mabee Company Acidized 2000 gallons

Total Depth 3563'

CASING RECORD:

8-5/8" - 1111' cem. 300 reg., 25 Oil-Max & 7 Aquagel  
 5-1/2" 3535' cem. 100 cement & 12 Aquagel

FORMATION RECORD:

surface	30
surface rock	45
lost circulation	
shale & shells	463
sand	540
shale	625
sand iron & shells	745
shale & shells	780
sand	897
shale & shells	1070
red bed shale	1086
shale & shells	1111
red bed	1190
shale & shells	1255
anhydrite	1285
shale & shells	1580
salt & shale	1896
lime broken	1984
lime & shale	2046
broken lime	2090
lime	2116
lime broken	2185
lime	2308
lime broken	2320
lime & shale	2421
shale	2451
shale & lime	2513
shale & shells	2570
lime & shale	2713
shale & shells	2817
shale	2852
shale & lime	3000
lime	3244
lime & shale	3257
lime broken	3270
lime	3286
broken lime	3385

lime	3510
lime broken	3520
lime	3540
top Arbuckle	3538
T. D. rotary	3540
5-1/2" O. D.	3539
dolomite	
T. D. rotary 3540 = 3535	SLM
top Arbuckle corr.	3533
dolomite	3563 T. D.

Top Arbuckle	3533
Penetration	30
Total Depth	3563

Pay 3555-63

FILLUP: 250' 8-3/4 hrs.  
 1300' 18-1/2 hrs.

SYFO:	500'	1/20
	1000'	00
	1500'	00
	2000'	00
	2500'	00
	3000'	00

Rotary	3555
Cable Tools	3563

RECEIVED  
 STATE CORPORATION COMMISSION

APR 29 1991

CONSERVATION DIVISION  
 Wichita, Kansas

# Mercury

## RADIOACTIVITY LOG

COMPANY <u>OXY USA</u>	WELL <u>MCCORD #2</u>	FIELD _____	COUNTY <u>ELLIS</u>	STATE <u>KS</u>
Location	Other Services:			
Sec. <u>26</u>	Twp <u>11s</u>	Rge <u>17w</u>		

Permanent Datum <u>Ground Level</u>	Elev. <u>2061</u>	Elev.: K.B. <u>2066</u>
Log Measured from <u>Kelly Beshing 5</u>	Ft. Above Perm. Datum	D.F. _____
Drilling Measured From <u>Kelly Beshing</u>		G.I. <u>2061</u>

Date	<u>2/5/90</u>	RECEIVED STATE CORPORATION COMMISSION  APR 20 1991  CONSERVATION DIVISION Wichita, Kansas
Run No.	<u>ONE</u>	
Type Log	<u>GR/N</u>	
Depth-Driller	<u>3591'</u>	
Depth-Mercury	<u>3300'</u>	
Bottom Logged Interval	<u>3300'</u>	
Top Logged Interval	<u>2900'</u>	
Type Fluid in Hole	<u>WATER/OIL</u>	
Salinity, PPM Cl.	<u>N/A</u>	
Density	<u>N/A</u>	
Level	<u>N/A</u>	
Max. rec. temp., deg. F.	<u>N/A</u>	
Operating Rig Time	<u>1 HOUR</u>	
Recorded By	<u>B. KLAUS</u>	
Witnessed by	<u>Mr. DON SHELDEN</u>	

RUN No.	BORE-HOLE RECORD				CASING RECORD		
	Bit	From	To	Size	Wgt.	From	To
<u>One</u>	<u>1 1/4</u>	<u>00</u>	<u>1106</u>	<u>8 5/8</u>		<u>00</u>	<u>1106</u>
<u>Two</u>	<u>7/8</u>	<u>00</u>	<u>3591</u>	<u>5 1/2</u>		<u>00</u>	<u>3535</u>