



KANSAS CORPORATION COMMISSION 1048597
OIL & GAS CONSERVATION DIVISION

Form ACO-1
June 2009
Form Must Be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 33783
Name: Michael Drilling LLC
Address 1: 1304 E ST
Address 2: PO BOX 402
City: IOLA State: KS Zip: 66749 + 3002
Contact Person: Rick Michael
Phone: (620) 365-2755
CONTRACTOR: License # 33783
Name: Michael Drilling LLC
Wellsite Geologist: Richard Burris
Purchaser: _____

Designate Type of Completion:

- New Well Re-Entry Workover
- Oil WSW SWD SIOW
 Gas D&A ENHR SIGW
 OG GSW Temp. Abd.
 CM (Coal Bed Methane)
 Cathodic Other (Core, Expl., etc.): _____

If Workover/Re-entry: Old Well Info as follows:

Operator: _____

Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____

- Deepening Re-perf. Conv. to ENHR Conv. to SWD
 Conv. to GSW
- Plug Back: _____ Plug Back Total Depth
 Commingled Permit #: _____
 Dual Completion Permit #: _____
 SWD Permit #: _____
 ENHR Permit #: _____
 GSW Permit #: _____

<u>2/2/2010</u>	<u>2/3/2010</u>	<u>2/4/2010</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 15-001-29964-00-00

Spot Description: _____

NE SW NW SW Sec. 11 Twp. 24 S. R. 18 East West
1,904 Feet from North / South Line of Section
4,721 Feet from East / West Line of Section

Footages Calculated from Nearest Outside Section Corner:

- NE NW SE SW

County: Allen

Lease Name: Johnson Well #: WD-1

Field Name: _____

Producing Formation: Mississippi

Elevation: Ground: 973 Kelly Bushing: 5

Total Depth: 1250 Plug Back Total Depth: _____

Amount of Surface Pipe Set and Cemented at: 22 Feet

Multiple Stage Cementing Collar Used? Yes No

If yes, show depth set: _____ Feet

If Alternate II completion, cement circulated from: 0

feet depth to: 1096 w/ 165 sx cmt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: 0 ppm Fluid volume: 0 bbls

Dewatering method used: Evaporated

Location of fluid disposal if hauled offsite: _____

Operator Name: _____

Lease Name: _____ License #: _____

Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West

County: _____ Permit #: _____

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

- Letter of Confidentiality Received
Date: _____
- Confidential Release Date: _____
- Wireline Log Received
- Geologist Report Received
- UIC Distribution
- ALT I II III Approved by: Deanna Garrison Date: 02/14/2011



1048597

Operator Name: Michael Drilling LLC Lease Name: Johnson Well #: WD-1
 Sec. 11 Twp. 24 S. R. 18 East West County: Allen

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Submitted Electronically <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(If no, Submit Copy)</i> List All E. Logs Run: Gamma Ray Neutron	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample <table style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Name</th> <th style="text-align: center;">Top</th> <th style="text-align: center;">Datum</th> </tr> </thead> <tbody> <tr> <td>gray chale</td> <td style="text-align: center;">22</td> <td style="text-align: center;">260</td> </tr> <tr> <td>Lime stone</td> <td style="text-align: center;">260</td> <td style="text-align: center;">640</td> </tr> <tr> <td>sandy chale</td> <td style="text-align: center;">640</td> <td style="text-align: center;">1096</td> </tr> <tr> <td>Lime stone</td> <td style="text-align: center;">1096</td> <td style="text-align: center;">1250</td> </tr> </tbody> </table>	Name	Top	Datum	gray chale	22	260	Lime stone	260	640	sandy chale	640	1096	Lime stone	1096	1250
Name	Top	Datum														
gray chale	22	260														
Lime stone	260	640														
sandy chale	640	1096														
Lime stone	1096	1250														


CASING RECORD <input type="checkbox"/> New <input checked="" type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface casing	12.2500	8.6250	21	22	50/50	4	
Long String	7.8750	5.5000	14	1096	50/50	165	

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
___ Perforate				
___ Protect Casing	-			
___ Plug Back TD				
___ Plug Off Zone	-			

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth

TUBING RECORD: Size: _____ Set At: _____ Packer At: _____		Liner Run: <input type="checkbox"/> Yes <input type="checkbox"/> No	
Date of First, Resumed Production, SWD or ENHR. _____		Producing Method: <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain) _____	
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls. Gas-Oil Ratio Gravity

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5)</i> <input type="checkbox"/> Other (Specify) _____	PRODUCTION INTERVAL: _____ _____
---	---	--



**Lone Jack Oil Company
509 East Walnut
Blue Mound, KS 66010**

Invoice

Date	Invoice #
2/6/2010	982

Bill To
Rick Michaels P.O. Box 402 Iola, KS 66749
FAX 1-620-365-8631

P.O. No.	Terms	Project

Quantity	Description	Rate	Amount
1	Johnson Lease 2/4/10, Well #WD1, circulated 165 sacks of cement to surface, pumped 1060 gallons of water behind cement and shut in.	600.00	600.00
	Sales Tax	6.30%	37.80
Thank you for your business.		Total	\$637.80

Michael Drilling, LLC
P.O. Box 402
Iola, KS 66749
620-365-2755

02/02/10

Company: Rick Michael
 Address: P.O. Box 402
Iola Kansas 66749
 Ordered By: Rick Michael

Date: 02/02/10
 Lease: Johnson
 County: Allen
 Well#: SW-1
 API#: 15-001-29964-00-00

Drilling Log

FEET	DESCRIPTION	FEET	DESCRIPTION
0-22	Overburden	599-600	Coal
22-32	Shale	600-615	Lime
32-75	Lime	615-638	Black Shale
75-105	Shale	638-645	Lime
105-121	Lime	645-648	Black Shale and Coal
121-150	Shale	648-859	Sand and Sandy Shale
150-162	Lime Streaks	859-864	Sand -gas
162-220	Lime	864-914	Oil Sand
220-224	Shale	914-926	Shale
224-284	Lime	926-931	Sand
284-447	Shale	931-1036	Shale
447-449	Lime	1036-1250	Mississippi Lime
449-451	Shale	1250	TD
451-480	Lime		
480-496	Shale		Surface 22'
496-547	Sand and Shale		
547-550	Lime		
550-553	Black Shale and Coal		
553-556	Shale		
556-572	Lime		
572-578	Shale		
578-583	Lime		
583-585	Black Shale		
585-599	Shale		

Surface
Casing
Cement.

lola, Kansas, 11/5, 1910

Received of

THE NEW KLEIN LUMBER CO., INC.
BUILDING MATERIALS

365-2201

30 Sack P Cement

283.50

tax 23.53

307.03

Paid By

cash

Surface Casing Cement for

Johnson W-D-1

Johnson R-4

Johnson R-5

Johnson R-6

V- Lattg. R-1

802 N. Industrial Rd.
P.O. Box 664
Iola, Kansas 66749
Phone: (620) 365-5588

Payless Concrete Products, Inc.



CONDITIONS
Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allowed time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.
NOTICE TO OWNER
Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

Long String Cement

SEND TO:
CASH CUSTOMER

SHIP TO:
M111/85
RICK MICHAEL
BILL TO: P.O. BOX 402
DEL TOWN ON 1400 BEFORE DEER
CREEK E 50
IOLA, KS 66749

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	% CAL	DRIVER/TRUCK	PLANT/TRANSACTION #
10:13-47	WELL	9.25 yd	16.50 yd	0.00	WK 37	
DATE	LOAD #	YARDS DEL	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
10-26-10	2	16.50 yd	12367		4.00 in	26110

WARNING
IRRITATING TO THE SKIN AND EYES
Contains Portland Cement, Wet Rubber Boots and Gloves. **PROLONGED CONTACT MAY CAUSE BURNS.** Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water. Limitation Periods: Get Medical Attention. **KEEP CHILDREN AWAY.**

CONCRETE is a PERISHABLE COMMODITY and BECOMES THE PROPERTY OF THE PURCHASER UPON LEAVING THE PLANT. ANY CHANGES OR CANCELLATION OF ORIGINAL INSTRUCTIONS MUST BE TELEPHONED TO THE OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorney's fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Chocks. Excess Delay Time Charged @ \$50/Hr.

PROPERTY DAMAGE RELEASE
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it placed the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility for any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have, within out of delivery of this order.

SIGNED: *[Signature]* X

Excessive Water is Detrimental to Concrete Performance
H₂O Added By Request/Authorized By

GAL: X

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

LOAD RECEIVED BY: X

QUANTITY	CODE	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
9.25	WELL	WELL (10 BACKS PER UNIT)	16.50	76.00
1.00	TRUCKING	TRUCKING CHARGE	2.00	50.00

Johnson SW-1

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED
		11:22	1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER	
		START UNLOADING	6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER	
10:30	10:36	11:00		
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		

SubTotal \$ 677.00
Tax % 6.300 42.65
Total \$ 719.65
Order \$ 1439.30

ADDITIONAL CHARGE 1
ADDITIONAL CHARGE 2

GRAND TOTAL

802 N. Industrial Rd.
P.O. Box 664
Iola, Kansas 66749
Phone: (620) 365-5588

Payless Concrete Products, Inc.



CONDITIONS
Concrete to be delivered to the nearest accessible point, over possible road, under truck's own power. Due to delivery at owner's or contractor's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allowed time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete requires correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.
NOTICE TO OWNER
Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

*Long String
Cement #11726*

SOLD TO:

CASH CUSTOMER

SHIP TO:

RICK MICHAEL
BILL TO: P.O. BOX 408
DEL TO: N ON 1400 BEFORE DEER
CREEK RD
IOLA, KS 66749

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	YARDS DEL	BATCH #	DRIVER/TRUCK	WATER/TRIM	PLANT/TRANSACTION #
09:59:02a	W6 Date	8.25 yd	10.25 yd	0.00	12355	84	0.00 in	26109
02:14E	Today	8.25 yd					4:00 in	
		LOAD	YARDS DEL	BATCH #	WATER/TRIM		WATER SLUMP	TICKET NUMBER

WARNING
IRRITATING TO THE SKIN AND EYES
Contains Portland Cement. Wear eye protection and gloves. PROLONGED CONTACT MAY CAUSE BURNS AND DAMAGE TO EYES AND SKIN. CONTACT WITH EYES OR SKIN SHOULD BE IMMEDIATELY WASHED WITH WATER. CONTACT WITH SKIN SHOULD BE IMMEDIATELY WASHED WITH WATER. AVOID CONTACT WITH CHILDREN.
CONCRETE IS A NON-FLAMMABLE COMBUSTIBLE AND BECOMES THE PROPERTY OF THE PURCHASER UPON LEAVING THE PLANT. ANY CHANGES OR CANCELLATION OF ORIGINAL INSTRUCTIONS MUST BE TELEPHONED IN THE OFFICE BEFORE LOADING STARTS.
The undersigned promises to pay all costs, including reasonable attorney's fees, incurred in collecting any sums owed.
All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.
Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.
A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.
Excess Delay Time Charged @ \$50/Hr.

PROPERTY DAMAGE RELEASE
(To be signed if delivery to be made inside CURB LINE)
Dear Customer: The driver of the truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this lot where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE, releasing him and his supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not block the public street. Further, as an additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and his supplier from any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.
SIGNED

Excessive Water is Detrimental to Concrete Performance
H₂O Added By Request/Authorized By
GAL X
WEIGHMASTER
LOAD RECEIVED BY: X
NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

QUANTITY	CODE	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
8.25	WELL	WELL (10 SACKS PER UNIT)		
1.00	TRUCKING	TRUCKING CHARGE	76.00	627.00
			50.00	50.00

Rick Michael Johnson

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED
			1. JOB NOT READY 2. SLOW TURN ON PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER	
			6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER	
LEFT PLANT	ARRIVED JOB	START UNLOADING		TIME DUE
10:29	10:35	10:36		
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME

SubTotal \$	677.00
Tax % 6.300	42.65
Total \$	719.65
Order \$	719.65
ADDITIONAL CHARGE 1	
ADDITIONAL CHARGE 2	
GRAND TOTAL	

IOLA REGISTER PRINTING - IOLA, KS 66749