

STATE OF KANSAS
STATE CORPORATION COMMISSION

WELL PLUGGING RECORD

OR
FORMATION PLUGGING RECORD

Strike out upper line
when reporting plug-
ging off formations.

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
800 Bitting Building
Wichita, Kansas

Ellis County, Sec. 21 Twp. 11 Rge. 17 (E) 17 (W) 17

Location as "NE 1/4 NW 1/4 SW 1/4" or footage from lines. 9908 330N of South 1/4 Corner

Lease Owner Cities Service Oil Company

Lease Name Bemis

Well No. 9

Office Address Bartlesville, Oklahoma

Character of Well (completed as Oil, Gas or Dry Hole) Oil Well

Date well completed August 8, 1937 19

Application for plugging filed 12-15-1944 19

Application for plugging approved 12-15-44 19

Plugging commenced 12-15-44 19

Plugging completed 12-27-44 19

Reason for abandonment of well or producing formation Unprofitable

If a producing well is abandoned, date of last production May 1944 19

Was permission obtained from the Conservation Division or its agents before plugging was com-
menced? Yes

Name of Conservation Agent who supervised plugging of this well Mr. Herbert Kerr

Producing formation Arbuckle Lime Depth to top 3352' Bottom Total Depth of Well 3381' Feet

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
Arbuckle Lime	Est. 10 Bbls Oil			15"	116'	None
	300 Bbls Water			10 3/4"	1102	None
				8"	3352'	2284'

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hold. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet for each plug set.

~~dumped 15 sacks cement mud to 15'~~ ~~dumped 10 sacks cement mud & dirt to surface.~~
X Dumped 5 sacks cement at 3381, filled with mud to 500'

21 11 17 W
143 13

(If additional description is necessary, use BACK of this sheet)

Correspondence regarding this well should be addressed to Mr. R.C. Hauber

Address Cities Service Oil Co. Great Bend, Kansas.

STATE OF Kansas COUNTY OF Barton, ss.
Mr. J.A. Cleverley (employee of owner) or owner of above of the above-described well,

being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) J.A. Cleverley

Cities Service Oil Co. Russell, Kansas.

(Address)

SUBSCRIBED AND SWORN to before me this 3rd day of January, 1945

My Commission Expires Mar. 12, 1945

Notary Public.



Company Cities Service Oil Co. Well No. 9 Farm Benis
 Location 330' North and 1090' East of S/4 Corner Sec. 21 T. 11 R. 17W
 Elevation _____ County Ellis State Kansas
 Initial Prod. 1494 bbls., 24 hours, natural Contractor J. E. Mabee Drilling Co.
 Acid None Drig. Comm. June 30, 1937
 T. D. 3381' Drig. Comp. August 6, 1937

CASING RECORD:

16" OD 116' cem. 90 sacks
 10-3/4" 1102' cem. 440 sacks
 7" OD 3352' cem. 265 sacks SLM

Top Siliceous 3352'
 Penetration 29'
 Total Depth 3381'

FORMATION RECORD:

surface shale & shells 41
 lime & shale 141
 shale & shells 250
 shale, shells, sand 752
 shale & shells 895
 shale, shells, red bed 1057
 shale & lime 1080
 anhydrite 1125
 shale & shells 1233
 shale 1259
 red beds, shale & shells 1511
 shale & shells 1685
 shale, shells & lime 1758
 lime & shale 1849
 lime 1901
 lime & shale 2803
 shale 2810
 lime & shale 2865
 lime 3206
 lime hard 3272
 lime 3330
 lime & shale 3348
 sand 3349
 shaly sand (cored) 3350
 conglomerate (cored) 3351
 lime (cored) 3353
 SLM CORR. 3353 = 3354
 lime 3381 T. D.


Fillup: 1950' in 1/2 hour
 2350' in 3/4 hour
 2700' in 2-1/4 hours

21 11 17W
 143 13

**MATERIAL REPORT
AND
PLUGGING RECORD**

Mail To: STATE CORPORATION COMMISSION
Conservation Division
800 Bitting Building
Wichita, Kansas

NOTICE: All questions on this form must be answered.



Locate well correctly.

Company Operating Cities Service Oil Co.
Office Address Bartlesville, Oklahoma.

County Ellis Sec. 21 Twp. 11 Rge. 17W
Farm Name Bemis Well No. 9 Field Bemis
Well Location 990'E 330'N of South 1/4 Corner
Name of Producing Sand Arbuckle Lime Total Depth 3381
Commenced Plugging 12-15-44 Finished 12-27-44

DAILY AVERAGE PRODUCTION:

Initial Production: Oil 1494 Gas _____ Water 0
Production when Plugged: Oil 10 Gas _____ Water 300

Estimated Total Remaining Reserves Attributable to Well at Time Abandoned _____

**INFORMATION ON MATERIALS RECLAIMED FROM WELL
CASING, TUBING AND ROD DATA**

Description	Size	Recovered		Junk		Reusable		Disposition Made Or To Be Made Of Usable Material
		Ft.	Tons	Ft.	Tons	Ft.	Tons	
Tubing	3"	3300	Junk					Junk Returned to Warehouse
Sucker rods	7/8"	3300'	Junk					" " " "
Casing	7"	2284						Returned to warehouse
Weber Gas Eng	14x14							Returned to warehouse

SURFACE EQUIPMENT

Quantity	Description	*Condition	Est. Tons	Disposition Made Or To Be Made Of Reclaimed Material
1	Weber Gas Eng.	Fair		Returned to warehouse
1	Standard End	Fair		" " "

* Usable, Usable with minor repairs, or junk.

Date: 12/28/44 Signed: McCluney Dist Supt.
(For Operating Co.—Title)

21 11 17W
143 13

It is very important that all questions on this form be answered, as this Department has been asked by the Petroleum Administration for War to supply data on well abandonments undertaken during the war.

This information is very essential in aiding the war effort; therefore, this Department is requiring this report to be mailed within 5 days after the abandonment of your well.

19-6756