

STATE OF KANSAS
STATE CORPORATION COMMISSION

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
800 Bitting Building
Wichita, Kansas


15-051-04241-00-00
WELL PLUGGING RECORD

Ellis

County. Sec. 31 Twp. 13S Rge. 19W (E) (W)

Location as "NE/CNW $\frac{1}{4}$ SW $\frac{1}{4}$ " or footage from lines NE NE SW
Lease Owner The Texas Company
Lease Name G. E. Riedel Well No. 3
Office Address 614 Bitting Building, Wichita, Kansas
Character of Well (completed as Oil, Gas or Dry Hole) Dry
Date well completed May 2 1952
Application for plugging filed May 2 1952
Application for plugging approved (Verbal 5-2) May 5 1952
Plugging commenced May 2 1952
Plugging completed May 3 1952
Reason for abandonment of well or producing formation.....

NORTH



Locate well correctly on above
Section Plat

If a producing well is abandoned, date of last production..... 19.....
Was permission obtained from the Conservation Division or its agents before plugging was commenced?..... Yes

Name of Conservation Agent who supervised plugging of this well Mr. Eldon Petty
Producing formation..... Depth to top..... Bottom..... Total Depth of Well 4056' Feet
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
				8-5/8"	645'	0'

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from..... feet to..... feet for each plug set.

PLUGGED AS FOLLOWS:

4056-300 - Heavy Mud
300 - Plug
300-215 - 20 Sacks Cement
215-40 - Heavy Mud
40 - plug
40-bottom of Cellar - 10 Sacks Cement

RECEIVED
STATE CORPORATION COMMISSION
MAY 15 1952 05-15-52
CONSERVATION DIVISION
Wichita, Kansas

(If additional description is necessary, use BACK of this sheet)
Name of Plugging Contractor Earl F. Wakefield
Address Union National Bank Building, Wichita, Kansas

STATE OF Kansas, COUNTY OF Sedgwick, ss.
M. C. Harrell (employee of owner) or (owner or operator) of the above-described well,

being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) M. C. Harrell
614 Bitting Bldg., Wichita, Kansas
(Address)

SUBSCRIBED AND SWORN to before me this 15th day of May, 1952
H. Howard Kistler
Notary Public.

My commission expires September 20, 1952
23-8390-s 6-51-20M

PLUGGING
FILE SEC. 31 T. 13R 1952
BOOK PAGE 13 LINE 42

LOG OF WELL

Form PO-214 Sheet 1 (3-47)20M

G. E. RIEDEL NO. 3

SHEET 1

OWNER The Texas Company DIVISION Oklahoma DATE MADE 5-14-52
 DISTRICT Kansas LEASE G. E. Riedel WELL NO. 3
 STATE Kansas COUNTY OR PARISH Ellis TWP. 13S RANGE 19W SEC. 31
 LOCATION OF WELL NE NE SW

COMMENCED RIGGING UP 4-15-52 COMMENCED DRILLING 4-15-52 COMPLETED DRILLING 5-2-52
 DAY DRILLER _____ NIGHT DRILLER _____ CONTRACTOR Earl F. Wakefield
 CABLE FROM _____ TO _____ ROTARY FROM 0 TO 4056 COMPANY SIG. NO. KB 2241
 TOTAL DEPTH 4056' MEASURED BY M. C. Harrell ELEVATION DF 2239
GL 2235

CASING RECORD

SIZE	WEIGHT	PUT IN WELL		PULLED OUT		LOST IN WELL		SHOES		PACKERS			
		FEET	INS.	FEET	INS.	FEET	INS.	LENGTH	MAKE	KIND	LENGTH	SET AT	
<u>8-5/8"</u>	<u>32#</u>	<u>645'</u>		<u>(8-V R-2</u>		<u>second hand casing)</u>							<u>FT.</u>
													<u>FT.</u>
													<u>FT.</u>
													<u>FT.</u>
													<u>FT.</u>
													<u>FT.</u>
													<u>FT.</u>
													<u>FT.</u>
													<u>FT.</u>

8-5/8" casing set at 645' w/300 sacks cement and 400# CC.

WAS CASING CEMENTED? _____ IF SO, HOW MANY SACKS OF CEMENT USED? _____
 LINER: STATE SIZE AND WEIGHT _____ WHERE SET _____ FT. AND INS. BLANK _____ FT. AND INS. PERFORATED _____
 HOW PUT TOGETHER _____ COUPLING _____ FLUSH-JOINT _____ INSERTED _____
 REMARKS: _____

EQUIPMENT RECORD

TUBING				SUCKER RODS			PUMPING OUTFIT
SIZE	WEIGHT	FEET	INS.	FEET	INS.	SIZE AND KIND	DESCRIPTION, KIND, SIZE, ETC.

Completed plugging 5-3-52

FLOWING, PUMPING, GASSER OR DRY dry PRODUCTION FIRST 24 HOURS _____ PRODUCTION SETTLED _____
 IF GAS WELL, OPEN FLOW CAPACITY _____ SHUT IN PRESSURE _____ ROCK PRESSURE _____
 KIND OF SHOT _____ SIZE OF SHOT, QUARTZ _____
 NUMBER OF SHELLS _____ SIZE OF SHELLS _____ INCHES, DIAMETER _____
 LENGTH OF SHELLS _____ FEET _____ INCHES _____ TOP OF SHOT _____
 BOTTOM OF SHOT _____ ANCHOR _____ WELL BRIDGED TO _____
 TOTAL DEPTH OF WELL _____ NUMBER OF SHOT _____ PRODUCTION BEFORE SHOT _____ BBLs. PER DAY _____
 PRODUCTION AFTER SHOT _____ BBLs. PER DAY. SHOT FURNISHED BY _____
 NAME OF SHOOTER _____ SHOT INSPECTED _____ BY _____ (COMPANY EMPLOYEE)
 COMMENCED DRILLING DEEPER _____ COMPLETED _____ DRILLING DEEPER _____
 TOTAL DEPTH _____ PRODUCTION FIRST 24 HOURS _____ PRODUCTION SETTLED _____

PLUGGING

FILE SEC 31 T 13 R 19 W

BOOK WIG 13 LINE 42

G. E. Riedel #3
Irvin North Pool
Total Depth 4056'
Completed Drilling 5-2-52
Completed Plugging 5-3-52

NOTE: IF WELL WAS DRY, STATE UNDER REMARKS, WHEN, HOW, AND BY WHOM PLUGGED.
 STATE UNDER REMARKS ANYTHING OF INTEREST NOT COVERED IN LOG.
 IF THE SPACE PROVIDED FOR REMARKS IS NOT SUFFICIENT WRITE ON BOTTOM OF LAST SHEET OF LOG

LOG OF WELL

SHEET NO. 2District Kansas Owner The Texas Co. Farm G. E. Riedel Well No. 3

FORMATION	AMOUNT	COLOR	HARD OR SOFT	DEPTH CORES TAKEN	REMARKS
Sandy Shale & Shells	0	75			<u>CASING RECORD:</u> 8-5/8" 32# 8-V R-2 second hand casing at 645' with 300 sacks cement and 400# CC. <u>ELEVATIONS:</u> KB-----2241 DP-----2239 GL-----2235 <u>TOPS:</u> Citarron Anhy--1522 Topeka-----3234 Heebner-----3492 Lansing-----3534 Conglomerate---3831 Arbuckle-----3915 Granite-----4049
Shale & Shells	730	655			
Sand & Shale	1050	320			
Sand	1220	170			
Shale & Red Bed	1285	65			
Shale Red Bed Shells	1520	235			
Shale & Shells	2240	720			
Lime & Shale	2605	365			
Shale & Shells	2865	260			
Shale & Lime	2968	103			
Lime & Shale	3865	897			
Lime Shale & Chert	3915	50			
Lime	4056	141			
Total Depth	4056				
<u>REMARKS:</u>					
4-28-52	Ran DST #1 from 3711-32, open 1 hour, recovered 10' oil cut mud. SBHP 20# in 15 minutes				
4-30-52	Ran DST #2 from 3902-15, open 1 hour, recovered 32' drilling mud. IFP 20#, FFP 30#, SBHP 1090# in 30 minutes.				
5-2-52	Drilled to 4056', no show. Ran Schlumberger Survey.				
5-3-52	Plugged & abandoned.				

PLUGGING
 FILE SEC 31 T 13 R 19W
 BOOK PAGE 13 LINE 42