

For KCC Use:	4-11-2011
Effective Date: _	7
District #	4
SGA? Yes	k ⊠ No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form KSONA-1. Certification of Compliance with the Kansas Surface Owner Notification Act. MUST be submitted with this form.

Form KSONA-1, Certification of Compliance with the Kansas	
Expected Spud Date: April 15, 2011	Spot Description:
month day year	cnwne
34392	(3/3/3/3) 660 feet from N / S Line of Section
OPERATOR: License#	1,980 feet from X E / W Line of Section
Name: Textion Exploration, LLC Address 1: P.O. Box 191643	Is SECTION: Regular Irregular?
	is oconon. Minegular
Address 2:	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Rodney Cox	County: Graham
Phone: 817-727-1684	Lease Name: Sauer Well #: 1
Thore.	Field Name: Emor, Northwest
CONTRACTOR: License#34082 V	Is this a Prorated / Spaced Field?
Name: Alliance Well Service	Target Formation(s): Lansing/Kansas City
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
	Ground Surface Elevation: 2584 feet MSL
XOil	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
Disposal Wildcat X Cable	Depth to bottom of fresh water: 190 /60
Seismic ;# of HolesOther	
Other:	Depth to bottom of usable water: 1360
If OWWO: old well information as follows:	Surface Pipe by Alternate: XIII
_	Length of Surface Pipe Planned to be set: 210' set
Operator: Energy Production, Inc. 15-065-20004	Length of Conductor Pipe (if any): NA
Well Name: _Sauer #1	Projected Total Depth: 4100
Original Completion Date: 2-11-67 Original Total Depth: 4100	Formation at Total Depth: Lansing/Kansas City
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes No	Well Farm Pond Other: truck
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	Will Cores be taken? Yes XNo
	If Yes, proposed zone:
AE	If Yes, proposed zone: RECEIVED
	If Yes, proposed zone: RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual plus	FIDAVIT APP C
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met:	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. APR 0 5
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. APR 0 5 2001 KCC WICHITA
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. APR 0 : CC WICHITA h drilling rig;
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. APR 0 : CC WICHITA th drilling rig; by circulating cement to the top; in all cases surface pipe shall be set
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. APR 0 : CC WICHITA th drilling rig; by circulating cement to the top; in all cases surface pipe shall be set to underlying formation.
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. APR 0 : KCC WICHITA th drilling rig; by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. APR 0 : KCC WICHITA In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district of the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the strength of the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. APR 0 : CC WICHITA In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district of the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the strength of the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. APR 0 : KCC WICHITA In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district of the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the strength of the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. APR 0 : KCC WICHITA In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate if cementing a plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the standard standa	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. APR 0 : KCC WICHITA In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate it cementing the plugged. In all cases, NOTIFY district office prior to any cementing. The knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the disentence of the appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. APR 0 : KCC WICHITA In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate If cementing a plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the statement between the operator and the disentation of the second of the seco	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. APR 0 : KCC WICHITA In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate it cementing the plugged. In all cases, NOTIFY district office prior to any cementing. The knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district of the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugions. The appropriate district office will be notified before well is either plugions. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be a likely certify that the statements made herein are true and to the best of the complete of the spud date of the well shall be completed. Signature of Operator or Agent:	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. APR 0 : KCC WICHITA In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate if cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Title: agent Remember to:
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the statement between the operator and the disentation of the second of the seco	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. APR 0 : KCC WICHITA In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Title: agent Remember to:
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a complete	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. APR 0 to CC WICHITA In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate It cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: agent Remember to: File Certification of Compliance with the Kansas Surface Owner Notification
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the approved notice of intent to drill <i>shall be</i> posted on each and through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluging that an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be a completed. It hereby certify that the statements made herein are true and to the best of the complete	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. APR 0 to CC WICHITA In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate It cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: agent Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the completed is dry hole, an agreement between the operator and the district office will be notified before well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be a completed. The well shall be completed within 30 days of the spud date or the well shall be a completed. The KCC Use ONLY API # 15 - Signature of Operator or Agent: For KCC Use ONLY API # 15 - Good - Go	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. APR 0 : KCC WICHITA In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate it cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Title: agent Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior and the posted on each and the district office will unconsolidated materials plus a minimum of 20 feet into the stronghall unconsolidated materials plus a minimum of 20 feet into the stronghall unconsolidated materials plus a minimum of 20 feet into the stronghall unconsolidated materials plus a minimum of 20 feet into the stronghall unconsolidated materials plus a minimum of 20 feet into the stronghall unconsolidated materials plus a minimum of 20 feet into the stronghall be notified before well is either pluge of the appropriate district office will be notified before well is either pluge of the appropriate district office will be notified before well is either pluge of the appropriate date or the well shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of the post of the spud date or the well shall be statements. Post CC Use ONLY	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. APR 0 to the complete of the
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior and the posted on each and the district office will unconsolidated materials plus a minimum of 20 feet into the stronghall unconsolidated materials plus a minimum of 20 feet into the stronghall unconsolidated materials plus a minimum of 20 feet into the stronghall unconsolidated materials plus a minimum of 20 feet into the stronghall unconsolidated materials plus a minimum of 20 feet into the stronghall unconsolidated materials plus a minimum of 20 feet into the stronghall be notified before well is either pluge of the appropriate district office will be notified before well is either pluge of the appropriate district office will be notified before well is either pluge of the appropriate date or the well shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of the post of the spud date or the well shall be statements. Post CC Use ONLY	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. APR 0: CC WICHITA In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: agent Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the completed is dry hole, an agreement between the operator and the district office will be notified before well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be a completed. The well shall be completed within 30 days of the spud date or the well shall be a completed. The KCC Use ONLY API # 15 - Signature of Operator or Agent: For KCC Use ONLY API # 15 - Good - Go	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. APR 0: CC WICHITA In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It into office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into the set into the set of th	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. APR 0: VIII KCC WICHITA In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate It cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: agent Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If well will not be drilled or permit has expired (See: authorized expiration date)
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into the set into the set of th	If Yes, proposed zone: RECEIVED RECEIVED APR 0:
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district of the materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district of the well is either pluging. The appropriate district office will be notified before well is either pluging. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a complete or the well shall be completed within 30 days of the spud date or the well shall be completed. I hereby certify that the statements made herein are true and to the best of the spud date or the well shall be completed within 30 days of the spud date or the well shall be certain to the date or the well shall be certain the district office will be notified before well is either pluging. For KCC Use ONLY API # 15 - OGS - 2 O O O O O O O O O O O O O O O O O O	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. APR 0: VIII KCC WICHITA In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate It cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: agent Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If well will not be drilled or permit has expired (See: authorized expiration date)

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202 For KCC Use ONLY API # 15 - <u>065 - 20 004 - 00-01</u>


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: TexKan Exploration, LLC	Location of Well: County: Graham
Lease: Sauer	feet from X N / S Line of Section
Well Number: 1	
Field: Emor, Northwest	Sec. 28 Twp. 9 S. R. 25 E W
Number of Acres attributable to well: 160 QTR/QTR/QTR/QTR of acreage:cnw ne	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounting Cott MICHITA 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

15-065-20004-000)

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Well Location: County Cardinal County Cardinal	24202		
Address 2: City: Dallas State: TX Zip: 75219 It filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below: Surface Owner Information: Name: Eugene Sauer When filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below: Surface Owner Information: Name: Eugene Sauer When filing a Form T-1 involving multiple surface owners, attach an additional owner information to the left for each surface owner. Surface owner information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer. If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathodic Protection Borehole Intent), you must supply the surface owner and the KCC with a plat showing the predicted locations of lease roads, tank batteries, pipelines, and electrical lines. The locations shown on the plat are preliminary non-binding estimates. The locations may be entered on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice Act (House Bill 2032), I have provided the following to the surface owner(s) of the land upon which the subject well is or will be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form CB-1 that I am filling in connection with this form; 2) if the form being filed is a Form C-1 or Form CB-1, the plat(s) required by this form; and 3) my operator name, address, phone number, fax, and email address. I have not provided this information to the surface owner(s). I acknowledge that, because I have not provided this information, the KCC will be required to send this information to the surface owner(s). To mitigate the additional cost of the KCC performing this task, I acknowledge that all am being charged a \$30.00 handling fee, payable to the KCC, which is enclosed with this form. The form and	OPERATOR: License # 34392		25 🗔 🖂
Address 2: City: Dallas State: TX Zip: 75219 It filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below: Surface Owner Information: Name: Eugene Sauer When filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below: Surface Owner Information: Name: Eugene Sauer When filing a Form T-1 involving multiple surface owners, attach an additional owner information to the left for each surface owner. Surface owner information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer. If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathodic Protection Borehole Intent), you must supply the surface owner and the KCC with a plat showing the predicted locations of lease roads, tank batteries, pipelines, and electrical lines. The locations shown on the plat are preliminary non-binding estimates. The locations may be entered on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice Act (House Bill 2032), I have provided the following to the surface owner(s) of the land upon which the subject well is or will be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form CB-1 that I am filling in connection with this form; 2) if the form being filed is a Form C-1 or Form CB-1, the plat(s) required by this form; and 3) my operator name, address, phone number, fax, and email address. I have not provided this information to the surface owner(s). I acknowledge that, because I have not provided this information, the KCC will be required to send this information to the surface owner(s). To mitigate the additional cost of the KCC performing this task, I acknowledge that all am being charged a \$30.00 handling fee, payable to the KCC, which is enclosed with this form. The form and	Name: 16ARdil Exploration, ELC		R. ZJ Eas X West
City: Dallas State: TX Zip: 75219 If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below: ### Hilling a Form T-1 for multiple wells on a lease, enter the legal description of the lease below: #### Hilling a Form T-1 for multiple wells on a lease, enter the legal description of the lease below: ###################################		County: Sauer	1
Contact Person: Rodney Cox Phone: (817) 727-1684	Address 2:		
Phone: (817) 727-1684 Fax: () Email Address: Surface Owner Information: Name: Eugene Sauer Address 1: 1735 130th Ave Address 2: City: Morland State: KS Zip: 67650 + If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathodic Protection Borehole Intent), you must supply the surface owner and the ACC with a plat showing the predicted locations of lease roads, tank batteries, pipelines, and electrical lines. The locations shown on the plat are preliminary non-binding estimates. The locations may be entered on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice Act (House Bill 2032), I have provided the following to the surface owner(s) of the land upon which the subject well is or will be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form CP-1 that I am filing in connection with this form; 2) if the form being filed is a Form C-1 or Form CB-1, the plat(s) required by this form; and 3) my operator name, address, phone number, fax, and email address. I have not provided this information to the surface owner(s). I acknowledge that, because I have not provided this information, the KCC will be required to send this information to the surface owner(s). To mitigate the additional cost of the KCC performing this task, I acknowledge that I am being charged a \$30.00 handling fee, payable to the KCC, which is enclosed with this form, the KSONA-form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1 will be returned. RECEIVED ADD a Food ADD and being Address.	City: State: Zip: Zip: +		, enter the legal description of
Email Address: Surface Owner Information: Name: Eugene Sauer Address 1: 1735 130th Ave Address 2: City: Morland State: KS Zip: 67650 . If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathodic Protection Borehole Intent), you must supply the surface owners and the KCC with a plat showing the predicted locations of lease roads, tank batteries, pipelines, and electrical lines. The locations shown on the plat are preliminary non-binding estimates. The locations may be entered on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. Select one of the following:	Contact Person: 1727-1684		
Surface Owner Information: Name: Eugene Sauer Address 1: 1735 130th Ave Address 2:			
Name: Eugene Sauer Address 1: 1735 130th Ave Address 2:	Email Address:		PAPER Milater and the second
Address 1: 1735 130th Ave Address 2:			
Address 2:	Name: 1735 130th Ave		
If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathodic Protection Borehole Intent), you must supply the surface owners and the KCC with a plat showing the predicted locations of lease roads, tank batteries, pipelines, and electrical lines. The locations shown on the plat are preliminary non-binding estimates. The locations may be entered on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. Select one of the following:			
the KCC with a plat showing the predicted locations of lease roads, tank batteries, pipelines, and electrical lines. The locations shown on the plat are preliminary non-binding estimates. The locations may be entered on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice Act (House Bill 2032), I have provided the following to the surface owner(s) of the land upon which the subject well is or will be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form CP-1 that I am filing in connection with this form; 2) if the form being filed is a Form C-1 or Form CB-1, the plat(s) required by this form; and 3) my operator name, address, phone number, fax, and email address. I have not provided this information to the surface owner(s). I acknowledge that, because I have not provided this information, the KCC will be required to send this information to the surface owner(s). To mitigate the additional cost of the KCC performing this task, I acknowledge that I am being charged a \$30.00 handling fee, payable to the KCC, which is enclosed with this form. If choosing the second option, submit payment of the \$30.00 handling fee with this form. If the fee is not received with this form, the KSONA-form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1 will be returned. RECEIVED ADD a F 2044	City: Morland State: KS Zip: 67650 +		
owner(s) of the land upon which the subject well is or will be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form CP-1 that I am filing in connection with this form; 2) if the form being filed is a Form C-1 or Form CB-1, the plat(s) required by this form; and 3) my operator name, address, phone number, fax, and email address. I have not provided this information to the surface owner(s). I acknowledge that, because I have not provided this information, the KCC will be required to send this information to the surface owner(s). To mitigate the additional cost of the KCC performing this task, I acknowledge that I am being charged a \$30.00 handling fee, payable to the KCC, which is enclosed with this form. If choosing the second option, submit payment of the \$30.00 handling fee with this form. If the fee is not received with this form, the KSONA-form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1 will be returned. RECEIVED ADD a 5. 2044	are preliminary non-binding estimates. The locations may be entered o		
KCC will be required to send this information to the surface owner(s). To mitigate the additional cost of the KCC performing this task, I acknowledge that I am being charged a \$30.00 handling fee, payable to the KCC, which is enclosed with this form. If choosing the second option, submit payment of the \$30.00 handling fee with this form. If the fee is not received with this form, the KSONA-form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1 will be returned. RECEIVED ADD a 5.2044	owner(s) of the land upon which the subject well is or will be le CP-1 that I am filing in connection with this form; 2) if the form	ocated: 1) a copy of the Form C-1, Form CB-1 being filed is a Form C-1 or Form CB-1, the pla	, Form T-1, or Form
form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1 will be returned. RECEIVED APP of 2004	KCC will be required to send this information to the surface ov	vner(s). To mitigate the additional cost of the l	KCC performing this
I hereby certify that the statements made herein are true and correct to the best of my knowledge and belief.			ith this form, the KSONA-1
ADD a t and			RECEIVED
Date: 4-1-11 Signature of Operator or Agent: Bill Rolling agent		•	APP of 2044
- Tree	Date: 4-1-11 Signature of Operator or Agent: Bio	Title: agent	VI V 0 3 5011

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: TexKan Exploration,	LLC		License Number: 34392		
Operator Address: P.O. Box 19164	3		Dallas TX 75219		
Contact Person: Rodney Cox			Phone Number: 817-727-1684		
Lease Name & Well No.: Sauer	1		Pit Location (QQQQ):		
Pit dimensions (all but working pits):	Artificial Liner? X Yes N Length (fee	(bbls) No No 8 epest point:	Sec. 28 Twp. 9 R. 25 East West 660 Feet from North / South Line of Section 1,980 Feet from East / West Line of Section Graham County Chloride concentration: mg/l (For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used? Width (feet) N/A: Steel Pits (feet) No Pit		
Distance to nearest water well within one-mile of the state of the sta	·	Depth to shallo Source of infon	west fresh water 180 25 feet. nation: well owner electric log KIKDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	ver and Haul-Off Pits ONLY:		
Producing Formation:		Type of materia	l utilized in drilling/workover: water		
Number of producing wells on lease:			king pits to be utilized:		
Barrels of fluid produced daily:		Abandonment (procedure: remove water then backfill with backhoe		
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above staten	nents are true and con	rect to the best of	my knowledge and belief. APR 0.5 2011		
4-1-11 Date			KCC WICHITA gnature of Applicant or Agent		
D. D		OFFICE USE O	Liner Steel Pit RFAC RFAS		
Date Received: 4-5-11 Permit Num	ber:	Permi	t Date: 4-5-11 Lease Inspection: Yes X No		

15-065-20004-0060

RECEIVED

STATION COMMERCEN

LIAY 4-8

Thomas H. Stevart

TE CORPORATION COMMISSION					CONTE	VATION CP-4
Information Completely				1001110 -	Wa	NATION DIVISION hita, Kansas
equired Affidavit Deliver Report to:		WI	ELL PLU	GCING I	RECORD	hila. Kansas
nservation Division						**************************************
te Corporation Commission 2 No. Market	Gra	ham	Count	v Sec. 28	Twp_9S_Rge	.25W (E)(W)
chite, Kansas 67202 🔻 🗸	Location as "NE				660 from W	line,660 from
NORTH	Lease Owner	Energy	Product	on. Inc.		
	Lease Name	Sauer	Sales Sa			Well Nol
	Office Address_	Suite 1	59= 8020	East Cen	tral - Wic	hita. Kansas 67
	Character of W					
	Date well comp		ebruary	11,		1967
i	Application for		Dece	mber 29.	*. •	1981
10-1	Application for		ed .i	anuary		190
	Plugging comme			1 9.		1862
i i	Plugging comple		Apr.	1 10,		1982
!	Reason for aban		l or produciz	g formation	Ceased Pro	ducina
! ! !						
;	If a producing	well is abandon	ed, date of l	st production.	July	1981
				_		fore plugging was com-
Locate well correctly on above Section Plat	menced?	·	Yes			
of Conservation Agent who supe	ervised plugging of this		<u>ennis Har</u>			
cing formation L - KC	D	epth to top 38	95 Botto	<u> 4078 </u>	Total Depth o	f Well 4100 Fee
depth and thickness of all water	, oil and gas formation	15.				
L GAS OR WATER RECORD	ns					CASING RECORD
E, GAS ON WATER RECORD			 	T		
FORMATION	CONTENT	FROM	YO	SIZE	PUT IN	PULLED OUT
			<u> </u>	8-5/8	210	None
						 -
		ļ	ļ	5 1/2	4397'	None .
	<u> </u>	<u></u>		 	_	
			ļ			
	l					1
	 -			.	 	
roducing it into the hole. If cer- feet for each plug s	nent or other plugs we	ere used, state th	ne character	of same and de	pth placed, from	feet t
Describe in detail the manner in troducing it into the hole. If cerfect for each plug a Plugged by pump and 75 sacks cerfluing release p No pressure - sh Allied plugged t 4-28-82 - Dig ou	truck - Allied ents@/SCPozmix lug - Pump 225 ut in - 4/10/ o surface with	Cementing 5 - 6% jell 6 sacks 50/ 82 - Run #	Co I	cussell, kelloride	pth placed, from Space with - 6% jell ement @ 25	3 sacks hulls 16 sacks - 3% Chloride = 0-300' - omplete
roducing it into the hole. If cer feet for each plug a Plugged by pump and 75 sacks cem Jell - release p No pressure - sh Allied plugged t	truck - Allied ents@/SCPozmix lug - Pump 225 ut in - 4/10/ o surface with	Cementing 5 - 6% jell 6 sacks 50/ 82 - Run #	Co I	cussell, kelloride	pth placed, from Space with - 6% jell ement @ 25	3 sacks hulls 16 sacks - 3% Chloride = 0-300' - omplete
roducing it into the hole. If cer feet for each plug a Plugged by pump and 75 sacks cem Jell - release p No pressure - sh Allied plugged t	truck - Allied ents@/SCPozmix lug - Pump 225 ut in - 4/10/ o surface with	Cementing 5 - 6% jell 6 sacks 50/ 82 - Run #	Co I	cussell, kelloride	pth placed, from Space with - 6% jell ement @ 25	3 sacks hulls 16 sacks - 3% Chloride = 0-300' - omplete
Plugged by pump and 75 sacks cem Jell - release p No pressure - sh	truck - Allied ents@/SCPozmix lug - Pump 225 ut in - 4/10/ o surface with	Cementing 5 - 6% jell 6 sacks 50/ 82 - Run #	Co I	cussell, kelloride	pth placed, from Space with - 6% jell ement @ 25	3 sacks hulls 16 sacks - 3% Chloride = 0-300' - omplete
Plugged by pump and 75 sacks cem Jell - release p No pressure - sh	truck - Allied ents@/SCPozmix lug - Pump 225 ut in - 4/10/ o surface with	Cementing 5 - 6% jell 6 sacks 50/ 82 - Run #	Co I	cussell, kelloride	pth placed, from Space with - 6% jell ement @ 25	3 sacks hulls 16 sacks - 3% Chloride = 0-300' - omplete
roducing it into the hole. If cer feet for each plug s Plugged by pump and 75 sacks cem Jell - release p No pressure - sh Allied plugged t	truck - Allied ents@/SCPozmix lug - Pump 225 ut in - 4/10/ o surface with	Cementing 5 - 6% jell 6 sacks 50/ 82 - Run #	Co I	cussell, kelloride	pth placed, from Space with - 6% jell ement @ 25	3 sacks hulls 16 sacks - 3% Chloride = 0-300' - omplete
oducing it into the hole. If cer feet for each plug s Plugged by pump and 75 sacks cem Jell - release p No pressure - sh Allied plugged t	truck - Allied ents@/BOPozmix lug - Pump 225 ut in - 4/10/ t cellar - cut	Cementing 6% jell sacks 50% 75 sacks off surfa	Co I - 3% GI - 50 pozm - 16asuring - 50/50 Pe - 6ce - 6asil	of same and de	pth placed, from Space with - 6% jell ement @ 25	3 sacks hulls 16 sacks - 3% Chloride = 0-300' - omplete
Plugged by pump and 75 sacks com Jeli - release p No pressure - sh Allied plugged t 4-28-82 - Dig ou	truck - Allied ents@/BOPozmix lug - Pump 225 ut in - 4/10/ t cellar - cut	Cementing - 6% jell - sacks 50/ 82 - Run # - 75 sacks - off surfa	Co I - 3% CI - 50 Pozmicasuring 50/50 Pozmicasil	of same and de	pth placed, from Space with - 6% jell ement @ 25	3 sacks hulls 16 sacks - 3% Chloride = 0-300' - omplete
Plugged by pump and 75 sacks com Jell - release p No pressure - sh Allied plugged t 4-28-82 - Dig ou	truck - Allied ents / GPozmix lug - Pump 225 ut in - 4/10/ o surface with t cellar - cut	Cementing - 6% jell - sacks 50/ 82 - Run # - 75 sacks - off surfa	Co I - 3% CI - 50 Pozmicasuring 50/50 Pozmicasil	of same and de	pth placed, from Space with - 6% jell ement @ 25	3 sacks hulls 16 sacks - 3% Chloride = 0-300' - omplete
Plugged by pump and 75 sacks com Jell - release p No pressure - sh Allied plugged t 4-28-82 - Dig ou	truck - Allied ents / GPozmix lug - Pump 225 ut in - 4/10/ o surface with t cellar - cut	Cementing - 6% jell - sacks 50/ 82 - Run # - 75 sacks - off surfa	Co I - 3% CI - 50 Pozmicasuring 50/50 Pozmicasil	of same and de	pth placed, from Space with - 6% jell ement @ 25	3 sacks hulls 16 sacks - 3% Chloride = 0-300' - omplete
Plugged by pump and 75 sacks cem Jell - release p No pressure - sh Allied plugged t 4-28-82 - Dig ou e of Plugging Contractor A	truck - Allied ents@/GOPozmix lug - Pump 225 ut in - 4/10/ o surface with t cellar - cut	Cementing - 6% jell sacks 50/ 82 - Run # 75 sacks off surfa	See Character 3% Cl 50 pozm 50/50 Pc 60 Casil	of same and de	pth placed, from S. — Pump Space with - 6% jell ement @ 26 nt — Job c w ground l	3 sacks hulls 16 sacks - 3% Chloride = 0-300' - omplete
Plugged by pump and 75 sacks com Jell - release p No pressure - sh Allied plugged t 4-28-82 - Dig ou e of Plugging Contractor A	truck - Allied ent or other plugs we et. truck - Allied ent O/BOPOZMIX lug - Pump 225 ut in - 4/10/ o surface with t cellar - cut (If additional llied Cementin	i Cementing - 6% jell - sacks 50/ - 82 - Run # - 75 sacks - off surfa description is neer g Co Ru	Co I - 3% CI - 50 pozm - 100 p	Cussell, k lloride x cement y line c zmix ceme g 4' belo	pth placed, from S. — Pump Space with 6% jell ement @ 25 nt _ Job c w ground l	3 sacks hulls 16 sacks - 3% Chloride - 0-300! - omplete evel.
roducing it into the hole. If cer feet for each plug a Plugged by pump and 75 sacks cem Jell - release p No pressure - sh Allied plugged t 4-28-82 - Dig ou	truck - Allied ent or other plugs we et. truck - Allied ent Of GO Commix lug - Pump 225 ut in - 4/10/ o surface with t cellar - cut (If additional llied Cementin	Cementing - 6% jell - sacks 50/ - 82 - Run # - 75 sacks - off surfa description is need g Co Ru	Les character J. Co. — J. 3% Cl 150 pozm 1635ur in 50/50 Pc 666 casil	Cussell, k lloride x cement y line come y teme y teme y teme y teme y teme to this sheet) ansas	pth placed, from Space with 6% jell ement @ 25 nt Job c w ground l	feet to 3 sacks hulls 16 sacks - 3% Chloride - 0 - 0 300 0 - omplete evel.

THOMAS H. STEWART
HOTARY PUBLIC
STATE OF KANSAS
My Appl. Exp. 10-27-75